<u>0 - 600'</u>

Spud mud consisting of AQUAGEL flocculated with Lime. Use ground paper for seepage loss of fluid and KWIK-SEAL, FIBERTEX and Cottonseed Hulls for severe or total loss.

If total loss of circulation occurs, we suggest mixing two or three 150-200 barrel pills of viscous AQUAGEL/Lime mud treated with 10-15 ppb KWIK-SEAL and/or Cottonseed Hulls. If this does not regain circulation, we suggest drilling to casing point without returns and spotting a similar pill on bottom prior to logging and running casing.

<u>600 - 4,150'</u>

Drill out with brine water and treat with CON DET and BEN-EX/MF-1 to flocculate solids. Circulate controlled section of the reserve pit. Use ground paper for seepage loss. Use pre-hydrated AQUAGEL or ZEOGEL/paper slugs as needed to sweep hole. For corrosion control, use Sodium Bichromate.

4,150 - 12,000'

Drill out with fresh water or cut brine circulating a controlled section of the reserve pit using BEN-EX/MR-1 and CON DET for control of solids build up. The fluid weight in this interval should be 8.5 - 9.5 pH. Use ZEOGEL/ground paper or pre-hydrated AQUAGEL pills to sweep the hole free of cutting when needed and prior to trips. Use Lime for a 9.0 - 9.5 pH. Use Sodium Bichromate at 600-800 ppm concentration for drill pipe and casing corrosion control.

The addition of MR-1/BEN-EX and CON DET may be used for control of solids build up. Use ZEOGEL/ground paper sweeps for seepage and additional hole cleaning. Should abnormal pressures be encountered in the Strawn formation an early mud up may be necessary.

<u>12,000 - 15,000'</u>

Prior to entering the Atoka, limit circulation to the steel pits and treat out hardness with Soda Ash. Lower filtrate to 10-15 cc with DEXTRID/PAC-R. Add XC Polymer for desired viscosity. Use BARIOD for density as dictated by hole conditions. This non-dispersed bipolymer system should have the following properties:

Weight: Viscosity: Filter Loss:	To be dictated by hole conditions 34-38 sec/1000 cc 10-15 ml
	Exhibit C Santa Fe Energy Operating Partners, LP P. G. "4" Federal No. 1 Section 9-23S-31E Eddy County, New Mexico