

X			

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office New Mexico  
Lease No. NM-035634  
Unit McGrady Gas Unit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<u>8-5/8" and 4-1/2"</u>	X
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....		
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....		
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....		
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....		
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....		
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

McGrady Gas Unit

Farmington, New Mexico August 28, 1963

Well No. 1 is located 790 ft. from N line and 990 ft. from W line of sec. 14  
NW/4 NW/4 Section 14 T-27N R-12W N.M.P.M.  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Basin Dakota San Juan New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is ..... ft. (To be reported later)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

The above well was spudded on August 13, 1963 and drilled to a total depth of 356'. 8-5/8" casing was set at that depth with 200 sacks regular cement containing 2% calcium chloride. Cement circulated to surface. After waiting on cement, tested 8-5/8" casing with 800 psi for 30 minutes. Test ok. Reduced hole to 7-7/8" and resumed drilling.

Well was drilled to a total depth of 6277 and 4-1/2" casing landed at that depth. Stage tool set at 1759'. First stage cemented 250 sacks cement containing 4% gel, 1-1/2 pounds medium Tuf Plug per sack followed by 100 sacks neat cement. Second stage cemented with 400 sacks cement containing 6% gel. Cement circulated to surface. After waiting on cement, drilled stage collar and tested casing to 3000 psi for 30 minutes. Test ok. Currently waiting on completion unit.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company PAN AMERICAN PETROLEUM CORPORATION

Address P. O. Box 480

Farmington, New Mexico

Attn: L. O. Speer, Jr.

ORIGINAL SIGNED BY  
By Fred L. Nabers

Title District Engineer