


3 - USGS
2 - MDCR
1 - State Land Office
1 - L. S. Brady (SUBMIT IN TRIPLICATE)
1 - File



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa FeLease No. 87-078997Unit 14-08-001-346

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 1958, 1958

S.J. 30-3 Unit
Well No. 23-7 is located 1670 ft. from [N] line and 820 ft. from [E] line of sec. 7

22 1/4 22 1/4 Sec. 7 30 North 3 West N.L.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Blanco River Norte San Antonio New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the ground above sea level is 6304 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded July 14, 1958. Set 180.89' of 10-3/8", 2-40, 32.750 casing @ 104.30', cemented w/100 on Portland regular w/25 Gell. Volume of cement slurry 54 cubic ft. Approximate temp. of cement slurry when mixed 60°F. Estimated formation temp. 70°F. Estimated strength of cement 2375 psi per square inch. Cement was in place 12 hrs before test. Casing tested OK.

Set 180.89' of 7-5/8", 1-55, 26.404 casing @ 1535.83', cemented w/100 on Portland regular 84 gal w/25 Gell. plus 30 on w/25 Gell. plus 1/2 Gell. per cu. Cement was in place 24 hrs before test. Casing tested OK.

Set 2807.31' of 5-1/2", 1-55, 144 liner @ 3738.31', Beach-Steel liner hanger @ 3451.00', cemented w/100 on Portland regular w/25 gal and 100 on Portland regular w/25 Gell. per cu. Pressured to 2500 psi, held OK. Cement was in place 12 hrs before test.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company PACIFIC ROBERTSON PIPELINE CORPORATIONAddress 410 1/2 West BroadwayFarmington, New MexicoBy Original signed by Geo. H. PappinTitle District Production Engineer