



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office **Santa Fe**  
Lease No. **078615-A**  
Unit **Northeast Blanco**

Unit Agreement No. 1, Sec. 929

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF <del>REPAIRING</del> REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

**WORKOVER**

May 2, 1958

**Florence Federal**  
Well No. **2-43** is located **1650** ft. from **[N]** line and **1650** ft. from **[E]** line of sec. **24**  
**NE/4 Section 24** **30N** **8W** **RMPN**  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
**Blanco Mesaverde** **San Juan** **New Mexico**  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **6382** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Original TD 5714'. Could not clean out and on 4/7/58, set NOVCO DC Retainer at 3995' and cemented with 175 sacks regular cement. Well continued to make gas and a hole was found in 7" casing at 1620'. Squeeze cemented with 75 sacks regular cement. On 4/9/58, tested casing with 1500 PSI for 15 minutes. Held OK. Set permanent whipstock at 3946', milled window in 7" casing and whipstocked new hole to TD of 5650'.

On 4/19/58, ran 57 Jts. 5" 13.00# J55 casing as liner-1858' set at 5649' and hung at 3791' with Beach-Ross plain casing hanger. Cemented with 150 sacks 4% gel cement with 1 lb. medium Tuf Plug per sack. On 4/20-58 stage squeezed with 25 sacks regular cement to 2800 PSI. Tested casing with 1000 PSI for 30 minutes. Held OK. Cement plug back depth 5619'.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

**Blackwood & Nichols Company**  
Company

**P.O. Box 1237**  
Address  
**Durango, Colorado**

Original Signed  
by DeLasso Loos  
By **DeLasso Loos**  
Title **Field Superintendent**