

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.
30-045-30943

5. Indicate Type of Lease
STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name
B-RPC 18

8. Well No.
3

9. Pool name or Wildcat
Basin Fruitland Coal/W. Kuts PC

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
OIL ☐ GAS ☒
WELL WELL OTHER

2. Name of Operator
Richardson Operating Co

3. Address of Operator
3100 LaPlata Hwy., Farmington, NM 87401 505-564-3100

4. Well Location
Unit Letter N : 1048 Feet From The South Line and 724 Feet From The West Line
Section 18 Township 29N Range 13W NMPM San Juan County

10. Elevation (Show whether DF,RKB,RT,GR,etc.)
5255' UG

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☒ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: Spud Report ☐

12. Describe Proposed or Completed Operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work)

SEE RULE 1103.
Spud Report:
April 22, 2002. Spud 8 4/4" surface hole. Drill to 134'. Run 3 jts (134') of 7", 20#, K-55 Surface Casing, set at 137'KB. Cement with 70 sxs (82.6cf) class 'B' cement + 2% CaCL2 & 1/4 #/sk cellophane; mixed at 15.6, ppg, yield 1.18. Circ 19 sx to surf. Wait on cement 12 hrs. Nipple up BOP. Pressure test at 1000 psi - ok. Trip in hole with a 6 1/4" bit - drill cement 95' to 137' and formation to 1095', TD. Run 26 jts, 1091', of 4 1/2", 10.5#, J-55 casing, set at 1095'. Cement with 122 sx (144 cf), class 'B' cement + 1/4#/sx cellophane, mixed at 15.6 ppg, yield 1.18. Circulated 38 sx to surface. Plug down at 7: 15 pm, 4-24-02.
Job Complete.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Charles Neeley TITLE Agent, PMCI DATE 8/07/02

TYPE OR PRINT NAME Charles Neeley TELEPHONE NO. 505-325-5220

(This space for State Use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: