

(SUBMIT IN TRIPLICATE)

Land Office New Mexico
Lease No. NM-048576
Unit Pan American Federal "C"

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

	X	

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<u>4-1/2" and 8-5/8" and X</u>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Pan American Federal "C" Farmington, New Mexico August 9, 1963

Well No. 1 is located 1850 ft. from N } line and 1795 ft. from W } line of sec. 19

N8 1/4 Sw 1/4 Section 19 T-30N R-12W N.M.P.M.
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Basin Dakota San Juan New Mexico
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is ft. (to be reported later)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

The above well was spudded on August 1, 1963 and drilled to a total depth of 365'. 8-5/8" casing was set at that depth with 225 sacks cement containing 2% calcium chloride. Cement was circulated to surface. After waiting on cement, tested casing with 400 psi. Test ok. Redused hole to 7-7/8" and resumed drilling.

Well was drilled to a total depth of 6618' and 4-1/2" casing was set at that depth with stage collar at 3187'. First stage cemented with 700 sacks Quixtrench cement containing 4% Gel, 2 pounds medium Tuf Plug per sack, followed by 100 sacks Quixtrench neat. Second stage cemented with 700 sacks Quixtrench cement containing 4% Gel. After waiting on cement, tested 4-1/2" casing with 3000 psi. Test ok.

Currently waiting on completion unit.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations are commenced.

Company Pan American Petroleum Corporation

Address P. O. Box 480
Farmington, New Mexico

Attn: L. O. Speer, Jr.

By _____ Title Petroleum Engineer



