

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 079043
Unit Northeast Blanco
Unit Agreement No. 1, Sec. 929

SUNDRY NOTICES AND REPORTS ON WELLS


NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 20, 1957

Well No. 53-28 is located 420 ft. from S line and 420 ft. from W line of sec. 28
SW/4 Sec. 28 31N 7W NMPM
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Blanco Mesaverde San Juan New Mexico
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6448 ft.



Spudded at 12:00 Noon 5-26-57. DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding, cementing points, and all other important proposed work)

On 5-28-57, ran 5 Jts 10-3/4" 32.75# H40 casing - 154' set at 168'. Cemented with 200 sacks regular cement. Cement circulated. Moved off 1000 Mayhue spudder. Waiting on rotary tools.

On 7-30-57, started moving in National "50" Rotary Rig and, on 8-1-57, tested 10-3/4" casing with 800 PSI for 20 minutes. Held OK.

On 8-12-57, ran 88 Jts 7-5/8" 26.40# J55 casing - 3562' set at 3575'. Cemented with 225 sacks 1:1 cement and pozmix with 4% gel and 1/4 lb. floccle per sack. Tested casing with 1000 PSI for 15 minutes. Held OK. Drilled with gas from 7-5/8" casing point.

On 8-19-57, ran 182 Jts 5-1/2" 15.50# J55 casing - 5830' set at 5842'. Cemented with 150 sacks 4% gel cement with 1/4 lb. floccle per sack. Tested casing with 1000 PSI for 30 minutes. Held OK. Cement plug back depth: 5820'. Top of cement at 3780', by temperature survey.

Understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Blackwood & Nichols Company (Unit Operator)
 Address P. O. Box 1237
Durango, Colorado
 Original Signed by DeLasso Loos
 By DeLasso Loos
 Title Field Superintendent