

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. N M 03358
Unit Northeast Blanco
Unit Agreement No. 1,
Sec. 929


SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 22, 1958

Well No. 43-11 is located 790 ft. from S line and 825 ft. from W line of Sec. 11
SW/4 Sec. 11 11N 7W NMPN
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Blanco Mesaverde San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)



The elevation of the derrick floor above sea level is 6515 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded at 7:00 PM 11-28-57

On 12-2-57, ran 5 Jts. 10-3/4" 32.75# H40 casing - 151' set at 166'. Cemented with 200 sacks regular cement. Cement circulated. Tested casing with 800 PSI for 30 minutes. Held OK.

On 12-24-57, ran 110 Jts. 7-5/8" 26.40# J55 casing - 3580' set at 3593'. Cemented with 225 sacks 1:1 cement and pozzol with 4% gel and 1/4 lb. floccule per sack. Tested casing with 1000 PSI for 30 minutes. Held OK. Drilled with gas from 7-5/8" casing point.

On 12-31-57, ran 144 Jts. 5-1/2" 15.50# J55 casing - 5920' set at 5932'. Cemented with 150 sacks 4% gel cement with 1/4 lb. Floccule per sack. Tested casing with 1000 PSI for 30 minutes. Held OK. Cement plug back depth: 5910'. Top of cement at 4050' by temperature survey.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Blackwood & Nichols Company (Unit Operator)

Address P. O. Box 1237

Durango, Colorado

Original Signed
By by Delasso Loos Delasso Loos

Title Field Superintendent