



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYLand Office Santa FeLease No. 078988Unit Northeast Blanco

Unit Agrmt. No. 1, Sec. 929

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	X
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 2, 1961

Well No. 60-7 is located 1090 ft. from N line and 1250 ft. from E line of 1/4 sec.NE/4 Section 7
(1/4 Sec. and Sec. No.)31N
(Twp.)6W
(Range)NMPM
(Meridian)Blanco Mesaverde
(Field)San Juan
(County or Subdivision)New Mexico
(State or Territory)The elevation of the derrick floor above sea level is 6380 ft.

Spudded at 6:15 AM 5/15/61 DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

On 5/15/61, ran 6 Jts 10 1/2" 32.75# J55 casing - 190' set at 206'. Cemented with 225 sacks regular cement with 2% calcium chloride. Cement circulated. Tested casing with 800 PSI for 30 minutes. Held OK.

On 5/25/61, ran 95 Jts 7-5/8" 26.40# J55 casing - 3432' set at 3447'. Cemented with 250 sacks 1:1 cement and Diamix A with 2% gel and 1/4 lb. Cello Flake per sack. Top of cement at 2250' by temperature survey. Drilled with gas from 7-5/8" casing point.

On 5/28/61, ran 146 Jts 5 1/2" 15.50# J55 casing - 5830' set at 5844'. Cemented with 100 sacks 1:1 cement and Pozmix with 4% gel and 12 1/2 lbs. Gilsomite per sack and followed with 75 sacks regular cement with 1 lb. Halcad-9 per sack. Top of cement at 3450' by temperature survey. Tested casing with 1000 PSI for 30 minutes. Held OK. PSTD 5822'.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Blackwood & Nichols Company (Unit Operator)Address P. O. Box 1237Durango, ColoradoBy DeLasso Loos
Signed by DeLasso LoosTitle Field Superintendent