Form 9-331

## HINITED STATES

SUBMIT IN TRIPLICATES

Form approved.

(May 1963)	DEPARTMENT OF THE INTERIOR verse side)  GEOLOGICAL SURVEY	5. LEASE DESIGNATION AND BERIAL NO.  NM - 28760
(Do not us	SUNDRY NOTICES AND REPORTS ON WELLS see this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
OIL G	AS X OTHER	7. UNIT AGREEMENT NAME
2. NAME OF OPERA	ATOR	8. FARM OR LEASE NAME
Odessa Natural Corporation		Little Federal
3. ADDRESS OF OP		9. WELL NO.
PO Box	3908, Odessa, Texas 79760	2
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*  See also space 17 below.)  At surface  1090 FNL, 1850 FWL		10. FIELD AND POOL, OR WILDCAT Basin Dakota
		Sec. 1-T30N-R14W  NMPM
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.)	12. COUNTY OR PARISH 13. STATE
	5877 GR, 5888 DF, 5889 KB	San Juan NM
18	Charle Annuaries Pay To Indicate Nature of Notice Report	or Other Data

TEST WATER SHUT-OFF PULL OR ALTER CASING WATER SHUT-OFF FRACTURE TREAT MULTIPLE COMPLETE FRACTURE TREATMENT SHOOTING OR ACIDIZING ABANDONMENT®	NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:		
REPAIR WELL  (Other)  (Other)	FRACTURE TREAT  SHOOT OR ACIDIZE  REPAIR WELL  MULTIPLE COMPLETE  ABANDON*  CHANGE PLANS	FRACTURE TREATMENT ALTERING CASING SHOOTING OR ACIDIZING ABANDONMENT*		

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) •

1-13-77 Spud Well Ran 7 jts., 8-5/8", 24.0lb., K-55 casing (294.31') set at 317' with 250 sacks Class "B" cement with 2% Calcium Chloride and  $\frac{1}{4}$  lb. Flocele per sack. Cement circulated. Test with 500 psig. Test OK.

1-28-77 T.D. 6550°. Ran 165 jts., 4½, 10.50 lb., CW-55, casing (6,536.97) set at 6,548.97 with First Stage-350 sacks, 50-50 Pozmix "A" with 12½ lbs. Gilsonite and 6 lbs. salt per sack. Stage cementing tool at 1820', Second Stage-175 sacks 65-35 Pozmix with 12% Gel.



3 1977

M. C. C. France

SIGNED EWELL N. Walsh. P.E.	President, Walsh Engr.&  TITLE Production Corporation DATE 2-1-77	_
(This space for Federal or State office use)		
APPROVED BY	TITLE DATE	

CONDITIONS OF APPROVAL, IF ANY: