

| | | | | |
|--|--|--|--|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **New Mexico**
Lease No. **NM-021127**
Unit **U.S.A. Stanolind "A"**

SUNDRY NOTICES AND REPORTS ON WELLS

| | | |
|---|---|----------|
| NOTICE OF INTENTION TO DRILL..... | SUBSEQUENT REPORT OF WATER SHUT-OFF..... | X |
| NOTICE OF INTENTION TO CHANGE PLANS..... | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING..... | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF..... | SUBSEQUENT REPORT OF ALTERING CASING..... | |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL..... | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR..... | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE..... | SUBSEQUENT REPORT OF ABANDONMENT..... | |
| NOTICE OF INTENTION TO PULL OR ALTER CASING..... | SUPPLEMENTARY WELL HISTORY..... | |
| NOTICE OF INTENTION TO ABANDON WELL..... | | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

U.S.A. Stanolind "A"

Farmington, New Mexico September 26, 1957

Well No. **1** is located **990** ft. from **N** line and **990** ft. from **E** line of sec. **29**

NE 1/4 of Section 29
(1/4 Sec. and Sec. No.)

T-31-N
(Twp.)

R-12-W
(Range)

N.M.P.M.
(Meridian)

Blanco-Mesa Verde
(Field)

San Juan
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is **6014** ft. (Ground Level)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

The above well was spudded on August 28, 1957, and on August 29, 1957, 9-5/8" casing was set at 279' with 170 sacks of cement. After waiting on cement for 24 hours, casing and water shut-off were tested with 800 pounds pressure for 30 minutes which held with no drop in pressure.

On September 15, 1957, 7" casing was landed at 4625' with 125 sacks of cement, followed by 50 sacks of cement. Casing was tested with 2500 pounds pressure for 30 minutes (special test) with no drop in pressure.

On September 16, 1957, a 5 1/2" liner was set at 4523-5000' with 50 sacks of cement. After waiting on cement, casing was tested with 1500 pounds pressure, which held with no drop in pressure.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations are begun.

Company **Pan American Petroleum Corporation**

Address **Box 487**

Farmington, New Mexico

By

Title **Field Clerk**



