	•						
	UNITED STATES	NTERIOR	OCD A		OMB	M APPROVED NO. 1004-0135 es: July 31, 2010	
4	UREAU OF LAND MANA NOTICES AND REPO			resia	5. Lease Serial No. NMNM99016		
Do not use th	his form for proposals to ell. Use form 3160-3 (AP	drill or to re-	enter an		5. If Indian, Allotte	e or Tribe Name	
SUBMIT IN TRI	IPLICATE - Other instruc	ctions on reve	rse side.		7. If Unit or CA/Ag	reement, Name and/or	No.
1. Type of Well Oil Well Gas Well Ot	her			o. E C COM 1H			
2. Name of Operator OXY USA WTP LP	Contact: E-Mail: jennifer_du	JENNIFER A Jarte@oxy.com	DUARTE		 API Well No. 30-015-40761 	-00-X1	
3a. Address HOUSTON, TX 77210		3b. Phone No. Ph: 713-513	(include area code) 3-6640	.)	0. Field and Pool, o N SEVEN RIV	or Exploratory /ERS-GLOR-YESC	D
4. Location of Well (Footage, Sec., 7	T., R., M., or Survey Description) .			1. County or Parisl	h, and State	
Sec 18 T20S R25E Lot 1 480	FSL 840FWL				EDDY COUN	TY, NM	
12. CHECK APP	ROPRIATE BOX(ES) TO) INDICATE	NATURE OF 1	NOTICE, REF	ORT, OR OTH	ER DATA	
TYPE OF SUBMISSION			TYPE O	FACTION	<u>.</u>	· <u>·</u> ··································	
• 🔀 Notice of Intent	Acidize	Deep			n (Start/Resume)	Water Shut-O	
• Subsequent Report	 →□ Alter Casing □ Casing Repair 	_	ure Treat Construction	Reclamati		🗖 Well Integrit	У
Final Abandonment Notice	Change Plans	_	and Abandon	Recomple		Change to Orig	inal A
	Convert to Injection			Water Dis	-	PD	
Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f Oxy USA respectfully request plan:	d operations. If the operation re- bandonment Notices shall be file final inspection.)	sults in a multiple ed only after all re	completion or reco equirements, includ	ompletion in a new ting reclamation, l	v interval, a Form 3 have been completed	160-4 shall be filed onc	
 Casing design modification 8-5/8? surface casing and 7 7 Cement program adjustment below. The surface casing strings of 4. BOP testing modification to 	7/8? production hole with 5 nt to the new bit/casing siz will be tested to 70% of th test our BOP equipment	5-1/2? producti zes. Cement re eir burst rating	on casing. Deta ecipe modificati 1 for 30 minutes	ails are below. ions detailed s. (APR 07 2014	
minutes as a result of the redu	uced surface casing size.		. OI	- ለተተለቦ	HED FOR	OCD ARTES	
, <u>e</u>	·····		<u> </u>				
14. I hereby certify that the foregoing is	s true and correct. Electronic Submission #2 For OXY nmitted to AFMSS for proce	229258 verified USA WTP LP, essing by KUB	by the BLM We sent to the Carl	Il information S Isbad	IS UF AL F	NUVAL	
Name(Printed/Typed) JENNIFE				ATORY SPEC			
					,		
Signature (Electronic S	Submission)		Date 12/11/2	013 г		DOVED	
Orginatare (Breen entre)	THIS SPACE EC	R FEDERAL	OR STATE	OFFICE US	ATT	NOVED	
Approved By	· · · · · · · · · · · · · · · · · · ·		Title		APR	3 2014	
	d. Approval of this notice does in the does in the does in the second seco	not warrant or subject lease	_Title		Is/ Ch	3 2014 ris Walls	IT

OXY USA Inc Osage 18 Fee C Com #1H APD SUNDRY DATA

OPERATOR NAME / NUMBER: <u>OXY USA Inc</u>

<u>16696</u>

LEASE NAME / NUMBER: Osage 18 Fee C Com # 1H

Federal Lease No:

STATE: <u>NM</u> COUNTY: <u>Eddy</u>

SURFACE LOCATION: <u>480' FSL & 840' FWL, Sec 18, T20S, R25E</u>

BOTTOM HOLE LOCATION: 330' FNL & 940' FWL, Sec. 18, T20S, R25E

C-102 PLAT APPROX GR ELEV: 3576.4'

EST KB ELEV: 3592.9' (16.5' KB)

1. SUMMARY OF CHANGES:

Oxy USA respectfully requests approval for the following changes and additions to the drilling plan:

- 1. Casing design modification, to drill the well with smaller bit sizes: 11" surface hole with 8-5/8" surface casing and 7 7/8" production hole with 5-1/2" production casing. Details are below.
- 2. Cement program adjustment to the new bit/casing sizes. Cement recipe modifications detailed below.
- 3. The surface casing strings will be tested to 70% of their burst rating for 30 minutes.
- 4. BOP testing modification to test our BOP equipment using a test plug to 250/3000 psi for 10 minutes as a result of the reduced surface casing size.

2. CASING PROGRAM

Surface Casing: 8.625" casing set at 660'MD / 660'TVD in an 11" hole filled with 8.6 ppg mud

Interval	Length	Wt	Gr	Cplg	Coll Rating (psi)	Burst Rating (psi)	Jt Str (M-lbs)	ID (in)	Drift (in)	SF Coll	SF Burst	SF Ten
0'- 660'	660'	32	J-55	LT&C	1370	2950	244	7.921	7.875	6.21	1.43	2.01

					Coll	Burst						
					Rating	Rating	Jt Str	ID	Drift	SF ·	[*] SF	SF .
Interval	Length	Wt	Gr	Cplg	(psi)	(psi)	(M-lbs)	(in)	(in)	Coll .	Burst	• Ten
0 ' – 6660'	6660'	17	L-80	BT&C	6290	7740	397	4.892	4.767	5.06	1.26	2.59

Note: All Casing is in new condition

Casing Design Assumptions:

Burst Loads

CSG Test (Surface)

- Internal: Displacement fluid + 70% CSG Burst rating
- External: Pore Pressure from section TD to surface

CSG Test (Production)

- Internal: Displacement fluid + 80% CSG Burst rating
- External: Pore Pressure from the well TD the Intermediate CSG shoe and MW of the drilling mud that was in the hole when the CSG was run to surface

Gas Kick (Surface)

- Internal: Gas Kick based on Pore Pressure or Fracture Gradient @ CSG shoe with a gas 0.115psi/ft Gas gradient to surface while drilling the next hole section (e.g. Gas kick while drilling the production hole section is a burst load used to design the surface CSG)
- External: Pore Pressure from section TD to previous CSG shoe and MW of the drilling mud that was in the hole when the CSG was run to surface

Stimulation (Production)

- Internal: Displacement fluid + Max Frac treating pressure (not to exceed 80% CSG Burst rating)
- External: Pore Pressure from the well TD to the Intermediate CSG shoe and 8.5 ppg MWE to surface

Collapse Loads

Lost Circulation (Surface)

- Internal: Losses experienced while drilling the next hole section (e.g. losses while drilling the production hole section are used as a collapse load to design the surface CSG). After losses there will be a column of mud inside the CSG with an equivalent weight to the Pore Pressure of the lost circulation zone
- External: MW of the drilling mud that was in the hole when the CSG was run Cementing (Surface /Production)
 - Internal: Displacement Fluid
 - External: Cement Slurries to TOC, MW to surface

Full Evacuation (Production)

- Internal: Atmospheric Pressure
- External: MW of the drilling mud that was in the hole when the CSG was run

Tension Loads

Running CSG (Surface/Production)

• Axial load of the buoyant weight of the string plus either 100 klb over-pull or string weight in air, whichever is less

Green Cement (Surface/Production)

• Axial load of the buoyant weight of the string plus the cement plug bump pressure (Final displacement + 500 psi)

Burst, Collapse and Tensile SF are calculated using Landmark's Stress Check (Casing Design) software.

3. <u>CEMENT PROGRAM:</u>

Surface Interval

Interval	Amount sx	Ft of Fill	Туре	Gal/Sk	PPG	Ft ³ /sk	24 Hr Comp
Surface (TOC: 0	' – 660')						
Tail: 0'-660' (140 % Excess)	340	·660'	Premium Plus cement with 94 lbm/sk Premium Plus Cement, 1% Calcium Chloride	6.36	. 14.80	1.34	1408 psi

Production Interval

Interval	Amount sx	Ft of Fill	Туре	Gal/Sk	PPG	Ft ³ /sk	24 Hr Comp
Production (TOC	C: 0'-6660') S	Single Sta	ge	•			•
Lead: 0' - 1883' (180% Excess)	290	1883'	Interfill C Cement: 0.5% LAP-1 (Low fluid loss control), 0.25% D-AIR 5000 (Defoamer), 2 lbm/sk Kol-Seal (Lost Circulation Additive), 0.125 lbm/sk Poly- E-Flake (Lost Circulation Additive)	13.79	11.90	2.45	315 psi
Tail: 1883' – 6660' (30% Excess)	750	4780'	Premium Plus Cement: 94 lbm/sk Premium Plus Cement 0.5% Halad ®-344, 0.2% WellLife 734, 5% Microbond, 0.3% Econolite, 0.3% CFR-3	7.70	14.2	1.54	1162 psi

Cement Additives: *Bentonite (light weight additive), Calcium Chloride (accelerator), Halad-344 (low fluid loss control), HR-601 (retarder), Kol-Seal (lost circulation additive), Salt (salt), Poly-E-Flake (lost circulation additive), Silicalite (Additive Material), CFR-3 (Dispersant), Schotchlite HGS 6000 (Light Weight Additive), WG-17 (Gelling Agent), Cal-Seal 60 (Accelerator), LAP-1 (Low fluid loss control), D-AIR 5000 (Defoamer),

4. PRESSURE CONTROL EQUIPMENT

Surface: 0 - 660' None.

Production: 0 - 6660' the minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required to drill below the surface casing shoe shall be 3000 (3M) psi. Operator will be using an 11" 3M two ram stack with 3M annular preventer, & 3M Choke Manifold.

- **a.** The 11" 3000 psi blowout prevention equipment will be installed and operational after setting the 8 5/8" surface casing and the 8 5/8" SOW x 11" 3K conventional wellhead; the rotating head body will be installed but the rubber will be installed when it becomes operationally necessary.
- **b.** The BOP and ancillary BOPE will be tested by a third party upon installation to the 8 5/8" surface casing. All equipment will be tested to 250/3000 psi for 10 minutes and charted, except the annular, which will be tested to 70% of working pressure. This is to be in compliance with the Onshore Order # 2 which states the BOPE shall be tested to 70% of the yield of the casing when the BOP and casing are not isolated.
- c. The pipe rams will be functionally tested during each 24 hour period; the blind rams will be functionally tested on each trip out of the hole. These functional tests will be documented on the Daily Driller's Log. Other accessory equipment (BOPE) will include a safety valve and subs as needed to fit all drill strings, and a 2" kill line and 3" choke line having a 3000 psi WP rating. Oxy requests that the system be tested at 3,000 psi.
- **d.** Other accessory equipment (BOPE) will include a safety valve and subs as needed to fit all drill strings, and a 2" kill line and 3 " choke line having a 5000 psi WP rating, tested to 3,000 psi.

e. Oxy requests a variance to use a co-flex hose between the BOP and the choke manifold with pressure ratings and size equal to or higher rated than the following:

• Size<u>: 3"</u>

Ends: <u>flanges</u>

■ WP rating: 5000 psi

• Anchors required by manufacturer: No

·

CONDITIONS OF APPROVAL

ſ	OPERATOR'S NAME:	OXY USA Inc
	LEASE NO.:	NM99016
	WELL NAME & NO.:	1H Osage 18 Fee C Com
	SURFACE HOLE FOOTAGE:	480' FSL & 840' FWL
	BOTTOM HOLE FOOTAGE	330' FNL & 940' FWL
	LOCATION:	Section 18, T.20 S., R.25 E., NMPM
	COUNTY:	Eddy County, New Mexico

I. DRILLING

A. DRILLING OPERATIONS REQUIREMENTS

The BLM is to be notified in advance for a representative to witness:

- a. Spudding well (minimum of 24 hours)
- b. Setting and/or Cementing of all casing strings (minimum of 4 hours)
- c. BOPE tests (minimum of 4 hours)

Eddy County

Call the Carlsbad Field Office, 620 East Greene St., Carlsbad, NM 88220, (575) 361-2822

- 1. Although Hydrogen Sulfide has not been reported in this section, it is always a potential hazard. If Hydrogen Sulfide is encountered, please report measured amounts and formations to the BLM.
- 2. Floor controls are required for 3M or Greater systems. These controls will be on the rig floor, unobstructed, readily accessible to the driller and will be operational at all times during drilling and/or completion activities. Rig floor is defined as the area immediately around the rotary table; the area immediately above the substructure on which the draw works is located, this does not include the dog house or stairway area.
- 3. Unless the production casing has been run and cemented or the well has been properly plugged, the drilling rig shall not be removed from over the hole without prior approval. If the drilling rig is removed without approval an Incident of Non-Compliance will be written and will be a "Major" violation.
- 4. The record of the drilling rate along with the GR/N well log run from TD to surface (horizontal well vertical portion of hole) shall be submitted to the BLM office as well as all other logs run on the borehole 30 days from completion. If available, a digital copy of the logs is to be submitted in addition to the paper copies.

B. CASING

Changes to the approved APD casing program need prior approval if the items substituted are of lesser grade or different casing size. The Operator can exchange the components of the proposal with that of superior strength (i.e. changing from J-55 to N-80, or from 36# to 40#). Changes to the approved cement program need prior approval if the altered cement plan has less volume or strength or if the changes are substantial (i.e. Multistage tool, ECP, etc.).

Centralizers required on surface casing per Onshore Order 2.III.B.1.f.

Wait on cement (WOC) time prior to drilling out for a primary cement job will be a minimum 18 hours for a water basin, 24 hours in the potash area, or 500 pounds compressive strength, whichever is greater for all casing strings. DURING THIS WOC TIME, NO DRILL PIPE, ETC. SHALL BE RUN IN THE HOLE. Provide compressive strengths including hours to reach required 500 pounds compressive strength prior to cementing each casing string. IF OPERATOR DOES NOT HAVE THE WELL SPECIFIC CEMENT DETAILS ONSITE PRIOR TO PUMPING THE CEMENT FOR EACH CASING STRING, THE WOC WILL BE 30 HOURS. See individual casing strings for details regarding lead cement slurry requirements.

No pea gravel permitted for remedial or fall back remedial without prior authorization from the BLM engineer.

HIGH CAVE/KARST – CONTINGENCY CASING WILL BE REQUIRED IF LOST CIRCULATION OCCURS WHILE DRILLING THE SURFACE HOLE. THE SURFACE HOLE WILL HAVE TO BE REAMED AND A LARGER CASING INSTALLED.

Possible lost circulation in the San Andres formation.

- 1. The 8-5/8 inch surface casing shall be set at approximately 660 feet and cemented to the surface. Additional cement will be required due to setting depth change.
 - a. If cement does not circulate to the surface, the appropriate BLM office shall be notified and a temperature survey utilizing an electronic type temperature survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of six hours after pumping cement and ideally between 8-10 hours after completing the cement job.
 - **b.** Wait on cement (WOC) time for a primary cement job is to include the lead cement slurry.
 - c. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength,

whichever is greater.

- d. If cement falls back, remedial cementing will be done prior to drilling out that string.
- 2. The minimum required fill of cement behind the 5-1/2 inch production casing is:

Cement to surface. If cement does not circulate, contact the appropriate BLM office.

3. If hardband drill pipe is rotated inside casing, returns will be monitored for metal. If metal is found in samples, drill pipe will be pulled and rubber protectors which have a larger diameter than the tool joints of the drill pipe will be installed prior to continuing drilling operations.

C. PRESSURE CONTROL

- 1. All blowout preventer (BOP) and related equipment (BOPE) shall comply with well control requirements as described in Onshore Oil and Gas Order No. 2 and API RP 53 Sec. 17.
- 2. Variance approved to use flex line from BOP to choke manifold. Check condition of flexible line from BOP to choke manifold, replace if exterior is damaged or if line fails test. Line to be as straight as possible with no hard bends and is to be anchored according to Manufacturer's requirements. The flexible hose can be exchanged with a hose of equal size and equal or greater pressure rating. Anchor requirements, specification sheet and hydrostatic pressure test certification matching the hose in service, to be onsite for review. If the BLM inspector questions the straightness of the hose, a BLM engineer will be contacted and will review in the field or via picture supplied by inspector to determine if changes are required (operator shall expect delays if this occurs).
- 3. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the surface casing shoe shall be **3000 (3M)** psi.

4. The appropriate BLM office shall be notified a minimum of 4 hours in advance for a representative to witness the tests.

a. In a water basin, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been done. The casing cut-off and BOP installation can be initiated four hours after installing the slips, which will be approximately six hours after bumping the plug. For those casing strings not using slips, the minimum wait time before cut-off is eight hours after bumping the plug. BOP/BOPE testing can begin after cut-off or once cement reaches 500 psi compressive strength (including

lead when specified), whichever is greater. However, if the float does not hold, cut-off cannot be initiated until cement reaches 500 psi compressive strength (including lead when specified).

- b. The tests shall be done by an independent service company utilizing a test plug **not a cup or J-packer**.
- c. The test shall be run on a 5000 psi chart for a 2-3M BOP/BOP, on a 10000 psi chart for a 5M BOP/BOPE and on a 15000 psi chart for a 10M BOP/BOPE. If a linear chart is used, it shall be a one hour chart. A circular chart shall have a maximum 2 hour clock with a corresponding chart (i.e. two hour clock-two hour clock-one hour chart).

d. The results of the test shall be reported to the appropriate BLM office.

- e. All tests are required to be recorded on a calibrated test chart. A copy of the BOP/BOPE test chart and a copy of independent service company test will be submitted to the appropriate BLM office.
- f. The BOP/BOPE test shall include a low pressure test from 250 to 300 psi. The test will be held for a minimum of 10 minutes if test is done with a test plug and 30 minutes without a test plug. This test shall be performed prior to the test at full stack pressure.

D. DRILL STEM TEST

If drill stem tests are performed, Onshore Order 2.III.D shall be followed.

E. WASTE MATERIAL AND FLUIDS

All waste (i.e. drilling fluids, trash, salts, chemicals, sewage, gray water, etc.) created as a result of drilling operations and completion operations shall be safely contained and disposed of properly at a waste disposal facility. No waste material or fluid shall be disposed of on the well location or surrounding area.

Porto-johns and trash containers will be on-location during fracturing operations or any other crew-intensive operations.

CRW 040314