Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMEN CARISBAD Field

FORM APPROVED OMB NO. 1004-0137

expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELL DE Artesia NMNM118705

Do not use this form for proposals to drill or to re-enteral abandoned well. Use form 3160-3 (APD) for such proposals. If Indian, Allottee or Tribe Name 7. If Unit or CA/Agreement, Name and/or No. SUBMIT IN TRIPLICATE - Other instructions on page 2 1. Type of Well 8. Well Name and No. FOREHAND RANCH 35 FED 1H ☑ Oil Well ☐ Gas Well ☐ Other Contact: TAMMY R LINK API Well No. 2. Name of Operator MATADOR PRODUCTION COMPANYE-Mail: tlink@matadorresources.com 30-015-43490 3b. Phone No. (include area code) Field and Pool or Exploratory Area 5400 LBJ FREEWAY, SUITE 1500 Ph: 575-627-2465 FOREHAND RANCH-WOLFCAMP DALLAS, TX 75240 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 11. County or Parish, State Sec 35 T23S R27E Mer NMP SESW 330FSL 1980FWL EDDY COUNTY, NM 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION □ Acidize □ Deepen ☐ Production (Start/Resume) ■ Water Shut-Off ■ Notice of Intent ■ Well Integrity Alter Casing ☐ Hydraulic Fracturing ☐ Reclamation **⊠** Subsequent Report □ Other Casing Repair ☐ New Construction ☐ Recomplete ☐ Final Abandonment Notice □ Change Plans □ Plug and Abandon ☐ Temporarily Abandon Convert to Injection ☐ Plug Back ☐ Water Disposal 13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection. Accepted for record · NMOCD BLM BOND NO NMBOO1079 SURETY BOND NO. RLB0015172

Matador requests a variance to run 7 5/8" BTC casing inside 9 5/8" BTC casing which will be less than the 0.422" stand off regulation. Matador has met with Christopher Walls and Mustafa Haque as well as other BLM representatives and determined that this would be acceptable as long as the 7 5/8" flush casing was run throughout the entire 300' cement tie back section between 9 5/8" and 7 5/8" casing

NM OIL CONSERVATION ARTESIA DISTRICT JUL 1 0 2017

RECEIVED

See Attachments.

-All previous CoAn still apply. Additional coass not required.

14. I hereby certify that the foregoing is true and correct. Electronic Submission #378951 verifi For MATADOR PRODUCTION Committed to AFMSS for processing by	dompan	Y. sent to the Carlsbad	
Name (Printed/Typed) TAMMY R LINK	Title	PRODUCTION ANALYST	
Signature (Electronic Submission)	Date	D6/14/POT7 APPROVED	
THIS SPACE FOR FEDER	AL OR	STATE OFFICE USE	
Approved By Mustafa Hague	Title	PETROLEUM ENGINEER	Date 7/5/2017
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	BUREAU OF LM-D MANAGEMENT CARLSBAD FIELD OFFICE	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

CONNECTION DATA SHEET (Imperial Units)




Connection:

VAM® HTF-NR 7,625" 29,70# P110EC

Alternate Drift: 6,750"

Drawing: PD-101836P PD-101836B

Isolated connection



OD

WEIGHT

WALL

GRADE

API DRIFT

7,	625"	29,70 lb/ft	0,375"	P110EC	6,750"	
PIPE B	ODY PRO	OPERTIES:		CONNE	CTION PROPE	RTIES:
Outside Diameter	inch	7,625		Connection OD (nom)	inch	7,701
Internal Diameter	inch	6,875		Connection ID	inch	6,782
				Coupling Length	inch	N/A
Nominal Area	sqin.	8,541		Make-up Loss	inch	4.657
				Box critical area	%PBYS	58%
				Pin critical area	%PBYS	67%
Yield Strength	klb	1 068		Yield Strength	klb	619

Outside Diameter	,,,,,,,,	.,	1 Connection OF (nom)	111011		.,
Internal Diameter	inch	6,875	Connection ID inch		6,782	
			Coupling Length inch		N/A	
Nominal Area	sqin.	8,541	Make-up Loss	inch		4,657
	- 4	1.	· ·			
			Box critical area	%PBYS		58%
			Pin critical area	%PBYS		67%
Yield Strength	klb	1 068	Yield Strength	klb		619
Ultimate Strength	kIb	1 153	Ultimate strength	klb		669
			Structural compression	klb		776
			Compression with sealability	klb		371
MIYP	!	10 760	MIYP			10 760
	psi			psi		
Collapse Pressure	psi	5 670	Ext Pressure Resistance	psi		5 670
			Regular Make-up Torque	ft.lb		
			regular make-up rorque	Min		9 600
						11 300
				Opt		
				Max		13 000
			Maximum Torque with Seal	lability	ft.lb	58 500
			Maximum Torsional Value		ft.lb	73 000
			}			
			1			

No one knows VAM like VAM

uk@vamfieldservice.com dubai@vamfieldservice.com angola@vamfieldservice.com singapore@vamfieldservice.com



usa@vamfieldservice.com brazil@vamfieldservice.com canada@vamfieldservice.com mexico@vamfieldservice.com

80 VAM Specialists available worldwide 24'7 for Rig Site Assistance



Designed by : X. MENCAGLIA Reference: VRCC16-1177

Revision: 0

Date :

July 19, 2016

For the latest performance data, always visit our website: www.tenaris.com

February 02 2017



Connection: TenarisXP® BTC

Casing/Tubing: CAS

Coupling Option: REGULAR

Size: 5.500 in. Wall: 0.361 in. Weight: 20.00 lbs/ft

Grade: P110-IC Min. Wall Thickness: 87.5 %

Nominal OD	5.500 in.	Nominal Weight	20.00 lbs/ft	Standard Drift Diameter	4.653 in.
Nominal ID	4.77 8 in.	Wall Thickness	0 .361 in.	Special Drift Diameter	N/A
Plain End Weight	19.83 lbs/ft				
Body Yield Strength	641 x 1000 lbs	Internal Yield	126 30 psi	SMYS	110000 psi
Collapse	121 00 psi				
Area					
T	400.0/	1	641 × 1000	Internal Pressure	10000
Tension Efficiency Structural Compression	100 %	Joint Yield Strength Structural Compression	lbs 641 × 1000	Capacity ⁽¹⁾ Structural	12630 psi 92 °/100 ft
Structural		Structural	Ibs	Capacity ⁽¹⁾	·
Structural Compression Efficiency External Pressure	100 %	Structural Compression	lbs 641 × 1000	Capacity ⁽¹⁾ Structural	·

⁽¹⁾ Internal Pressure Capacity related to structural resistance only. Internal pressure leak resistance as per

section 10.3 API 5C3 / ISO 10400 - 2007.

- (2) Structural rating, pure bending to yield (i.e no other loads applied)
- (3) Torque values calculated for API Modified thread compounds with Friction Factor=1. For other thread compounds please contact us at licensees@oilfield.tenaris.com. Torque values may be further reviewed. For additional information, please contact us at $\underline{contact-tenarishydril@tenaris.com}$

For the latest performance data, always visit our website: www.tenaris.com

February 02 2017



Connection: TenarisXP® BTC

Casing/Tubing: CAS

Coupling Option: REGULAR

Size: 4.500 in. Wall: 0.290 in. Weight: 13.50 lbs/ft

Grade: P110-ICY Min. Wall Thickness: 87.5 %

Nominal OD	4.500 in.	Nominal Weight	13.50 lbs/ft	Standard Drift Diameter	3.7 9 5 in.
Nominal ID	3.9 20 in.	Wall Thickness	0 .2 90 in.	Special Drift Diameter	N/A
Plain End Weight	13.05 lbs/ft				
Body Yield Strength	479 x 1000 lbs	Internal Yield	14100 psi	SMYS	12500 0 psi
Collapse	11620 psi				
Critical Section Area	3.836 sq. in.	Threads per in.	5.00	Make-Up Loss	4. 016 in.
Connection OD Critical Section	5.000 in.	Coupling Length	9. 0 75 in.	Connection ID	3. 90 8 in.
Tanaian Efficiency	400.0/	Joint World Channeth	479 × 1000	Internal Pressure	14100 pgi
Tension Efficiency	100 %	Joint Yield Strength	Ibs	Capacity ⁽¹⁾	141 00 psi
Structural Compression Efficiency	100 %	Structural Compression Strength	479 x 1000 lbs	Structural Bending ⁽²⁾	127 %100
External Pressure Capacity	1162 0 psi				
		T	7720 ft-lbs	Maximum	8490 ft-lbs
Minimum	6950 ft-lbs	Optimum		I	

⁽¹⁾ Internal Pressure Capacity related to structural resistance only. Internal pressure leak resistance as per

section 10.3 API 5C3 / ISO 10400 - 2007.

- (2) Structural rating, pure bending to yield (i.e no other loads applied)
- (3) Torque values calculated for API Modified thread compounds with Friction Factor=1. For other thread compounds please contact us at <u>licensees@oilfield.tenaris.com</u>. Torque values may be further reviewed. For additional information, please contact us at $\underline{contact\text{-tenarishydril@tenaris.com}}$

Name	Hole Size	Casing Size	Wt/Grade	Thread Collar	Setting Depth	Top Cement
Surface	17-1/2"	13-3/8" (new)	54.5# J-55	ВТС	360	Surface
Intermediate	12-1/4"	9-5/8" (new)	40# J-55	ВТС	2290	Surface
ntermediate 2 To	8-3/4"	7-5/8" (new)	29.7# P-110	ВТС	1990	1990
ermediate 2 Mido	8-3/4"	7-5/8" (new)	29.7# P-110	VAM HTF-NR	9550	1990
ermediate 2 Botto	8-3/4"	7" (new)	29# P-110	ВТС	10482	1990
Production Top	6-1/8"	5-1/2" (new)	20# P-110	BTC/TXP	9450	9950
Production Botton	6-1/8"	4-1/2" (new)	13.5# P-110	BTC/TXP	14628	9950