

2355	2360	10% Dol. ditto; 70% Anhy. ditto; 10% Sh, red, 10% Sh, gray
2360	2365	30% Dol, med to dark brown, solid, very light stain; 40% Anhy, wh gran. and gray solid; 20% Sh, red; Tr. sd, red, 10% Sd, tan, silty fine, very light stain
2365	2370	50% Dol. ditto, fractured; 40% Anhy, ditto; Tr. sh, 10% Sd, ditto
2370	2375	60% Dol, ditto; 30% Anhy, ditto; 10% Sh, red; Tr. sd, ditto
2375	2380	50% Dol, ditto, less stain; 40% Anhy, ditto; 10% Sh, red; Tr Sd, ditto
2380	2385	70% Dol, ditto; 20% Anhy, ditto; 10% Sh, red;
2385	2390	60% Dol, ditto, very lt. stain, xtaline; 10% Anhy, ditto; 10% Sh, red, 20% Sh, gray; Tr. Sd, brown, coarse
2390	2395	60% Dol, no stain, ditto; 10% Anhy, ditto; 10% Sh, gray, 20% Sh, red; Tr. Sd, red
2395	2400	50% Dol, ditto; 20% Anhy, ditto, wh & gray; 20% Sh, gray, 10% Sh, red
2400	2405	50% Dol, med gray to brown, some wh w/well, stain small %; 40% Anhy, wh & gray gran w/ lt. stain in small part; 10% Sh, red, Tr. gray; Tr. Sd, red
2405	2410	80% Dol, ditto w/ lt to fair stain, some few porosity holes; 20% Anhy, wh to gray, no stain; Tr. sh, red, Tr. Sh, gray
2410	2415	50% Dol, ditto w/very little stain; 30% Anhy, wh & gray, gran; Tr Sd, red
2415	2420	30% Dol, ditto, no stain; 60% Anhy, ditto; 10% Sh, red
2420	2425	20% Dol, ditto, w/lt stain; 80% Anhy, ditto; Tr. gray Sh, and Red
2425	2430	20% Ditto, Dol; 60% Anhy, ditto; 10% Sh, red; 10% Sd, Tan coarse, loosely cemented lt to fair stain
2430	2435	10% Dol, ditto; 80% Anhy, ditto; 10% Sh, gray
2435	2440	30% Dol, med to lt. gray, fractured, solid dense, no stain; 60% Anhy, ditto; 10% Sh, red
2440	2445	30% Dol, ditto; 70% Anhy, ditto, very lt. stain in few parts; Tr. Sd, red Tr. gray
2445	2450	20% Dol, ditto w/lt. stain; 80% Anhy, ditto, Tr. red;
2450	2455	30% Dol. med to dark gray, dense solid, very lt. stain; 70% Anhy, wh & drk gray solid & gran; Tr. Sh, red
2455	2460	60% Dol. med gray to tan, dense solid, very lt. stain 40%; 30% Anhy, ditto; Tr. Sh, red
2460	2465	70% Dol. med gray dense, solid fractured fair to well stain; 30% Anhy, ditto; Tr. Sh, red
2465	2470	70% Dol, Drk. gray fractured, very lt stain, 10% Dense; 20% Anhy, ditto; Tr. Sh, blk, 10% Sh, red
2470	2475	80% Dol, drk brown fractured & pin pt. porosity, fair to well stain 60%; 10% Anhy, wh gran; 10% Sh, red to pk.
2475	2480	90% Dol, ditto above w/ lt. stain 30%; 10% Anhy, ditto; Tr. Sh. red
2480	2485	70% Dol, ditto, darker blue w/ lt. to fair stain 70%; 30% Anhy, ditto w/gray dense
2485	2490	70% Dol, tan as above, lt to fair stain, lt. sat. 20%; 30% Anhy, ditto, also w/gray, lt to fair stain 10%

Core taken 2525 TD core showed lt. sat. to well sat. in 100% Dol, fractured and pin pt. porosity, last core largely xtaline, wh & gray anhy. TD 2525.

DEEPENING RECORD

2425	2432	40% Dol, drk gray dense solid slight porosity; 60% Anhy, wh & gray
2432	2442	90% Dol, drk gray to brown, nodular, fair stain; 10% Anhy, ditto
2532	2554	100% med gray silty dense, very light stain
2554	2560	100% Dol. ditto above and brown fair to well stain 70%
2560	2570	70% Dol, ditto, fair stain, very porous; Tr. Anhy, wh; 30% Sd, brown fine silty w/lt. stain
2570	2580	90% Dol, ditto, fair stain (possibly water); 10% Sd, ditto