

RECEIVED

JUL 15 1982

O. C. D.
ARTESIA, OFFICE

#32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

<u>DEPTH INTERVAL</u>	<u>AMOUNT AND KIND MATERIAL USED</u>
3,527-3,546'	2,000 gal. 7½% Abo acid
3,527-3,546'	Frac w/24,000 gal. gel, 12,000 gal. CO ₂ , 60,000# 20-40 & 24,000# 10-20 mesh sand.
3,460-3,480'	CIBP & 20' Class "C" cement
3,319-3,406'	1,500 gal. 7½% Abo acid
3,319-3,406'	Frac w/12,000 gal. gel, 6,000 gal. CO ₂ , 30,000# 20-40 mesh & 12,000# 10-20 mesh sand.
3,319-3,406'	450 sxs. Class "C" squeeze
3,399½'	Sandjetted notch 5,500# 20-40 mesh sand