


RECEIVED

FEB 2 1979

O. C. C.
ARTESIA, OFFICE



5140'-70'. Swabbed dry. Acidized. Tested @ 19 mcf/day. Last test: Negligible production.

Sliding sleeve, Type "L"

7405' Baker Model "R" double grip packer
TAIL PIPE AT 7912

8000'-8016'. Last test: 35 mcf/day.

8550'

8572-98

5 1/2" csg @ 8705'

8710'
8900' CMT Plug

original T.D.
9253'

Tested perf's @ 10 mcf/day. Acidized w/ 2500 gals. Tested @ 30 mcf/day. Fraced w/ 25000 # sand. Tested @ 370 mcf/day decreasing to 119 mcf/day in 8 days.

Baker Model "D" pkr w/ plug in pkr.

Perfs 8572-98. Tested @ 9 mcf/day. Fraced w/ 25,000 # sd. Tested then @ 12 mcf/day w/ 40 bbls wtr/day.