Form 9-331 (May 1963)	UNITED STATES DEPARTMENT OF THE INT GEOLOGICAL SURVE		Form approved. Budget Bureau No. 42-R1424. 5. LEASE DESIGNATION AND SERIAL NO. NM 054434
S (Do not use	UNDRY NOTICES AND REPOR this form for proposals to drill or to deepen or Use "APPLICATION FOR PERMIT-" for	TS ON WELLS plug back to a different reservoir such proposals,	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
1. Oct. GA WELI X WI	S ELL OTHER		7. UNIT AGREEMENT NAME
2. NAME OF OPERAT Yat	es Petroleum Corporation	JAN 25 1983	S. FARM OR LEASE NAME Federal BQ
4. LOCATION OF WE See also space 1 At surface	South 4th St., Artesia, NM 8	h any State requirements.	9. WELL NO. 8 10. FIELD AND POOL, OR WILDCAT Eagle Creek SA 11. SEC., T., R., M., OR BLK. AND SURVEY OR ABEA Unit C, Sec. 27-17S-25E
14. PERMIT NO.	15. ELEVATIONS (Show whet 35.37 ' GR	her DF, RT, GR, etc.)	12. COUNTY OB PARISH 13. STATE Eddy NM
16.		ate Nature of Notice, Report, or O subseque	
TENT WATER SE PRACTURE TREA STOOT OR ACHOR CLPAIR WELL (Other)	r JULTIPLE COMPLETE	Completion or Recomple	REPAIRING WELL ALTERING CASING ABANDONMENT*

The essence includes on COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Spudded a 14-3/4" hole at 3:30 PM 1-14-83. Ran 11 joints of 10-3/4" 40.5# casing set at 332'. 1-Texas Pattern notched guide shoe set at 332'. Insert float set 306'. Cemented w/225 sx Class "C" w/3% CaCl2. Compressive strength of cement - 1275 psi in 12 hrs. PD 11:30 PM 1-14-83. Bumped plug to 1000 psi, released pressure and float held okay. Cement circulated 30 sacks. Drilled out 11:30 AM 1-15-83. WOC 12 hours. Cut off and welded on flow nipple. Reduced hole to 9-7/8". Drilled plug and resumed drilling. Lost circulation at 932'. Ran 28 joints of 7" 20# casing set at 1150'. 1-Texas Pattern notched guide shoe set at 1150'. Insert float set 1110'. Cemented w/300 sx Halliburton Lite, 10# gilsonite, 1/4# flocele, 2% CaCl2. Tailed in w/150 sx Class "C" 2% CaCl2. Compressive strength of cement - 1250 psi in 12 hrs. PD 12:45 AM 1-16-83. Bumped plug to 1000 psi, released pressure and float held okay. Cement did not circulate. WOC 6 hrs. Ran Temperature Survey and found top of cement -680'. Ran 1". Tagged cement 534'. Spotted 50 sacks Class "C" 4% CaCl2. PD 9:30 AM 1-16-83. WOC 2 hrs. Ran 1". Tagged cement 430'. Spotted 50 sacks Class "C" 4% CaCl2. PD 11:45 AM 1-16-83. WOC 2 hrs. Ran 1". Tagged cement at 425'. Spotted 50 sacks Class "C" 4% CaCl2. PD 2:00 PM 1-16-83. WOC 2 hrs. Ran 1". Tagged cement 375'. Spotted 35 sacks Class "C" 4Z CaCl₂. PD 4:15 PM 1-16-83. WOC 2 hrs. Ran 1". Tagged cement 325'. Spotted 50 sacks Class "C" 4% CaCl₂. PD 6:30 PM 1-16-83. WOC 2 hrs. Ran 1". Tagged cement at 380'. Spotted 35 sacks Class "C" 4% CaCl₂. PD 1:15 PM 1-17-83. Ran 1". Tagged cement 300'. Spotted 135 sacks Class "C" 4% CaCl2. PD 2:15 AM 1-17-83. Cement circulated 5 sacks to pit. Drilled out 7:00 AM 1-17-83. WOC 18 hours and 15 minutes. Reduced hole to 6-1/4". Drilled plug and resumed drilling.

18. I hereby certify that the foregoing is true and correct SIGNED/CL_Correct Collett	TITLE Production Supervi	SOF 0170 -1-19-83
(This space for Federal or State office use) (ORIG. SGD.) DAVID R. GL APPROVED BY CONDITIONS OF APPROVALATEDA YY (1983)		
MINERALS MAD AC EMENT SERVICE RIDSWELL NE V MEXICO	e Instructions on Reverse Side	UAN 2 0 1983 DIL 8 009 MINERALS MERCE DEFENSE ROSWELL, NEW REPORT