

HOBBS OCD

JAN 02 2013

RECEIVED

WESTERN REFINING

Jal, NM Storage Facility

3D-025-35956

LPG Cavern #3

Mechanical Integrity Test Report

JA3301/12 002/O/J/O



Number of pages: 12

Revision:

O

Status: FINAL

Date of distribution: December 27, 2012

B.BATSON/M.COPPERSMITH
Issued (name, signature)

A handwritten signature in black ink, appearing to be 'B. Batson'.

C. BREHERET
Checked (name, signature)

A handwritten signature in black ink, appearing to be 'C. Breheret'.

C. BREHERET
Approved (name, date, signature)

12.27.2012

A handwritten signature in black ink, appearing to be 'C. Breheret'.

	Western Refining Jal, NM LPG Storage Well #3 Mechanical Integrity Test Report	JA3300/12 002/O/J/O Date : 12/27/2012 Page : 2 of 10
---	---	--

CONTENTS

1. INTRODUCTION.....	3
2. TEST METHODOLOGY	3
3. TEST CHRONOLOGY	4
4. RESULTS.....	4
4.1. Data Collected	4
4.2. Apparent leak rate	5
4.3. Pass/fail criteria	5
4.4. Test Result	5
APPENDIX 1 – PRE-TEST BEHAVIOR	6
APPENDIX 2 – MIT TEST PERIOD	8
APPENDIX 3 – PRESSURE CHARTS (SCANS)	10

MAIN PURPOSE OF THE REVISION AND TYPE OF MODIFICATIONS

	Western Refining Jal, NM LPG Storage Well #3 Mechanical Integrity Test Report	JA3300/12 002/O/J/O Date : 12/27/2012 Page : 3 of 10
---	---	--

1. INTRODUCTION

Geostock US has performed a mechanical integrity test on Western Refining Jal, NM LPG Storage well #3 using brine as a test medium. The testing procedures were designed to meet the requirements set forth in the OCD regulations for liquid-filled caverns.

Cavern Well #3 and Cavern Well #4 are used for LPG storage in salt caverns. The production casings were successfully pressure tested with a packer; multi-finger calipers and cement bond logs have been performed to verify the integrity of the wells.

The subject wells and salt formation will be tested at maximum operating pressure at the casing, i.e. 1250 psig which corresponds to a pressure gradient of 0.75 psi/ft.

2. TEST METHODOLOGY

Wellhead pressure and temperature were recorded, however to eliminate any error on the density of the fluid column in the wellbore a surface read-out (SRO) pressure gauge was set at the casing depth (~1666 ft) to measure directly the pressure in the cavern.

The test was conducted by injection of brine to increase the cavern pressure at the casing shoe to test pressure. By this method, both well and salt formation were tested for potential leak.

The first phase of the MIT test consisted of daily brine injection to maintain test pressure at the casing shoe based on the SRO gauge readings. The volume of brine per day required to return the well to test pressure was measured until stabilized conditions were reached.

In the second phase of the MIT test, after a final brine injection to test pressure, the well was isolated with double valve combinations and the downhole and surface pressures and temperature were recorded for a test period of 4 hours. Pressures on the 7" x 4 1/2" annulus and on the 4 1/2" tubing were recorded by the use of calibrated chart recorders, with one hour clock setting, for a period of 4 hours (Appendix 3).

	Western Refining Jal, NM LPG Storage Well #3 Mechanical Integrity Test Report	JA3300/12 002/O/J/O Date : 12/27/2012 Page : 4 of 10
---	---	--

3. TEST CHRONOLOGY

Daily brine injection began on 12/17/12. The Surface read out gauge was installed on 12/20/12. The MIT began on 12/22/12 at 12:10 and ended on 12/22/12 at 16:10.

	Start Pressure	End Pressure	Start Pressure	End Pressure	Volume Injected
	WHP, psi	WHP, psi	SRO, psi	SRO, psi	bbl
12/17/12	15.9	370			220
12/18/12	352	376			15
12/19/12	371	378			3.5
12/20/12	371	385	1172	1186	5.6
12/21/12	380	384	1179	1186	2.5

4. RESULTS

4.1. Data Collected

During the pre-test period, the amount of daily brine injection required to return the cavern to test pressure was recorded. (see Appendix 1) The cavern quickly stabilized to the point that the daily brine injection required was less than 2.64 bbl/day, which corresponds to the acceptable leak rate of 963.6 bbl/yr

The wellhead pressures, downhole pressure, and ambient temperature were recorded during the MIT. (see Appendix 2). The wellhead pressure loss recorded by the digital gauges on the 4 ½" tubing during the MIT was:

Initial pressure: 381.19 psig
Final pressure: 380.64 psig
Pressure loss: 0.55 psi (0.14%)

The cavern pressure loss recorded with the SRO gauge during the MIT was:

Initial Pressure: 1180.72 psi
Final Pressure: 1180.10 psi
Pressure loss: 0.62 psi (0.05%)

4.2. Apparent leak rate

Using the pressure increase and daily brine injection from the pre-test period, a stabilized seepage rate can be calculated that relates the amount of pressure change in the cavern to the apparent leak rate:

	ΔP	Volume Injected	Seepage
	psi	bbl	bbl/psi
12/17/12	354.1	220	0.62
12/18/12	24	15	0.63
12/19/12	7	3.5	0.50
12/20/12	14*	5.6	0.40
12/21/12	7*	2.5	0.36

*From SRO tool

Using the stabilized observed seepage rate of 0.36 bbl/psi and recorded pressure loss of 0.62 psi during the 4 hour MIT period, the apparent leak rate during the MIT can be calculated:

$0.62 \text{ psi} \times 0.36 \text{ bbl/psi} = 0.223 \text{ bbl apparent leak during 4 hours}$

$= 1.34 \text{ bbl/day apparent leak rate}$

$= 489 \text{ bbl/yr apparent leak rate}$

4.3. Pass/fail criteria

Apparent leak rate, $489 \text{ bbl/yr} < 963.6 \text{ bbl/yr}$ (2.64 bbl/day)


Pressure loss at casing shoe over 4 hour MIT period, $0.05\% < 10\%$

4.4. Test Result

Based on the data collected during the test and the definition of the pass/fail criteria, Well #3 has passed the mechanical integrity test.




	Western Refining Jal, NM LPG Storage Well #3 Mechanical Integrity Test Report	JA3300/12 002/O/J/O Date : 12/27/2012 Page : 6 of 10
---	---	--

APPENDIX 1 – PRE-TEST BEHAVIOR



	Western Refining Jal, NM LPG Storage Well #3 Mechanical Integrity Test Report	JA3300/12 002/O/J/O Date : 12/27/2012 Page : 8 of 10
---	---	--

APPENDIX 2 – MIT TEST PERIOD



	Western Refining Jal, NM LPG Storage Well #3 Mechanical Integrity Test Report	JA3300/12 002/O/J/O Date : 12/27/2012 Page : 10 of 10
---	---	---

APPENDIX 3 – PRESSURE CHARTS (SCANS)

