m 3160-3 arch 2012) DEPARTMENT OF THE BUREAU OF LAND MAI		1					
			OBBS O	018 AFD	FORM OMB Expires 5. Lease Serial No.	1 APPROV No. 1004-0 October 31	137
		NUK	RECE	V Bole	6. If Indian, Allote	or Trib	Namo
APPLICATION FOR PERMIT TO	DRIL	L OR	REENTER		0. If Indian, Anote		e Marine
. Type of work: DRILL REENT	FER		· · · ·		7. If Unit or CA Ag	reement, N	Name and No.
o. Type of Well: 🗹 Oil Well 🔲 Gas Well 🛄 Other		₽ Sin	gle Zone 🔲 Multi	ple Zone	8. Lease Name and PERIDOT 8 FEDE		(32083
Name of Operator CONOCOPHILLIPS COMPANY	178	\sim			9. API Well No. 30-025	44	592
a. Address 600 N. Dairy Ashford Rd Houston TX 77079		ione No.)293-1	(include area code) 748		10. Field and Pool, or MALJAMAR / YES		
Location of Well (Report location clearly and in accordance with a At surface SESW / 1240 FSL / 2480 FWL / LAT 32.845		-			11. Sec., T. R. M. or SEC 8 / T17S / R		
At proposed prod. zone LOT 3 / 1650 FSL / 330 FWL / LA	T 32.84	46481	LONG -103.8134	36	12. County or Parish		13. State
Distance in miles and direction from nearest town or post office* 2.8 miles	·		-	1	LEA		NM
Distance from proposed* location to nearest 153 feet property or lease line, ft. (Also to nearest drig. unit line, if any)	16, 1 160		res in lease	17. Spacin 481	ng Unit dedicated to this	well	
Distance from proposed location* to nearest well, drilling, completed. 447 feet applied for, on this lease, ft.		Proposed	Depth 13333 feet	20. BLM/ FED: E	BIA Bond No. on file S0085		
Elevations (Show whether DF, KDB, RT, GL. etc.) 1040 feet		Approxin 01/201	nate date work will sta B	1 art*	23. Estimated durati 21 days r	on -	, , ,
Well plat certified by a registered surveyor. A Drilling Plan. A Surface Use Plan (if the location is on National Forest System SUPO must be filed with the appropriate Forest Service Office).	n Lands,	the	Item 20 above). 5. Operator certifi	cation'	ons unless covered by a ormation and/or plans a	C	· · · ·
. Signature (Electronic Submission)			(Printed/Typed) Maunder / Ph: (2	281)206-52	281	Date 01/23	3/2017
le Senior Coordinator, Regulatory MCBU			. ,				
proved by (Signature) (Electronic Submission)			(Printed/Typed) Layton / Ph: (575)	234-5959	· · ·	Date 02/23	3/2018
le upervisor Multiple Resources		Office HOBE	3S		·. ·		
plication approval does not warrant or certify that the applicant hol nduct operations thereon. inditions of approval, if any, are attached.	lds legal	or equit	able title to those rig	hts in the su	bject lease which would	entitle the	e applicant to
le 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a tes any false, fictitious or fraudulent statements or representations as	crime fo s to any	or any pe matter w	rson knowingly and ithin its jurisdiction.	willfully to 1	nake to any department	or agency	y of the United
Continued on page 2) GCP 03/09/18			H CONDIT	OVS	K7	truction	ns on page 2)

Review and Appeal Rights

1. 1. 1

Sec.38 (1)

R. A. M.

÷

al and my and the shall a

A person contesting a decision shall request a State Director review. This request must be filed within 20 working days of receipt of the

(12 Notice with the appropriate State Director (see 43 CFR 3165.3)) The State Director review decision may be appealed to the Interior Board of Land Appeals, 801 North Quincy Street, Suite 300, Arlington, VA 22203 (see 43 CFR 3165.4). Contact the above listed Bureau of Land Management Office for further information.

1 . . .

and the second

Just the brack of the

general to the

121.111、注: 抽拾等多层 联络

ser statistics

and the second second second

and the state of

人名福德克 计数式推断网

t ge i s ٤,

Approval Date: 02/23/2018

(Form 3160-3, page 4)

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT Application Data Report

<u>02</u>/27/2018

APD ID: 10400009237

Operator Name: CONOCOPHILLIPS COMPANY

Well Name: PERIDOT 8 FEDERAL

ne: PERIDOT 8 FEDEI

Submission Date: 01/23/2017

Zip: 77079

Well Number: 13H Well Work Type: Drill Highlighted data reflects the most recent changes

Show Final Text

Well Type: OIL WELL

Section 1 - General APD ID: 10400009237 Tie to previous NOS? Submission Date: 01/23/2017 **BLM Office: HOBBS** User: Susan Maunder Title: Senior Coordinator, Regulatory MCBU Federal/Indian APD: FED Is the first lease penetrated for production Federal or Indian? FED Lease number: NMLC029406B Lease Acres: 1606.8 Surface access agreement in place? Allotted? **Reservation:** Agreement in place? NO Federal or Indian agreement: Agreement number: Agreement name: Keep application confidential? NO APD Operator: CONOCOPHILLIPS COMPANY Permitting Agent? NO **Operator letter of designation:**

Operator Info

Operator Organization Name: CONOCOPHILLIPS COMPANY

Operator Address: 600 N. Dairy Ashford Rd

Operator PO Box:

Operator City: Houston State: TX

Operator Phone: (281)293-1748

Operator Internet Address:

Section 2 - Well Information

Well in Master Development Plan? NO	Mater Development Plan name:	
Well in Master SUPO? NO	Master SUPO name:	
Well in Master Drilling Plan? NO	Master Drilling Plan name:	
Well Name: PERIDOT 8 FEDERAL	Well Number: 13H	Well API Number:
Field/Pool or Exploratory? Field and Pool	Field Name: MALJAMAR	Pool Name: YESO WEST

Is the proposed well in an area containing other mineral resources? NONE

Operator Name: CONOCOPHILLIPS COMPANY Well Name: PERIDOT 8 FEDERAL

Well Number: 13H

her minerals:				
sed well in a Helium proc	luction area? N	Use Existing Well Pad	? NO	New surface disturbance?
I Pad: SINGLE WELL		Multiple Well Pad Nam	e:	Number:
HORIZONTAL		Number of Legs:		
ype: Drill				
ell Type:				
pe: INFILL				
b-type:				
town: 2.8 Miles	Distance to ne	arest well: 447 FT	Distanc	e to lease line: 153 FT
ell spacing assigned acro	es Measurement:	481 Acres		
Peridot_8_Fed_13H_C_1	02_08-23-2017.p	df		
Peridot_8_Fed_13H_Ser	ialRegister_08-23	-2017.pdf		
Peridot_8_Fed_13H_Lea	sesAndWellsMap	_08-23-2017.pdf		
tart Date: 05/01/2018		Duration: 21 DAYS		
	I Pad: SINGLE WELL HORIZONTAL Type: Drill DIL WELL eII Type: pe: INFILL b-type: town: 2.8 Miles rell spacing assigned acro Peridot_8_Fed_13H_C_1 Peridot_8_Fed_13H_Seri	ased well in a Helium production area? N I Pad: SINGLE WELL HORIZONTAL Type: Drill DIL WELL ell Type: pe: INFILL b-type: town: 2.8 Miles Distance to ne rell spacing assigned acres Measurement: Peridot_8_Fed_13H_C_102_08-23-2017.p Peridot_8_Fed_13H_SerialRegister_08-23- Peridot_8_Fed_13H_LeasesAndWellsMap	ased well in a Helium production area? N Use Existing Well Pad ased well in a Helium production area? N Use Existing Well Pad ased well in a Helium production area? N Multiple Well Pad Nam I Pad: SINGLE WELL Number of Legs: HORIZONTAL Number of Legs: Type: Drill Dil WELL DIL WELL Ell Type: pe: INFILL Distance to nearest well: 447 FT rell spacing assigned acres Measurement: 481 Acres Peridot_8_Fed_13H_C_102_08-23-2017.pdf Peridot_8_Fed_13H_SerialRegister_08-23-2017.pdf Peridot_8_Fed_13H_LeasesAndWellsMap_08-23-2017.pdf	ased well in a Helium production area? N Use Existing Well Pad? NO I Pad: SINGLE WELL Multiple Well Pad Name: HORIZONTAL Number of Legs: Yype: Drill Number of Legs: DIL WELL Ell Type: pe: INFILL Distance to nearest well: 447 FT b-type: Distance to nearest well: 447 FT town: 2.8 Miles Distance to nearest well: 447 FT Peridot_8_Fed_13H_C_102_08-23-2017.pdf Peridot_8_Fed_13H_SerialRegister_08-23-2017.pdf Peridot_8_Fed_13H_LeasesAndWellsMap_08-23-2017.pdf

Section 3 - Well Location Table

Survey Type: RECTANGULAR

Describe Survey Type:

Datum: NAD83

Vertical Datum: NAVD88

Survey number:

	NS-Foot	NS Indicator	EW-Foot	EW Indicator	Twsp	Range	Section	Aliquot/Lot/Tract	Latitude	Longitude	County	State	Meridian	Lease Type	Lease Number	Elevation	MD	TVD
SHL Leg #1	124 0	FSL	248 0	FWL	17S	32E	8	Aliquot SESW	32.84532 8	- 103.7891 44	LEA	NEW MEXI CO	NEW MEXI CO	F	NMLC0 29406B		0	0
KOP Leg #1	144 0	FSL	261 5	FWL	17S	32E	8	Aliquot NESW	32.84587 6	- 103.7887 03	LEA	NEW MEXI CO	NEW MEXI CO	F	NMLC0 29406B	- 150 5	555 2	554 5

			• • •		<i>;</i>	
				4534		
Cliffed and a second			ENT OF THE INTERIOR	Run Ti		
Click here to see	e on map		F LAND MANAGEMENT		Page 1 of	?
Run Date: 0	7/24/201	7 (MASS)	Serial Register Page			
01 02-25-1920;0	41STAT	437;30USC226	Tota	i Acres Se	rial Number	
		G EXCHANGE LEASE - PD	1,6	06.800 NML	C-0 029406B	
Commodity 45 Case Disposition		L & GAS IORIZED				
			Serial Num	iber: NMLC 0 (0 / 1 - 4
Name & Addre				Int R		% Intere
CHASE FERGUSON CHASE OIL CORP	N GERENE I		ARTESIA NM 88211		TING RIGHTS	0.00000000
CHASE OIL CORP		PO BOX 1767 PO BOX 1767	ARTESIA NM 882111767 ARTESIA NM 882111767	OPERA LESSEE	TING RIGHTS	0.00000000
CHASE RICHARD L		PO BOX 1767 PO BOX 359	ARTESIA NM 882110359		: TING RIGHTS	0.000000000
CHASE ROBERT C		PO BOX 297	ARTESIA NM 882111297		TING RIGHTS	0.000000000
COG OPERATING L		600 W ILLINOIS AVE	MIDLAND TX 797014882		TING RIGHTS	0.000000000
CONOCOPHILLIPS	co	PO BOX 7500	BARTLESVILLE OK 740057500		TING RIGHTS	0.00000000
CONOCOPHILLIPS	co	PO BOX 7500	BARTLESVILLE OK 740057500	LESSEE	E .	0.000000000
			Serial Numb	er: NMLC 0 02	9406B	
Mer Twp Rng Sec			District/Field Office	County	Mgmt Ag	
23 0170S 0320E 00		S2N2.SE:	CARLSBAD FIELD OFFICE	LEA		F LAND MGMT
23 0170\$ 0320E 00		1-4;	CARLSBAD FIELD OFFICE	LEA		F LAND MGMT
23 01705 0320E 00		S2NE,SENW,E2SW;	CARLSBAD FIELD OFFICE	LEA		F LAND MGMT
23 0170S 0320E 00		1-7:	CARLSBAD FIELD OFFICE	LEA		F LAND MGMT
23 0170S 0320E 00		E2W2,SE;	CARLSBAD FIELD OFFICE	LEA		F LAND MGMT
23 0170S 0320E 00		1-4; SW: -`	CARLSBAD FIELD OFFICE CARLSBAD FIELD OFFICE	LEA		F LAND MGMT
23 0170\$ 0320E 06	08 ALIQ	Sw;	CARLESBAD FIELD OFFICE	LEA	BUREAU OI	F LAND MGMT
Relinquished/W	/ithdrawn	Lands	Serial Numb	er: NMLC-0 02	9406B	
23 0170S 0320E 708	FF	E2,ASGN;	CARLSBAD FIELD OFFICE	LEA	BUREAL	J OF LAND MGMT
				er: NMLC- 0 02		
Act Date 1172571933	224	Action APLII RECD	Action Remar	Pending Off	ic	
06/08/1934	237	LEASE ISSUED				
	496	FUND CODE	05;145003			
06/08/1934		BLTY RATE-SLIDING-SCH D				
06/08/1934	534					
06/08/1934 06/08/1934	868	EFFECTIVE DATE				
06/08/1934 06/08/1934 09/14/1945	868 570	CASE SEGREGATED BY ASGN	INTO HMEMO64149;			
06/08/1934 06/08/1934 09/14/1945 01/06/1953	868 570 650	CASE SEGREGATED BY ASGN HELD BY PFCD - ACTUAL	INFO 11M1M0641149;			
06/08/1934 06/08/1934 09/14/1945 01/06/1953 01/06/1953	868 570 650 658	CASE SEGREGATED BY ASGN RELD BY PFCD - ACTUAL MEMO OF 1ST PROD-ACTUAL				
06/08/1934 06/08/1934 09/14/1945 01/06/1953 01/06/1953 10/24/1979	868 570 650 658 940	CASE SEGREGATED EY ASGN HELD BY PFCD - ACTUAL MEMO OF 1ST PROD-ACTUAL NAME CHANGE RECOGNIZED	CONTL OIL/CONCCO INC			
06/08/1934 06/08/1934 09/14/1945 01/06/1953 01/06/1953 10/24/1979 01/11/1983	868 570 650 658 940 140	CASE SEGREGATED BY ASGN HELD BY PFOD - ACTUAL MEMO OF 1ST PROD-ACTUAL NAME CHARGE RECOGNIZED ASGN FILED	CONTL OIL/CONGCO INC (1)CONGCO/PETRO LEKIS			
05/08/1934 05/08/1934 09/14/1945 01/06/1953 01/06/1953 10/24/1979 01/11/1983 01/11/1983	868 570 650 658 940 140 140	CASE SEGREGATED BY ASGN HELD BY PROD - ACTUAL MEMO OF 1ST PROD-ACTUAL NAME CHANGE RECOGNIZED ASGN FILED ASGN FILED	CONTL OIL/CONOCO INC (1)CONOCO/PETRO LEWIS (1)CONOCO/PINRSHP PRO			
06/08/1934 06/08/1934 09/14/1945 01/06/1953 01/06/1953 01/06/1953 01/15/1983 01/11/1983 01/11/1983	868 570 650 658 940 140 140 140	CASE SEGREGATED BY ASGN HELD BY PFCD - ACTUAL MEMO OF IST PROD-ACTUAL NAME CHAINSE RECOGNIZED ASGN FILED ASGN FILED ASGN FILED	CONTL OIL/CONSCO INC (I)CONSCO/PETRO LEWIS (I)CONSCO/PETRO LEWIS (2)CONSCO/PETRO LEWIS			
06/08/1934 06/08/1934 09/14/1945 01/06/1953 01/06/1953 10/24/1979 01/11/1983 01/11/1983 01/11/1983	868 570 650 658 940 140 140 140	CASE SEGREGATED BY ASGN HELD BY PFCD - ACTUAL MEMO OF IST PROD-ACTUAL NAME CHANGE RECOGNIZED ASGN FILED ASGN FILED ASGN FILED	CONTL 011/CONGCO INC (1)CONOCO/PETRO LEKIS (1)CONOCO/PETRO LEKIS (2)CONOCO/PETRO LEKIS (2)CONOCO/PETRO LEKIS			
06/08/1934 06/08/1934 03/14/1945 01/06/1953 01/06/1953 10/24/1959 01/11/1963 01/11/1963 01/11/1963 02/11/1963	868 570 650 658 940 140 140 140 140 140	CASE SEGREGATED BY ASGN HELD BY PPCD - ACTUAL MEMO OF IST PROD-ACTUAL NAME CHANGE RECOGNIZED ASGN FILED ASGN FILED ASGN FILED ASGN FILED	CONTL OIL/CONGCO INC (1)CONGCO/PETRO LEKIS (1)CONGCO/PETRO LEKIS (2)CONGCO/PETRO LEKIS (2)CONGCO/PETROFPIO PETRO/PTINSHP PROF			
06/08/1934 06/08/1934 03/14/1945 01/06/1953 01/06/1953 01/06/1953 01/11/1963 01/11/1963 01/11/1963 01/11/1963 01/11/1963 01/25/1985	868 570 650 658 940 140 140 140 140 140 140 139	CASE SEGREGATED BY ASGN HELD BY FRCD - ACTUAL MEMO OF IST PROD-ACTUAL NAME CHANGE TRODO-ACTUAL ASGN FILED ASGN FILED ASGN FILED ASGN FILED ASGN FILED ASGN APPROVED	CONTL OIL/CONDON THE (1)CONDEMPERA LEWIS (1)CONDEMPERA LEWIS (2)CONDEMPERA LEWIS (2)CONDEMPERATE PETRO/PTINSHP PROF (1)EFF 07/01/83;			
06/08/1934 06/08/1934 03/14/1945 01/06/1953 10/24/1979 01/11/1983 01/11/1983 01/11/1983 01/11/1983 01/11/1983 01/21/1983 01/25/1985	868 570 658 940 140 140 140 140 140 140 139 239	CASE SEGREGATED BY ASGN HELD BY PROD - ACTUAL MEMO OF IST PROD-ACTUAL NAME CHANGE RECOGNIZED ASGN FILED ASGN FILED ASGN FILED ASGN FILED ASGN FILED ASGN FILED ASGN APPROVED	CONTL OIL/CONOCO INC (1)CONOCO/PETRO LEKIS (1)CONOCO/PETRO LEKIS (2)CONOCO/PETRO LEKIS (2)CONOCO/PETRO LEKIS (2)CONOCO/PETRO PROP PETRO/PINKSHP PROP (1)EFF 02/01/83; (2)EFF 02/01/83;			
06/08/1934 06/08/1934 09/14/1945 01/06/1953 10/24/1979 01/11/1983 01/11/1983 01/11/1983 01/11/1983 01/21/1983 01/25/1985 01/25/1985	868 570 650 653 940 140 140 140 140 140 139 139	CASE SEGREGATED BY ASGN HELD BY FRCD - ACTUAL MEMO OF IST PROD-ACTUAL NAME CHANGE TRODO-ACTUAL ASGN FILED ASGN FILED ASGN FILED ASGN FILED ASGN FILED ASGN APPROVED	CONTL 011/CONGCO INC (1)CONGCO/PETRO LEWIS (1)CONGCO/PETRO LEWIS (2)CONGCO/PETRO LEWIS (2)CONGCO/PETRO LEWIS (2)CONGCO/PETRO PRO PETRO/PTURSHM PROP (1)EFF 02/01/03; (2)EFF 02/01/03; (3)EFF 02/01/03;			
06/08/1934 06/08/1934 03/14/1945 01/06/1953 10/24/1953 10/24/1959 01/11/1983 01/11/1983 01/11/1983 01/21/1983 01/25/1985 01/25/1985	868 570 650 658 940 140 140 140 140 140 140 139 139 139	CASE SEGREGATED BY ASGN HELD BY PPCD - ACTUAL MEMO OF IST PROD-ACTUAL ASGN FILED ASGN FILED ASGN FILED ASGN FILED ASGN FILED ASGN APPROVED ASGN APPROVED ASGN APPROVED ASGN APPROVED	CONTL 011/CONGCO 1NC (1)CONOCO/PETRO LEKIS (1)CONOCO/PETRO LEKIS (2)CONOCO/PETRO LEKIS (2)CONOCO/PETRO LEKIS (2)CONOCO/PETROPPO PETRO/PITRSHP PROP (1)EFF 02/01/83; (3)EFF 02/01/83; (4)EFF 02/01/83;			
06/08/1934 06/08/1934 03/14/1945 01/06/1953 10/24/1979 01/11/1983 01/11/1983 01/11/1983 01/11/1983 01/21/1983 01/25/1985 01/25/1985 01/25/1985	868 570 650 658 940 140 140 140 140 140 140 140 139 139 139 129	CASE SEGREGATED BY ASGN HELD BY FPCD - ACTUAL NAME CHANGE TRAD-ACTUAL NAME CHANGE TRAD-ACTUAL ASGN FILED ASGN FILED ASGN FILED ASGN FILED ASGN APPROVED ASGN APPROVED ASGN APPROVED ASGN APPROVED ASGN APPROVED	CONTL 011/CONCCO 1HC (1)CONOCO/PETRO LEKIS (1)CONOCO/PETRO LEKIS (2)CONOCO/PETRO LEKIS (2)CONOCO/PETRO LEKIS (2)CONOCO/PETROSHP PROP (1)EFF 02/01/83; (3)SFF 02/01/83; (4)EFF 02/01/83; EFF 03/01/63;			
06/08/1934 06/08/1934 03/14/1945 01/06/1953 01/06/1953 01/02/1959 01/11/1983 01/11/1983 01/11/1983 01/11/1983 01/25/1985 01/25/1985 01/25/1985 01/25/1985 01/25/1985	868 570 650 658 940 140 140 140 140 140 140 140 139 139 139 129	CASE SEGREGATED BY ASGN HELD BY PPCD - ACTUAL MEMO OF IST PROD-ACTUAL ASGN FILED ASGN FILED ASGN FILED ASGN FILED ASGN FILED ASGN APPROVED ASGN APPROVED ASGN APPROVED ASGN APPROVED	CONTL OIL/CONCCO INC (1) CONOCO/PETRO LEKIS (1) CONOCO/PETRO LEKIS (2) CONOCO/PETRO LEKIS (2) CONOCO/PETRO LEKIS (2) CONOCO/PETROSHP PROF (1) EFF 02/01/83; (3) EFF 02/01/83; (4) EFF 02/01/83; EFF 03/01/83;			
06/08/1934 06/08/1934 03/14/1945 01/06/1953 10/24/1953 10/24/1959 01/11/1983 01/11/1983 01/11/1983 01/21/1983 01/25/1985 01/25/1985	868 570 650 658 940 140 140 140 140 140 139 139 139 129 129 963	CASE SEGREGATED BY ASGN HELD BY PROD - ACTUAL MEMO OF IST PROD-ACTUAL NAME CHANGE RECOGNIZED ASGN FILED ASGN FILED ASGN FILED ASGN FILED ASGN APPROVED ASGN APPROVED ASGN APPROVED ASGN APPROVED ASGN APPROVED CASE MICROFILMED/SCANNED	CONTL 011/CONCCO 11/C (1)CONCCO/PETRO LEKIS (1)CONCCO/PETRO LEKIS (2)CONCCO/PETRO LEKIS (2)CONCCO/PETRO LEKIS (2)CONCCO/PETROPPROP (1)EFF 02/01/83; (2)EFF 02/01/83; (4)EFF 02/01/83; (4)EFF 02/01/83; EFF 03/01/83; CHUM 100,429 GLC			

https://epmpub.blm.gov/raframework/ihtml/OpenDoc?DocInstanceID=29&DocUUID=000... 7/24/2017

Peridot Section 7 and 8 Lease Map

Peridot 8 Federal 13H

ConocoPhillips



U.S. Department of the Interior BUREAU OF LAND MANAGEMENT Drilling Plan Data Report

02/27/2018

APD ID: 10400009237

Operator Name: CONOCOPHILLIPS COMPANY

Submission Date: 01/23/2017

Highlighted data reflects the most recent changes

Well Name: PERIDOT 8 FEDERAL

Well Number: 13H Well Work Type: Drill

Show Final Text

Well Type: OIL WELL

Section 1 - Geologic Formations

Formation			True Vertical				Producing
ID [Formation Name	Elevation	Depth	Depth	Lithologies	Mineral Resources	Formation
1	RUSTLER	3229	825	825	DOLOMITE,ANHYDRIT E	NONE	No
2	SALADO	2264	965	965	SHALE,SALT,ANHYDRI TE	NONE	No
3	TANSILL	1189	2040	2044	DOLOMITE,ANHYDRIT E	NONE	No
4	YATES	1049	2180	2185	DOLOMITE,ANHYDRIT E	NATURAL GAS,OIL	No
5	SEVEN RIVERS	739	2490	2497	ANHYDRITE	NATURAL GAS,OIL	No
6	QUEEN	119	3110	3120	SANDSTONE	NATURAL GAS,OIL	No
7	GRAYBURG	-301	3530	3542	DOLOMITE	NATURAL GAS,OIL	No
8	SAN ANDRES	-621	3850	3864		NATURAL GAS,OIL	No
9	GLORIETA	-2131	5360	5381	SANDSTONE	NATURAL GAS,OIL	No
10	PADDOCK	-2231	5460	5481	DOLOMITE	NATURAL GAS,OIL	No
11	BLINEBRY	-2541	5770	5796	DOLOMITE,ANHYDRIT E	NATURAL GAS,OIL	Yes

Section 2 - Blowout Prevention

Pressure Rating (PSI): 3M

Rating Depth: 6115

Equipment: Rotating Head, Annular Preventer, Pipe/Blind Rams, Kill Lines, Choke Lines, Adapter Spool

Requesting Variance? YES

Variance request: We request variance to use flexible choke line(s) from the BOP to Choke Manifold. Testing certificate is attached in "Flexhose Variance data" document. We also request approval to have the option of using a 13" 5M BOP as represented on attached BOP diagram.

Testing Procedure: BOP/BOPE tested by independent company to 250 psi low and the high of 50% working psi, as required by Onshore Order 2. See attached "Drill Plan" document.

Choke Diagram Attachment:

Well Number: 13H

Peridot 8 Fed 13H_3M Choke Manifold_12-20-2016.pdf

Peridot 8 Fed 1H_Flexhose Variance data_12-20-2016_12-20-2016.pdf

BOP Diagram Attachment:

Peridot_8_Fed_13H_13in5M_BOPE_Diagram_20170929134256.pdf

Section 3 - Casing

Casing ID	String Type	Hole Size	Csg Size	Condition	Standard	Tapered String	Top Set MD	Bottom Set MD	Top Set TVD	Bottom Set TVD	Top Set MSL	Bottom Set MSL	Calculated casing length MD	Grade	Weight	Joint Type	Collapse SF	Burst SF	Joint SF Type	Joint SF	Body SF Type	Body SF
1	SURFACE	17.5	13.375	NEW	API	N	0	885	0	885	-2075	-2960	885	J-55	54.5	STC	2.89	6.98	DRY	10.7	DRY	17.7
	INTERMED IATE	12.2 5	9.625	NEW	API	N	0	2250	0	2250	-2075	-4075	2250	J-55	40	LTC	2.2	3.38	DRY	5.78	DRY	7
	PRODUCTI ON	8.75	7.0	NEW	API	Y	0	5200	0	5200	-2075	-7275	5200	L-80	29	LTC	2.88	3.35	DRY	3.89	DRY	4,48
	PRODUCTI ON	8.75	5.5	NEW	API	Y	5200	13333	5200	6115			8133	L-80	20	LTC	3.09	3.21	DRY	3.22	DRY	2.86

Casing Attachments

Casing ID: 1 String Type: SURFACE

Inspection Document:

Spec Document:

Tapered String Spec:

Casing Design Assumptions and Worksheet(s):

Peridot_8_Fed_13H_Csg_WorksheetV6_20180207090320.pdf

Well Number: 13H

A 44 - - H . .

_

Casing Attachments
Casing ID: 2 String Type: INTERMEDIATE
Inspection Document:
Spec Document:
Tapered String Spec:
Tapered outing Spec.
Casing Design Assumptions and Worksheet(s):
Peridot_8_Fed_13H_Csg_WorksheetV6_20180207090339.pdf
Casing ID: 3 String Type: PRODUCTION
Inspection Document:
Shoe Desument:
Spec Document:
Tapered String Spec:
Peridot_8_Fed_13H_Csg_WorksheetV6_20180207090741.pdf
Casing Design Assumptions and Worksheet(s):
Peridot_8_Fed_13H_Csg_WorksheetV6_20180207090800.pdf
Casing ID: 4 String Type: PRODUCTION
Inspection Document:
Spec Document:
· · · · · · · · · · · · · · · · · · ·
Tapered String Spec:
Peridot_8_Fed_13H_Csg_WorksheetV6_20180207090814.pdf
Casing Design Assumptions and Worksheet(s):
Peridot_8_Fed_13H_Csg_WorksheetV6_20180207090835.pdf

Section 4 - Cement

•

Well Name: PERIDOT 8 FEDERAL

Well Number: 13H

String Type	Lead/Tail	Stage Tool Depth	Top MD	Bottom MD	Quantity(sx)	Yield	Density	Cu Ft	Excess%	Cement type	Additives
SURFACE	Lead		0	585	500	1.68	13.5	840	100	Lead: Class C	Class C + 4.0% Bentonite + 0.2% Anti- Foam + 2.0% CaCl2 +0.125lb/sk LCM + 0.1% Dispersant
SURFACE	Tail		585	885	400	1.35	14.8	540	100	Tail: Class C	Class C + 0.2% Anti- Foam + 0.1% Lost Circ Control + 2 lbs/bbl CemNET (losses Control)
INTERMEDIATE	Lead		0	1750	450	2.29	11.5	1031	100	Lead: Class C	Class C + 10.0% Bentonite + 0.2% Anti- Foam + 2.0% Expanding + 0.15% Viscosifier + 1.3% Retarder.
INTERMEDIATE	Tail		1750	2250	300	1.29	13.5	387	100	Tail: Class C	Class C + 1% Extender + 3 lb/sk Extender + 0.2% Anti-Foam + 0.1% Dispersant + 13 lb/sk LCM + 0.5% Fluid Loss + 0.7% Retarder
PRODUCTION	Lead		1700	5200	650	3.2	11	2080	30	Lead: Class C	6% Extender + 10% Gas Migration Control + 2% Sodium Metasilicate (dry) + 1% Cement Bonding Agent + 3% Aluminum Silicate + 0.125 lb/sx Cello Flake + 3 lb/sx LCM-1

PRODUCTION	Lead	5200	1333	2000	1.37	14	2740	30	Class C	3lb/sk LCM + 1.5%
			3							Fluid Loss + 0.1% + 1%
										Sodium Metasilicate
										(dry) + 1.5% Fluid Loss
										Control

Well Name: PERIDOT 8 FEDERAL

Well Number: 13H

Section 5 - Circulating Medium

Mud System Type: Closed

Will an air or gas system be Used? NO

Description of the equipment for the circulating system in accordance with Onshore Order #2:

Diagram of the equipment for the circulating system in accordance with Onshore Order #2:

Describe what will be on location to control well or mitigate other conditions: Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept on location at all times. See attached "Drill Plan" for additional information.

Describe the mud monitoring system utilized: Closed-loop mud system using steel mud containers will be on location. Mud monitoring of any changes in levels (gains or losses) will use Pressure Volume Temperature, Pason, Visual Observations. See attached "Drill Plan" for additional information.

Circulating Medium Table

Top Depth .	Bottom Depth	Mud Type	Min Weight (Ibs/gal)	Max Weight (Ibs/gal)	Density (lbs/cu ft)	Gel Strength (lbs/100 sqft)	Hd	Viscosity (CP)	Salinity (ppm)	Filtration (cc)	Additional Characteristics
2250	1333 3	OTHER : Cut Brine	8.6	10							
0	885	OTHER : FW Gel	8.5	9							
885	2250	OTHER : Saturated Brine	10	10							

Section 6 - Test, Logging, Coring

List of production tests including testing procedures, equipment and safety measures:

Will run GR/CNL from TD to surface (horizontal well – vertical portion of hole). Stated logs run will be in the Completion Report and submitted to the BLM. Production tests will be conducted multiple times per week, through a test separator, during first months following completion. Thereafter, tests will be less frequently. See attached "Drill Plan" for additional information.

List of open and cased hole logs run in the well:

CNL,GR

Coring operation description for the well:

No coring operation is planned, at this time.

Well Name: PERIDOT 8 FEDERAL

Well Number: 13H

Section 7 - Pressure

Anticipated Bottom Hole Pressure: 2400

Anticipated Surface Pressure: 1054.7

Anticipated Bottom Hole Temperature(F): 110

Anticipated abnormal pressures, temperatures, or potential geologic hazards? NO

Describe:

Contingency Plans geoharzards description:

Contingency Plans geohazards attachment:

Hydrogen Sulfide drilling operations plan required? YES

Hydrogen sulfide drilling operations plan:

Peridot 8 Fed 13H_H2S C Plan_12-19-2016.pdf Peridot_8_Fed_13H_TypicalRigLayout_08-23-2017.pdf

Section 8 - Other Information

Proposed horizontal/directional/multi-lateral plan submission:

Peridot_8_Fed_13H_DirectionalPlan_08-23-2017.pdf

Peridot_8_Fed_13H_WellboreSchematicV6_20180207093608.pdf

Other proposed operations facets description:

We request option to upgrade casing connection to BTC, depending on availability. In addition, we request ability to upgrade our BOP depending on rig used. We request approval of option to run open hole sliding sleeve in lateral section (option attachment included). We request variance to use multi-bowl wellhead. Drill plan is attached.

Other proposed operations facets attachment:

Peridot_8_Fed_13H_DrillWasteCloseLoop_08-23-2017.pdf Peridot_8_Fed_13H_Drill_Planv6_20180207094538.pdf Peridot_8_Fed_13H_OH_SleeveOption_20180207094821.pdf

Other Variance attachment:

Peridot_8_Fed_5M_Wellhead_08-23-2017.pdf Peridot_8_Fed_Gas_Capture_Plan_20170929135626.pdf

Peridot 8 Federal 13H



All Tees must be Targeted

Item Description

- 1 Remote Controlled Hydraulically Operated Adjustable Choke, 2-1/16", 3M
- 2 Manual Adjustable Choke, 2-1/16", 3M
- 3 Gate Valve, 2-1/16" 5M
- 4 Gate Valve, 2-1/16" 5M
- 5 Gate Valve, 2-1/16" 5M
- 6 Gate Valve, 2-1/16" 5M
- 7 Gate Valve, 3-1/8" 3M
- 8 Gate Valve, 2-1/16" 5M
- 9 Gate Valve, 2-1/16" 5M
- 10 Gate Valve, 2-1/16" 5M
- 11 Gate Valve, 3-1/8" 3M
- 12 Gate Valve, 2-1/16" 5M
- 13 Pressure Gauge
- 14 2" hammer union tie-in point for BOP Tester

The 3M Choke Manifold & Valves will be tested to rated working pressure.



Wellhead / Fire Guarded System

Choke & Kill





Reliance Eliminator Choke & Kill

This hose can be used as a choke hose which connects the BOP stack to the b manifold or a kill hose which connects the mud stand pipe to the BOP kill valve.

The Reliance Eliminator Choke & Kill hose contains a specially bonded compounded cover that replaces rubber covered Asbestos, Fibreglass and other fire retardant materials which are prone to damage. This high cut and gouge resistant cover overcomes costly repairs and downtime associated with older designs.

The Reliance Eliminator Choke & Kill hose has been verified by an independent engineer to meet and exceed EUB Directive °G6 fqi706 minutes)

Nom.	ID	No	m OD	v	Veight	Min	Bend Radiu	us Max	WP
in.	mm.	in.	mm	lb/ft	kg/m	in.	mm.	psi	Mpa
3	76.2	5.11	129.79	14.5	21.46	48	1219.2	5000	34.47
3-1/2	88.9	5.79	147.06	20.14	29.80	54	1371.6	5000	34.47

End Connections

Fittings	Flanges	Hammer Unions	Other
RC4X5055	R35 - 3-1/8 5000# API Type	e 6B All Union Configurations	LP Threaded (
RC3X5055	R31 - 3-1/8 3000# API Type	e 6B	Graylock
RC4X5575		C	ustom Ends

MICK



Industrial Products USA, Ltd.

Please remit payment to: 608 - 19 Avenue, Nisku, AB Canada T9E 7W1

WORK ORDER

 Boasier City, LA 71111
 Ban

 Phi 318-687-5486
 Phi 3

 Fax, 318-687-5491
 Fax

 1001 M&O Drive
 4321

 Ban Antonio, TX 78217
 Williat

 Ph: 210-650-3836
 Ph. 70

 Fax: 210-650-3133
 Fax. 7

 4327 Contergate Street
 4970 li

 Williaton, ND 58801
 Midland, TX 78708

 Ph. 701-572-7035
 Ph. 432-689-0102

 Fax 701-572-7030
 Fax: 432-699-4898

 4970 Hwy 85
 2904 SCR 1250

Houston, TX 77388 Ph; 281-288-9720 4115 Krainhop Rd Suite B

BAL TO		CUSTOMER N	10.	SALESMAN NO.	SHIP TO	CUSTOMER NO		SALES	MAN NO.	1		
		00305	4	HSE		003054			KSE	P Q	1 OF 1	
		,										
	T	RINIDAD DR	ILLING L	P		TRINIDAD DRI	LLING					
	1	SOIS VICKE	RY DR			RIG# 435				1003	054013482	
	н	OUSTON, TX	77032								CITY CHER STATUS	<u>. </u>
	,						(71	3) 439-1670			UNDER UNITO	•
				·						OPE	N ORDER	
BRANCH					6ALD BOX	BAG COL	PC	TOTAL TAU	CID #28-01742	i T	REFERENCE N	UMBER
1	Raliance -	Midland									105-013482	
NO.	DAY YRL	WRITTEN	YOUR OF	IDEA NO		TERMS	.I		SHIP V	IIA	······	44 D
	11/04/16	RWB	11/0	4/16 5709 P 022132		NET 30	DAYS		DEL	IVERY	RWB	
ORDE	Ý.	CHY. SHIPPED	BACK			<u> </u>		LIST			Net AMOU	<u> </u>
ORDE	RED	SHIPPED	ORDERED	PART NUMBER AN			COÓE		PRCE	UNIT	AMOU	NT

				11/4/16		ORDER						
				DELIVER TO YARD								
							-					
						•••••						
	i			PARTS [] API HOSE]]	HYD HOSE []	IND HOSE [].	ORDER	COMPONENT	5			
		; I		*********************	**********	**************	*******	*******	•			
	1	1		KIT MATERIALS	MATERIALS		Ť			980 E	24 4806.91	8
		_********	*******	Componer			d below	********	*******		***>	
		2.00		LAB RKSWAGE	GRADE C &						A.	
		1.00		LAB T-190	TESTING C						А 1	
i.		1		PTC P930012	ID TAG 2.			J 20			X	
ļ		2,		PTC P930022		SS 20.50L		J 2C			A	
		· 9 ·		HED REGSOCOSE		EGLIARD CHOKE H					27	
		1		RSK 7K-FR35X5KRCD56		FLANGE COUPLIN		M 1E		8	LA .	
		1		RSK 7K-RJ5X5KRCD56	GRADE C/D	R35 FLANGE CO	UPL	M 1E				
		2		API OVERFERRULE96	6" SS OVE	RFERRULE		M 2F		Ę	L Ă	
		15		1 HDW 3X116	3™ X 1/16	 FIBERGLASS TA 	APE	Q 1C		5	T	
		1		1 - 3.5" X 8'6" 5K F,	g choke hose	W/ RJ5 FIXED X	FLOATU	KI FLANCE			1	
		1		TESTED TO 10000 PSI	FOR 10 MINUTES	i					}	
l		. 1		HYDRO-TEST AND NACE	CERTIFICATIONS	PROVIDED						
			*******	*****************	***********	***********	*******	********	********		· · · · · >	
		·		IF ORDERED TODAY BUY	2PM WE CAN HA	VE THIS BUILT	TOMORROW	1				
		1		IF ORDERED LATER THAT	N 2PM IT WILL	BE MONDAY DELT	VERY					
		; 1										
1		1			2/ -	1					1	
Ì		1 1			(11)							
				Sign:	alla	and the second se					ł	
					<i>C</i>	-1		1			1	
				Destant	Name	land 15	57.~	/			1.	
1				זמררי	Maino:	2-16					ł	
				1	11 7	2-11						
1				Date	: 11-6	- 16					i	
											ł	
PICKED BY	ASSEND BY	TESTED BY	T		IGOODS BECE	IVED BY (PLEASE F	DIN P				1	
FILMEDI		i		NET 30 DAYS FROM DATE (Interest of 2% PER MONTH (24	ar j				SUB-TO	TAL	4806.9	
	B	B		(UM) charged on overdue account					TAX		0.0	10
INSPEC BY	INSPEC BY	INSPEC. BY	The term	s of the contract between Relian	CO LINITIAL	<u> </u>			t			
				Products Ltd. ("Reliance") and t are on the reverse of this docume			11	: 25	TOTAL		4806.9	78
L	l	<u> </u>	1		<u> </u>	L						



÷

Peridot 8 Fed 12H



- Item Description
 - 1 Rotating Head, 13-5/8"
 - 2A Fill up Line and Valve
 - 2B Flow Line (10")
 - 2C Shale Shakers and Solids Settling Tank
 - 2D Cuttings Bins for Zero Discharge
 - 2E Rental Mud Gas Separator with vent line to flare and return line to mud system
 - 3 Annular BOP (13-5/8", 5M)
 - 4 Double Ram (13-5/8", 5M, Blind Ram top x Pipe Ram bottom)
 - 5 Kill Line Connection
 - 6 Kill Line Valve, Inner (2-1/16", 5M)
 - 7 Kill Line Valve, Outer (2-1/16", 5M)
 - 8 Kill Line Check Valve (2-1/16", 5M)
 - 9 Choke Line (3-1/8", 5M Coflex Line)
 - 10 Choke Line Valve, Inner (3-1/8", 5M)
 - 11 Choke Line Valve, Outer (3-1/8", Hydraulically operated, 5M)
 - 12 Spacer Spool (13-5/8", 5M)
 - 13 Casing Head (13-5/8", 5M)
 - 14 Casing Head Valve Outlet (2", 5M)
 - 15 Surface Casing

A variance is requested to permit the use of flexible hose. The testing certificate for the specific hose will be available on the rig prior to commencing drilling operations.

String Section	Depth MD	Depth TVD	Csg length ft	Wt	MIY	Col	Pipe Str	Jt Str	Drill Fluid	• • •						
Surface Casing	885	885	885	54.5		1130		514000								
ntermediate 1 Casing	2250	2250	2250	4(2570				·						
Production 1 Casing	5200	5200	5200	- 29	8160	7020	676000	587000	9							
Production 2 Casing	13333	6115	8133	2(9190	8830	466000	524000	9							
Collapse Design (Safe		- BLM (Criteria						Burst De	sign (Safe	ty) Facto	ors – BLM Cr	<u>iteria</u>			
Collapse Design (Safety) Fac	tor: SFc									n (Safety) Fa	ctor: SFb					
SFc = Pc / (MW x .052 x Ls) Where									SFb = Pi / I Where	3HP ·						
 Pc is the ratio 	ated pipe Collap	se Pressu	ure in pounds p	er squa	re inch (psi)					• Pi is th	e rated pip	e Burst (Minimu	m Internal	Yield) Pressure i	in pounds per	square inch
 MW is much 	l weight in pour	nds per ga	llon (ppg)							 BHP is 	bottom ho	le pressure in p	ounds per	square inch (psi)		
	ngth of the strin								The Minimu	um Acceptable	e Burst Des	ign (Safety) Fac	tor SFb =	1.0		
The Minimum Acceptable Col	lapse Design (S	Safety) Fa	ctor SFc = 1.12	25												
Surface Casing						•			Surface Casi	ng						
SFc =	1130	1	391	=	2.89				SFb =	2730	1	391	=	6.98		
ntermediate 1 Casing									Intermediate							
SFc =	2570	1	1170	=	2.20			1	SFb =	3950	/	1170	=	3.38		
Production 1 Casing	7000	,	0424	=					Production 1	-	,	0404				
SFc =	7020	1	2434	Ξ	2.88				SFb =	8160	/	2434	=	3.35		
Production 2 Casing			:						Production 2							
SFc =	8830	/	2862	=	3.09				SFb =	9190	/	2862	=	3.21		
									•							
Diss Ofers with Designs	(C-4-4-) E			_										· · · · · ·		
Pipe Strength Design		tors – E	SLM Criteria	a								ty) Factors		Criteria		
Pipe Strength Design (Safety)) Factor: SEtp									gth Design (S	afety) Facto	r: SFtj				
SFtp = Fp / Wt;									SFtj = Fj / V	Nt;						
Where En is the ra	ited pipe Body	Strongth in	a pounde (lbc)						Where	• Eiin th	e reted nin	e Joint Strength	in nounds	(1)		
	reight of the cas	-		•						-		f the casing stri				
The Minimum Acceptable Pip	+				ry or 1.8 buoyan	t			The Minimu		-	-		or SFTj ≈ 1.6 dry i	or 1.8 buoyar	nt .
		·			•						., .	,				
ourface Casing									Surface Casi	ng						
SFi Dry =	853000	1	48232.5	=	17.7				SFi Dry =	514000	1	48232.5	=	10.7		
SFi Bouyant =	853000	/ (48232.5	x	0.870) =	20.3	SF	i Bouyant =	514000	/ (48232.5	x	0.870) =	12.2
ntermediate 1 Casing						•			Intermediate	1 Casing						
SFi Dry =	630000	1	90000	=	7.00				SFi Dry =	520000	1	90000	=	5.78		
SFi Bouyant =	630000	/ (90000	x	0.847) =	8.26	SF	i Bouyant =	520000	/ (90000	x	0.847) =	6.82
	- 1												-			
Production 1 Casing									Production 1							
SFi Dry =	676000	1	150800	=	4.48				SFi Dry =	587000	1	150800	=	3.89		
SFi Bouyant =	676000	/ (150800	x	0.863) =	5.20	SF	i Bouyant =	587000	/ (150800	x	0.863) =	4.51
Production 2 Casing									Production 2	Casing						
SFi Dry =	466000	1	162660	=	2.86				SFi Dry =	524000	1	162660	=	3.22		
SFi Bouyant =	466000	1 (162660	x	0.863) =	3.32	SF	i Bouyant =	524000	/ (162660	x	0.863) =	3.73
SFi Bouyant =	466000	/ (162660	x	0.863) =	3.32	SF	i Bouyant =	524000	/ (162660	x	0.863) =	3.73

in an

,

Peridot 8 Fed 13H

	_	Depth MD	Depth TVD	Csg length ft	Wt	MIY	Col	Pipe Str	Jt Str	Drill Fluid
Surface Casing		885	885	885	54.5				514000	
Intermediate 1 Cas		2250	2250	2250	40				520000	
Production 1 Casin		5200	5200	5200	29				587000	
Production 2 Casin	ng L	13333	6115	8133	20	9190	8830	466000	524000	9
<u>Collapse Des</u>	ian (Safat	w) Eactors	RIM	Critoria						Burst
Collapse Design				Sintenia						Burst De
SFc = Pc / (MW ;										SFb = P
Where										Where
•	Pc is the rat	ted pipe Collap	se Pressi	ure in pounds r	er souar	e inch (nsi)				
		weight in pour								
•		ngth of the strir								The Min
The Minimum Ac					25					
Surface Casing										Surface Ca
	SFc =	1130	1	391	=	2.89				SFb =
Intermediate 1 Ca		·	,							Intermedia
	SFc =	2570	1	1170	=	2.20				SFb =
Production 1 Cas	ina									Production
	SFc =	7020	1	2434	=	2.88				SFb =
Production 2 Cas	ing									Production
	SFc =	8830	1	2862	=	3.09				SFb =
<u>Pipe Strengt</u> Pipe Strength De			tors – E	BLM Criteri	2					<u>Joint Stranger</u>
			tors – E	BLM Criteri	ā					
Pipe Strength De SFtp = Fp / Wt;	sign (Safety) Fp is the rat	Factor: SFtp ted pipe Body :	Strength ir	1 pounds (lbs)	_					Joint Str SFtj = Fj
Pipe Strength De SFtp = Fp / Wt;	sign (Safety) Fp is the rat	Factor: SFtp	Strength ir	1 pounds (lbs)	_					Joint Str SFtj = Fj
Pipe Strength De SFtp = Fp / Wt; Where	esign (Safety) Fp is the rat Wt is the we	Factor: SFtp ted pipe Body s eight of the cas	Strength ir	n pounds (lbs) in pounds (lbs)	y or 1.8 buoya	nt			Joint Str SFtj = Fj
Pipe Strength De SFtp = Fp / Wt; Where The Minimum Ac	esign (Safety) Fp is the rat Wt is the we	Factor: SFtp ted pipe Body s eight of the cas	Strength ir	n pounds (lbs) in pounds (lbs)	y or 1.8 buoya	nt			Joint Str SFtj = Fj Where The Min
Pipe Strength De SFtp = Fp / Wt; Where The Minimum Ac Surface Casing	rsign (Safety) Fp is the rai Wt is the wi ceptable Pipe	Factor: SFtp ted pipe Body s eight of the cas a Strength Des	Strength ir sing string ign (Safet)	n pounds (lbs) in pounds (lbs y) Factor SFTp) = 1.6 dr		nt			Joint Str SFtj = Fj Where The Min Surface Ca
Pipe Strength De SFtp = Fp / Wt; Where The Minimum Ac Surface Casing S	esign (Safety) Fp is the rat Wt is the we	Factor: SFtp ted pipe Body s eight of the cas	Strength ir	n pounds (lbs) in pounds (lbs y) Factor SFTF 48232.5)	y or 1.8 buoya 17.7 0.870	nt) =	20.3	SF	Joint Str SFtj = Fj Where The Min
Pipe Strength De SFtp = Fp / Wt; Where The Minimum Ac Surface Casing S SFi Bc Intermediate 1 Ca	Fp is the rai Wt is the we ceptable Pipe Fi Dry = puyant = ising	Factor: SFtp ted pipe Body 3 eight of the case e Strength Des 853000 853000	Strength ir sing string ign (Safety /	n pounds (lbs) in pounds (lbs y) Factor SFTp 48232.5 48232.5) = 1.6 dr =	17.7 0.870		20.3	SF	Joint Str SFtj = Fj Where The Min Surface Ca SFi Dry = i Bouyant = Intermedia
Pipe Strength De SFtp = Fp / Wt; Where The Minimum Ac Surface Casing S SFi Bc Intermediate 1 Ca S	Fp is the rai Wt is the we ceptable Pipe Fi Dry = buyant = sing Fi Dry =	Factor: SFtp ted pipe Body s eight of the cas a Strength Des 853000	Strength ir sing string ign (Safet / / (n pounds (lbs) in pounds (lbs y) Factor SFTF 48232.5 48232.5 90000) = 1.6 dr =	17.7		20.3	SF	Joint Str SFtj = Fj Where The Min Surface Ca SFi Dry = i Bouyant =
Pipe Strength De SFtp = Fp / Wt; Where The Minimum Ac Surface Casing SFi Bc Intermediate 1 Ca S	Fp is the rai Wt is the we ceptable Pipe Fi Dry = puyant = ising	Factor: SFtp ted pipe Body 3 eight of the case e Strength Des 853000 853000	Strength ir sing string ign (Safety / / (n pounds (lbs) in pounds (lbs y) Factor SFTp 48232.5 48232.5) = 1.6 dr = '. X	17.7 0.870		20.3 8.26		Joint Str SFtj = Fj Where The Min Surface Ca SFi Dry = i Bouyant = Intermedia
Pipe Strength De SFtp = Fp / Wt; Where The Minimum Ac Surface Casing SFi Bc Intermediate 1 Ca SFi Bc SFi Bc	Fp is the rai Wt is the wi ceptable Pipe Fi Dry = buyant = sing Fi Dry = buyant =	Factor: SFtp ted pipe Body 3 eight of the case a Strength Des 853000 853000 630000	Strength ir sing string ign (Safet / / (n pounds (lbs) in pounds (lbs y) Factor SFTF 48232.5 48232.5 90000) = 1.6 dr = ' X = '	17.7 0.870 7.00) =			Joint Str SFtj = Fj Where The Min SFi Dry = i Bouyant = Intermedia SFi Dry = i Bouyant =
Pipe Strength De SFIp = Fp / Wt; Where The Minimum Ac Surface Casing SFi Bc Intermediate 1 Ca SFi Bc Production 1 Cas	Fp is the rai Wt is the wi ceptable Pipe Fi Dry = suyant = Fi Dry = suyant = ing ing	Factor: SFtp ted pipe Body 3 eight of the case a Strength Des 853000 853000 630000 630000	Strength ir ing string ign (Safet) / / (/ / (n pounds (lbs) in pounds (lbs y) Factor SFTF 48232.5 48232.5 90000 90000) = 1.6 dr = ' x = x	17.7 0.870 7.00 0.847) =			Joint Str SFtj = Fj Where The Min Surface Ca SFi Dry = i Bouyant = Intermedia SFi Dry = i Bouyant = Production
Pipe Strength De SFIp = Fp / Wt; Where The Minimum Ac Surface Casing SFi Bc Intermediate 1 Ca SFi Bc Production 1 Cas S	Fp is the rai Wt is the wi ceptable Pipe Fi Dry = buyant = sing Fi Dry = buyant =	Factor: SFtp ted pipe Body 3 eight of the case a Strength Des 853000 853000 630000	Strength ir sing string ign (Safet / / (n pounds (lbs) in pounds (lbs y) Factor SFTF 48232.5 48232.5 90000) = 1.6 dr = ' X = '	17.7 0.870 7.00) =		SF	Joint Str SFtj = Fj Where The Min SFi Dry = i Bouyant = Intermedia SFi Dry = i Bouyant =
Pipe Strength De SFtp = Fp / Wt; Where The Minimum Ac Surface Casing SFi Bc Intermediate 1 Ca SFi Bc Production 1 Cas SFi Bc SFi Bc	Fp is the rai Wt is the wi ceptable Pipe Fi Dry = buyant = sing Fi Dry = buyant = ing Fi Dry = buyant =	Factor: SFtp ted pipe Body 3 eight of the case a Strength Des 853000 853000 630000 630000 676000	Strength ir sing string ign (Safet / / (/ / (n pounds (lbs) in pounds (lbs y) Factor SFTF 48232.5 48232.5 90000 90000 150800) = 1.6 dr = x = x = x	17.7 0.870 7.00 0.847 4.48) =) =	8.26	SF	Joint Str SFtj = Fj Where The Min Surface Ca SFi Dry = i Bouyant = Intermedia SFi Dry = i Bouyant = SFi Dry = i Bouyant =
Pipe Strength De SFtp = Fp / Wt; Where The Minimum Ac Surface Casing SFi Bc Intermediate 1 Ca SFi Bc Production 1 Cas SFi Bc Production 2 Cas	Fp is the rai Wt is the wi ceptable Pipe Fi Dry = buyant = sing Fi Dry = buyant = ing Fi Dry = buyant = ing	Factor: SFtp ted pipe Body 3 eight of the case a Strength Des 853000 853000 630000 630000 676000 676000	Strength ir sing string ign (Safet / / (/ / (1 pounds (lbs) in pounds (lbs y) Factor SFTF 48232.5 48232.5 90000 90000 150800 150800) = 1.6 dr = x = x = x	17.7 0.870 7.00 0.847 4.48) =) =	8.26	SF	Joint Str SFtj = Fj Where The Min Surface Ca SFi Dry = i Bouyant = Intermedia SFi Dry = i Bouyant = Production SFi Dry = i Bouyant =
Pipe Strength De SFtp = Fp / Wt; Where The Minimum Ac Surface Casing SFi Bc Intermediate 1 Ca SFi Bc Production 1 Cas SFi Bc Production 2 Cas S	Fp is the rai Wt is the wi ceptable Pipe Fi Dry = buyant = sing Fi Dry = buyant = ing Fi Dry = buyant =	Factor: SFtp ted pipe Body 3 eight of the case a Strength Des 853000 853000 630000 630000 676000	Strength ir sing string ign (Safet / / (/ / (/ / (n pounds (lbs) in pounds (lbs y) Factor SFTF 48232.5 48232.5 90000 90000 150800) = 1.6 dr x = x = x x	17.7 0.870 7.00 0.847 4.48 0.863) =) =	8.26	SF	Joint Str SFtj = Fj Where The Min Surface Ca SFi Dry = i Bouyant = Intermedia SFi Dry = i Bouyant = SFi Dry = i Bouyant =

<u>gn (Safety) Factors – BLM Criteria</u>

(Safety) Factor: SFb

Pi is the rated pipe Burst (Minimum Internal Yield) Pressure in pounds per square inch (ps BHP is bottom hole pressure in pounds per square inch (psi)

Acceptable Burst Design (Safety) Factor SFb = 1.0

Surface Casing SFb =	2730	/	391	=	6.98
Intermediate 1 (SFb =	Casing 3950	1	1170	=	3.38
Production 1 Ca SFb =	asing 8160	1	2434	=	3.35
Production 2 Ca SFb =	sing 9190	1	2862	=	3.21

ngth Design (Safety) Factors – BLM Criteria

Design (Safety) Factor: SFtj

- - Fi is the rated pipe Joint Strength in pounds (lbs)
 - Wt is the weight of the casing string in pounds (lbs)

Acceptable Joint Strength Design (Safety) Factor SFTj = 1.6 dry or 1.8 buoyant

Surface Cas	ing						
SFi Dry ≃	514000	1	48232.5	=	10.7		
SFi Bouyant =	514000	/ (48232.5	x	0.870) =	12.2
Intermediate	e 1 Casing						
SFi Dry =	520000	1	90000	=	5.78		
SFi Bouyant =	520000	/ (90000	x	0.847) =	6.82
Production	1 Casing						
SFi Dry =	587000	1	150800	=	3.89		
SFi Bouyant =	587000	/ (150800	×	0.863) =	4.51
Production	2 Casing						
SFi Dry =	524000	1	162660	=	3.22		
SFi Bouyant =	524000	/ (162660	x	0.863) =	3.73

	Depth MD	Depth TVD	Csg length ft	Wt	MIY	Col	Pipe Str	Jt Str	Drill Fluid			
Surface Casing	885	885	885	54.5	2730	1130	853000	514000	8.5			
Intermediate 1 Casing	2250	2250	2250	- 40		2570	630000	520000	10			
Production 1 Casing	5200	5200	5200	29	8160	7020	676000	587000	9			
Production 2 Casing	13333	6115	8133	20	9190	8830	466000	524000	9			
										•		
Collapse Design (S Collapse Design (Safety)		- BLM	<u>Criteria</u>							Design (Safety) Fa		ors – BLM Ci
SFc = Pc / (MW x .052 x									SFb = Pi			
Where	he rated size Calle	Doo Droes							Where	D' (- 4		
	he rated pipe Colla mud weight in pou			per squa	re inch (psi)							pe Burst (Minimu ple pressure in p
	he length of the stri								The Minin			sign (Safety) Fac
The Minimum Acceptable	e Collapse Design (Safety) Fa	ctor SFc = 1.1	25								
Surface Casing									Surface Cas	ing		
SFc	= 1130	1	391	=	2.89				SFb =	2730	1	391
Intermediate 1 Casing									Intermediate	e 1 Casing		
SFc	= 2570	1	1170	=	2.20				SFb =	3950	/	1170
Production 1 Casing									Production	1 Casina		
SFc	= 7020	1	2434	=	2.88				SFb =	8160	1	2434
Production 2 Casing									Production	2 Casing		
SFc	= 8830	1	2862	=	3.09				SFb =	9190	/	2862
	,											
Pipe Strength Design (Sa		ctors – I	BLM Criteri	a								
Pipe Strength Design (Sa		ctors – I	BLM Criteri	ā					Joint Stre	ngth Design (S		
		ctors – I	<u>BLM Criteri</u>	a						ngth Design (S		ety) Factors : or: SFtj
Pipe Strength Design (Sa SFtp = Fp / Wt; Where • Fp is t	afety) Factor: SFtp he rated pipe Body	Strength i	n pounds (lbs)	-					Joint Stre SFtj = Fj /	ngth Design (S Wt; • Fj is tl	afety) Facto ne rated pip	or: SFtj pe Joint Strength
Pipe Strength Design (Sa SFtp = Fp / Wt; Where • Fp is t • Wt is t	afety) Factor: SFtp he rated pipe Body he weight of the ca	Strength is	n pounds (lbs) in pounds (lbs	-	v or 1.8 buova	1			Joint Stre SFtj = Fj / Where	ngth Design (S 'Wt; • Fj is tl • Wt is	afety) Facto ne rated pip the weight	or: SFtj be Joint Strength of the casing stri
Pipe Strength Design (Sa SFtp = Fp / Wt; Where • Fp is t	afety) Factor: SFtp he rated pipe Body he weight of the ca	Strength is	n pounds (lbs) in pounds (lbs	-	y or 1.8 buoyar	it .			Joint Stre SFtj = Fj / Where	ngth Design (S / Wt; • Fj is tl • Wt is num Acceptabl	afety) Facto ne rated pip the weight	or: SFtj be Joint Strength of the casing stri
Pipe Strength Design (Sa SFtp = Fp / Wt; Where • Fp is t • Wt is t The Minimum Acceptable	afety) Factor: SFtp he rated pipe Body he weight of the ca	Strength is	n pounds (lbs) in pounds (lbs	-	y or 1.8 buoyar	t .			Joint Stre SFtj = Fj / Where The Minin	ngth Design (S / Wt; • Fj is tl • Wt is num Acceptabl	afety) Facto ne rated pip the weight	or: SFtj be Joint Strength of the casing stri
Pipe Strength Design (Sa SF(p = Fp / Wt; Where • Fp is t • Wt is t The Minimum Acceptable Surface Casing SFi Dry	Mety) Factor: SFtp he rated pipe Body he weight of the ca Pipe Strength Des = 853000	Strength ii sing string sign (Safet /	n pounds (lbs) in pounds (lbs y) Factor SFTp 48232.5	-	y or 1.8 buoyar	t .			Joint Stre SFtj = Fj / Where The Minin	ngth Design (S / Wt; • Fj is tl • Wt is num Acceptabl	afety) Facto ne rated pip the weight	or: SFtj pe Joint Strength
Pipe Strength Design (Sa SFtp = Fp / Wt; Where • Fp is t • Wt is t The Minimum Acceptable Surface Casing	Mety) Factor: SFtp he rated pipe Body he weight of the ca Pipe Strength Des = 853000	Strength i sing string sign (Safet	n pounds (lbs) in pounds (lbs y) Factor SFTp 48232.5	-)) ≃ 1.6 di		, ,) =	20.3		Joint Stre SFtj = Fj / Where The Minin Surface Cas	ngth Design (S / Wt; • Fj is tl • Wt is num Acceptabl	afety) Facto ne rated pip the weight e Joint Stre /	or: SFtj be Joint Strength of the casing stri ength Design (Sa
Pipe Strength Design (Sa SFtp = Fp / Wt; Where Wt is t The Minimum Acceptable Surface Casing SFi Dry SFi Bouyant Intermediate 1 Casing	Mety) Factor: SFtp he rated pipe Body he weight of the ca Pipe Strength Des = 853000 = 853000	Strength ii sing string sign (Safet /	n pounds (lbs) in pounds (lbs y) Factor SFTr 48232.5 48232.5	-)) ≕ 1.6 di =	17.7 0.870		20.3	SFi	Joint Stre SFtj = Fj / Where The Minin Surface Cas SFi Dry = Bouyant = Intermediate	ngth Design (S 'Wt; • Fj is ti • Wt is num Acceptabl • • • • • • • • • • • • • • • • • • •	afety) Facto ne rated pip the weight e Joint Stre /	or: SFtj be Joint Strength of the casing stri ength Design (Sa - - 48232.5
Pipe Strength Design (Sa SF(p = Fp / Wt; Where Wt is t The Minimum Acceptable Surface Casing SFi Dry SFi Bouyant Intermediate 1 Casing SFi Dry	Mety) Factor: SFtp he rated pipe Body he weight of the ca Pipe Strength Des = 853000 = 853000 = 630000	Strength ii sing string sign (Safet , / / (n pounds (lbs) in pounds (lbs y) Factor SFTr 48232.5 48232.5 90000	-)) ≕ 1.6 di =	17.7 0.870 7.00		20.3	SFi	Joint Stre SFtj = Fj / Where The Minin Surface Cas SFi Dry = Bouyant = Intermediate SFi Dry =	ngth Design (S Wt; Wt is Wt is num Acceptabl 514000 514000 514000 6 1 Casing 520000	afety) Fact he rated pip the weight e Joint Stre / / / (or: SFIj be Joint Strength of the casing stri ength Design (Sa 48232.5 48232.5 90000
Pipe Strength Design (Sa SFtp = Fp / Wt; Where Fp is t Wt is t The Minimum Acceptable Surface Casing SFi Dry SFi Bouyant Intermediate 1 Casing	Mety) Factor: SFtp he rated pipe Body he weight of the ca Pipe Strength Des = 853000 = 853000 = 630000	Strength i sing string ign (Safet / / / (n pounds (lbs) in pounds (lbs y) Factor SFTr 48232.5 48232.5	-) = 1.6 di = X	17.7 0.870) =	20.3 8.26	SFi	Joint Stre SFtj = Fj / Where The Minin Surface Cas SFi Dry = Bouyant = Intermediate	ngth Design (S Wt; Fj is ti Wt is num Acceptabl	afety) Fact ne rated pip the weight e Joint Stre / / /	or: SFIj be Joint Strength of the casing stri ength Design (Sa 48232.5 48232.5 90000
Pipe Strength Design (Sa SFtp = Fp / Wt; Where Wt is t The Minimum Acceptable Surface Casing SFi Dry SFi Bouyant Intermediate 1 Casing SFi Dry SFi Bouyant	Mety) Factor: SFtp he rated pipe Body he weight of the ca Pipe Strength Des = 853000 = 853000 = 630000	Strength ii sing string sign (Safet , / / (n pounds (lbs) in pounds (lbs y) Factor SFTr 48232.5 48232.5 90000	-) = 1.6 di = X =	17.7 0.870 7.00) =		SFi SFi	Joint Stre SFI = Fj / Where The Minin Surface Cas SFi Dry = Bouyant = Intermediate SFi Dry = Bouyant =	ngth Design (S Wt; Fj is tl Wt is num Acceptabl 514000 514000 514000 61 Casing 520000 520000	afety) Fact he rated pip the weight e Joint Stre / / / (or: SFIj be Joint Strength of the casing stri ength Design (Sa 48232.5 48232.5 90000
Pipe Strength Design (Sa SF(p = Fp / Wt; Where Wt is t The Minimum Acceptable Surface Casing SFi Dry SFi Bouyant Intermediate 1 Casing SFi Dry SFi Bouyant	affety) Factor: SFtp he rated pipe Body he weight of the ca Pipe Strength Des = 853000 = 853000 = 630000 = 630000	Strength ii sing string sign (Safet , / / (n pounds (lbs) in pounds (lbs y) Factor SFTr 48232.5 48232.5 90000 90000	-) = 1.6 di = X =	17.7 0.870 7.00 0.847) =		SFi SFi	Joint Stre SFIJ = FJ / Where The Minin Surface Cas SFi Dry = Bouyant = Intermediate SFi Dry = Bouyant = Production	ngth Design (S Wt; Fj is tl Wt is num Acceptabl 514000 514000 6 1 Casing 520000 520000 1 Casing	afety) Fact ne rated pip the weight e Joint Stre / / / / (or: SFIj pe Joint Strength of the casing stri ength Design (Sa 48232.5 48232.5 90000 90000
Pipe Strength Design (Sa SF(p = Fp / Wt; Where Wt is t The Minimum Acceptable Surface Casing SFi Dry SFi Bouyant Intermediate 1 Casing SFi Dry	attery) Factor: SFtp he rated pipe Body he weight of the ca b Pipe Strength Des = 853000 = 630000 = 630000 = 630000 = 630000	Strength ii sing string sign (Safet , / / (n pounds (lbs) in pounds (lbs y) Factor SFTr 48232.5 48232.5 90000	-) = 1.6 di = X =	17.7 0.870 7.00) =		SFi SFi	Joint Stre SFI = Fj / Where The Minin Surface Cas SFi Dry = Bouyant = Intermediate SFi Dry = Bouyant =	ngth Design (S Wt; Fj is tl Wt is num Acceptabl 514000 514000 514000 61 Casing 520000 520000	afety) Fact he rated pip the weight e Joint Stre / / / (or: SFIj be Joint Strength of the casing stri ength Design (Sa 48232.5 48232.5 90000
Pipe Strength Design (Sa SFtp = Fp / Wt; Where Wt is t The Minimum Acceptable Surface Casing SFi Dry SFi Bouyant Intermediate 1 Casing SFi Dry SFi Bouyant Production 1 Casing SFi Dry SFi Bouyant	attery) Factor: SFtp he rated pipe Body he weight of the ca b Pipe Strength Des = 853000 = 630000 = 630000 = 630000 = 630000	Strength i sing string ign (Safet / / (/ / (n pounds (lbs) in pounds (lbs y) Factor SFTr 48232.5 48232.5 90000 90000 150800	- ;) = x = x = x	17.7 0.870 7.00 0.847 4.48) =) =	8.26	SFi SFi SFi	Joint Stre SFI = FJ / Where The Minin Surface Cas SFi Dry = Bouyant = Intermediate SFi Dry = Bouyant = Production f SFi Dry = Bouyant =	ngth Design (S Wt; Fj is tl Wt is num Acceptabl 514000 514000 514000 514000 514000 520000 520000 520000 1 Casing 587000 587000	afety) Fact he rated pip the weight e Joint Stre / / / / (or: SFIj be Joint Strength of the casing stri ength Design (Sa 48232.5 48232.5 90000 90000 150800
Pipe Strength Design (Sa SF(p = Fp / Wt; Where Wt is t The Minimum Acceptable Surface Casing SFi Dry SFi Bouyant Intermediate 1 Casing SFi Dry SFi Bouyant Production 1 Casing SFi Dry SFi Bouyant	Mety) Factor: SFtp he rated pipe Body he weight of the ca Pipe Strength Des = 853000 = 630000 = 630000 = 630000 = 676000 = 676000	Strength i sing string ign (Safet / / (/ / (n pounds (lbs) in pounds (lbs y) Factor SFTr 48232.5 48232.5 90000 90000 150800 150800	- = 1.6 di x = x = x x	17.7 0.870 7.00 0.847 4.48 0.863) =) =	8.26	SFi SFi SFi	Joint Stre SFI = FJ / Where The Minin Surface Cas SFi Dry = Bouyant = Intermediate SFi Dry = Bouyant = Production = Bouyant = Production 2	ngth Design (S Wt; Fj is tl Wt is num Acceptabl 514000 514000 6 1 Casing 520000 520000 1 Casing 587000 587000 2 Casing 2 Casing	afety) Fact he rated pip the weight e Joint Stre / / / / (/ / (or: SFIj be Joint Strength of the casing stri ingth Design (Sa 48232.5 48232.5 90000 90000 150800 150800
Pipe Strength Design (Sa SF(p = Fp / Wt; Where • Fp is ti • Wt is t The Minimum Acceptable Surface Casing SFi Dry SFi Bouyant Intermediate 1 Casing SFi Bouyant Production 1 Casing SFi Dry	Ifety) Factor: SFtp he rated pipe Body he weight of the ca Pipe Strength Des = 853000 = 630000 = 630000 = 676000 = 676000 = 466000	Strength i sing string ign (Safet / / (/ / (n pounds (lbs) in pounds (lbs y) Factor SFTr 48232.5 48232.5 90000 90000 150800	- ;) = x = x = x	17.7 0.870 7.00 0.847 4.48) =) =	8.26	SFi SFi	Joint Stre SFI = FJ / Where The Minin Surface Cas SFi Dry = Bouyant = Intermediate SFi Dry = Bouyant = Production f SFi Dry = Bouyant =	ngth Design (S Wt; Fj is tl Wt is num Acceptabl 514000 514000 514000 514000 514000 520000 520000 520000 1 Casing 587000 587000	afety) Fact he rated pip the weight e Joint Stre / / / / (or: SFIj be Joint Strength of the casing stri- ength Design (Sa 48232.5 48232.5 90000 90000 150800 150800 162660

.

Criteria

num Internal Yield) Pressure in pounds per square inch (ps

- pounds per square inch (psi)
- actor SFb = 1.0

Surface Casing				
SFb = 2	730 /	391	=	6.98
Intermediate 1 Ca	sing			
SFb = 3	950 /	1170	=	3.38
Production 1 Cas	ing			
SFb = 8	160 /	2434	=	3.35
Production 2 Cas	ing			
SFb = 9	190 /	2862	=	3.21

Joint Strength	Design	(Safety)	Factors -	BLM	Criteria	
Liter Other all David						

- gth in pounds (lbs)
- tring in pounds (lbs)

Safety) Factor SFTj = 1,6 dry or 1,8 buoyant

Surface Cas SFi Dry = SFi Bouyant =	ing 514000 514000	/ / (48232.5 48232.5	= ×	10.7 0.870) =	12.2
Intermediate SFi Dry = SFi Bouyant =	1 Casing 520000 520000	/ (90000 90000	= x	5.78 0.847) =	6.82
Production SFi Dry = SFi Bouyant =	1 Casing 587000 587000	, , , (150800 150800	= x	3.89 0.863) =	4.51
Production : SFi Dry = SFi Bouyant =	2 Casing 524000 524000	/ / (162660 162660	= x	3.22 0.863) =	3.73

Peridot 8 Fed 13H

String Section	Depth MD	Depth TVD	Csg length ft	Wt	MIY	Col	Pipe Str	Jt Str	Drill Fluid
Surface Casing	885	885	885	54.5	273	0 1130	853000	514000	8.5
Intermediate 1 Casing	2250	2250	2250	40	395	0 2570	630000	520000	10
Production 1 Casing	5200	5200	5200	29	816	0 7020	676000	587000	9
Production 2 Casing	13333	6115	8133	20	919	0 8830	466000	524000	9
<u>Collapse Design (Sa</u>	fotu) Eastors		Seitoria						Burst De
Collapse Design (Safety) Fi			<u>, nteria</u>						Burst Desi
SFc = Pc / (MW x .052 x Ls									SFb = Pi /
Where	,								Where
	rated pipe Colla	ose Pressi	re in pounds r	er squar	e inch (psi)				Where
	ud weight in pou								
	length of the stri								The Minim
The Minimum Acceptable C	-	-		25					
Surface Casing									Surface Casi
SFc =	1130	1	391	=	2.89				SFb =
Intermediate 1 Casing									Intermediate
SFc =	2570	1	1170	=	2.20				SFb =
Production 1 Casing									Production 1
SFc =	7020	1	2434	=	2.88				SFb =
Production 2 Casing				•					Production 2
Production 2 Casing SFc =	8830	1	2862	=	3.09				Production 2 SFb =
SFc = <u>Pipe Strength Desig</u> Pipe Strength Design (Safe	n (Safety) Fac	·	-		3.09				SFb = <u>Joint Str</u> Joint Stren
SFc = <u>Pipe Strength Design</u> Pipe Strength Design (Safe SFtp = Fp / Wt; Where	<u>n (Safety) Fac</u> Ity) Factor: SFtp	ctors – I	<u>BLM Criteri</u>		3.09				SFb = <u>Joint St</u> Joint Strer
Pipe Strength Design Pipe Strength Design (Safe SFtp = Fp / Wt; Where • Fp is the	n (Safety) Fac ity) Factor: SFtp rated pipe Body	<mark>ctors – E</mark> Strength in	BLM Criteri	a	3.09				SFb = <u>Joint St</u> Joint Strer SFtj = Fj /
SFc = <u>Pipe Strength Design</u> Pipe Strength Design (Safe SFtp = Fp / Wt; Where • Fp is the	n (Safety) Fac ity) Factor: SFtp rated pipe Body weight of the ca	<mark>ctors – E</mark> Strength in sing string	BLM Criteri	<u>a</u>		ant			SFb = Joint Ster SFtj = Fj / Where
SFc = Pipe Strength Design Pipe Strength Design (Safe SFtp = Fp / Wt; Where • Fp is the • Wt is the	n (Safety) Fac ity) Factor: SFtp rated pipe Body weight of the ca	<mark>ctors – E</mark> Strength in sing string	BLM Criteri	<u>a</u>		ant			SFb = Joint Ster SFtj = Fj / Where
SFc = <u>Pipe Strength Design</u> Pipe Strength Design (Safe SFtp = Fp / Wt; Where • Fp is the • Wt is the The Minimum Acceptable F Surface Casing	n (Safety) Fac ity) Factor: SFtp rated pipe Body weight of the ca Pipe Strength Des	Ctors – E Strength ii sing string sign (Safet	BLM Criteri n pounds (lbs) in pounds (lbs y) Factor SFTF	a) 9 = 1.6 dry	y or 1.8 buoy	ant			SFb = <u>Joint Str</u> Joint Stren SFtj = Fj / Where The Minim Surface Casi
SFc = <u>Pipe Strength Design</u> Pipe Strength Design (Safe SFtp = Fp / Wt; Where • Fp is the • Wt is the The Minimum Acceptable F Surface Casing SFi Dry =	n (Safety) Fac Ity) Factor: SFtp rated pipe Body e weight of the ca Pipe Strength Des 853000	Ctors – E Strength ii sing string sign (Safet /	BLM Criteri n pounds (lbs) in pounds (lbs y) Factor SFTF 48232.5	a) = 1.6 dry = ⁻	y or 1.8 buoy		20.2		SFb = Joint Str Joint Stren SFij = Fi /' Where The Minim Surface Casi SFi Dry =
SFc = <u>Pipe Strength Design</u> Pipe Strength Design (Safe SFtp = Fp / Wt; Where • Fp is the • Wt is the The Minimum Acceptable F Surface Casing	n (Safety) Fac ity) Factor: SFtp rated pipe Body weight of the ca Pipe Strength Des	Ctors – E Strength ii sing string sign (Safet	BLM Criteri n pounds (lbs) in pounds (lbs y) Factor SFTF 48232.5	a) 9 = 1.6 dry	y or 1.8 buoy	ant) =	20.3	SF	SFb = Joint Str Joint Strer SFi] = Fi / Where The Minim Surface Casi
SFc = <u>Pipe Strength Design</u> Pipe Strength Design (Safe SFtp = Fp / Wt; Where • Fp is the • Wt is the The Minimum Acceptable F Surface Casing SFi Bouyant = Intermediate 1 Casing	n (Safety) Factor: SFtp rated pipe Body weight of the ca Pipe Strength Des 853000 853000	Strength i Sing string sign (Safet / / (BLM Criteri in pounds (lbs) in pounds (lbs y) Factor SFTp 48232.5 48232.5	<u>a</u>) = 1.6 dry = ' x	y or 1.8 buoy 17.7 0.870		20.3	SF	SFb = <u>Joint St</u> Joint Strer SFtj = Fj / Where The Minim Surface Casi SFi Dry = i Bouyant = Intermediate
SFc = Pipe Strength Design Pipe Strength Design (Safe SFtp = Fp / Wt; Where • Fp is the • Wt is the The MinImum Acceptable F Surface Casing SFi Dry = SFi Bouyant = Intermediate 1 Casing SFi Dry = SFi Dry =	n (Safety) Fac ity) Factor: SFtp rated pipe Body eweight of the ca Pipe Strength Des 853000 853000 630000	Strength ii sing string iign (Safet / / (BLM Criteri n pounds (lbs) in pounds (lbs y) Factor SFTF 48232.5 48232.5 90000	a_ = 1.6 dry = ` x =	y or 1.8 buays 17.7 0.870 7.00) =			SFb = <u>Joint Str</u> Joint Strer SFt] = Fj / Where The Minim SFi Dry = i Bouyant = Intermediate SFi Dry =
SFc = <u>Pipe Strength Design</u> Pipe Strength Design (Safe SFtp = Fp / Wt; Where • Fp is the • Wt is the The Minimum Acceptable F Surface Casing SFi Bouyant = Intermediate 1 Casing	n (Safety) Factor: SFtp rated pipe Body weight of the ca Pipe Strength Des 853000 853000	Strength i Sing string sign (Safet / / (BLM Criteri in pounds (lbs) in pounds (lbs y) Factor SFTp 48232.5 48232.5	<u>a</u>) = 1.6 dry = ' x	y or 1.8 buoy 17.7 0.870		20.3		SFb = <u>Joint Str</u> Joint Stren SFtj = Fj /' Where The Minim SFi Dry = i Bouyant = Intermediate
SFc = <u>Pipe Strength Design</u> Pipe Strength Design (Safe SFtp = Fp / Wt; Where • Fp is the • Wt is the The Minimum Acceptable F Surface Casing SFi Bouyant = SFi Bouyant = SFi Bouyant =	n (Safety) Fac ity) Factor: SFtp rated pipe Body eweight of the ca Pipe Strength Des 853000 853000 630000	Strength ii sing string iign (Safet / / (BLM Criteri n pounds (lbs) in pounds (lbs y) Factor SFTF 48232.5 48232.5 90000	a_ = 1.6 dry = ` x =	y or 1.8 buays 17.7 0.870 7.00) =			SFb = <u>Joint St</u> Joint Strer SFi J = Fj / Where The Minim SFi Dry = i Bouyant = Intermediate SFi Dry = i Bouyant =
SFc = <u>Pipe Strength Design</u> Pipe Strength Design (Safe SFtp = Fp / Wt; Where • Fp is the • Wt is the The Minimum Acceptable F Surface Casing SFi Bouyant = SFi Bouyant = SFi Bouyant =	n (Safety) Fac ity) Factor: SFtp rated pipe Body eweight of the ca Pipe Strength Des 853000 853000 630000	Strength ii sing string iign (Safet / / (BLM Criteri n pounds (lbs) in pounds (lbs y) Factor SFTF 48232.5 48232.5 90000	a_ = 1.6 dry = ` x =	y or 1.8 buays 17.7 0.870 7.00) =			SFb = <u>Joint St</u> Joint Strer SFi J = Fj / Where The Minim SFi Dry = i Bouyant = Intermediate SFi Dry = i Bouyant =
SFc = Pipe Strength Design Pipe Strength Design (Safe SFtp = Fp / Wt; Where • Fp is the • Wt is the The Minimum Acceptable F Surface Casing SFi Bouyant = Intermediate 1 Casing SFi Bouyant = SFi Bouyant = Production 1 Casing	n (Safety) Fac ty) Factor: SFtp rated pipe Body weight of the ca Pipe Strength Des 853000 630000 630000	Strength i sing string ign (Safet / / (/ / (BLM Criteri in pounds (lbs) in pounds (lbs y) Factor SFTF 48232.5 48232.5 90000 90000	a = 1.6 dry = ' x = x	y or 1.8 buoyo 17.7 0.870 7.00 0.847) =		SF	SFb = <u>Joint Str</u> Joint Stren SFi J = Fj // Where The Minim SFi Dry = i Bouyant = Intermediate SFi Dry = i Bouyant = Production 1
SFc = <u>Pipe Strength Design</u> Pipe Strength Design (Sale SFtp = Fp / Wt; Where • Fp is the • Wt is the The Minimum Acceptable P Surface Casing SFi Bouyant = SFi Bouyant = SFi Bouyant = Production 1 Casing SFi Dry = SFi Bouyant = SFi Bouyant =	n (Safety) Fac ty) Factor: SFtp rated pipe Body e weight of the ca Pipe Strength Des 853000 853000 630000 630000 676000	Strength in sing string ign (Safet / / (/ / (BLM Criteri n pounds (lbs) in pounds (lbs y) Factor SFTF 48232.5 48232.5 90000 90000 150800	a_ = 1.6 dry = ' x = x = x =	y or 1.8 buoy 17.7 0.870 7.00 0.847 4.48) =) =	8.26	SF	SFb = <u>Joint Str</u> Joint Strer SFi J = Fj / Where The Minim SFi Dry = i Bouyant = Intermediate SFi Dry = i Bouyant = Production 1 SFi Dry = i Bouyant =
SFc = <u>Pipe Strength Design</u> Pipe Strength Design (Sale SFtp = Fp / Wt; Where • Fp is the • Wt is the The Minimum Acceptable F Surface Casing SFi Bouyant = Intermediate 1 Casing SFi Bouyant = Production 1 Casing SFi Dry =	n (Safety) Fac ty) Factor: SFtp rated pipe Body e weight of the ca Pipe Strength Des 853000 853000 630000 630000 676000	Strength in sing string ign (Safet / / (/ / (BLM Criteri n pounds (lbs) in pounds (lbs y) Factor SFTF 48232.5 48232.5 90000 90000 150800	a_ = 1.6 dry = ' x = x = x =	y or 1.8 buoy 17.7 0.870 7.00 0.847 4.48) =) =	8.26	SF	SFb = <u>Joint Str</u> Joint Stren SFi = Fj // Where The Minim SFi Dry = i Bouyant = Intermediate SFi Dry = i Bouyant = Production 1 SFi Dry =

gn (Safety) Factors – BLM_Criteria

(Safety) Factor: SFb

- - Pi is the rated pipe Burst (Minimum Internal Yield) Pressure in pounds per square inch (ps
 - BHP is bottom hole pressure in pounds per square inch (psi)

Acceptable Burst Design (Safety) Factor SFb = 1.0

Surface Casing SFb = 2730	/	391	=	6.98
Intermediate 1 Casing SFb = 3950	1	1170	=	3.38
Production 1 Casing SFb = 8160	1	2434	=	3.35
Production 2 Casing SFb = 9190	1	2862	=	3.21

igth Design (Safety) Factors – BLM Criteria

Design (Safety) Factor: SFtj

- - Fj is the rated pipe Joint Strength in pounds (lbs)
 - Wt is the weight of the casing string in pounds (lbs)
- Acceptable Joint Strength Design (Safety) Factor SFTj = 1.6 dry or 1.8 buoyant

14000 1 48232.5 = 10.7 14000 / (48232.5 x 0.870) = 12.2 Casing 20000 1 90000 5.78 = 20000 / (90000 0.847) = 6.82 x eina

Production	i Casing							
SFi Dry =	587000	1	150800	=	3.89			
SFi Bouyant ≕	587000	/ (150800	x	0.863) =	4.51	
		×						
Production 2	2 Casing							
SFi Dry =	524000	1	162660	=	3.22			
SFi Bouyant =	524000	/ (162660	x	0.863) =	3.73	
SFi Dry =	524000	· / () =	3.73	

Peridot 8 Fed 13H

String Section	Depth MD	Depth TVD	Csg length ft	Wt	MIY	Col	Pipe Str	Jt Str	Drill Fluid
Surface Casing	885		885	54.5	2730	1130	853000	514000	8.5
Intermediate 1 Casing	2250	2250	2250						
Production 1 Casing	5200								
Production 2 Casing	13333	6115							
Collapse Design (Sa	fetv) Factors	- BLM (Criteria						Burs
Collapse Design (Safety) F									Burst
SFc = Pc / (MW x .052 x Ls									SFb =
Where	,								Where
 Pc is the 	rated pipe Colla	pse Press	are in pounds	per squar	e inch (psi)				
	ud weight in pou				. /				
	length of the stri								The N
The Minimum Acceptable C	•	•		25	,				
Surface Casing									Surface (
SFc =	1130	1	391	=	2.89				SFb
Intermediate 1 Casing									Intermed
SFc =	2570	1	1170	=	2.20				SFb
SFC -	25/0	'	1170	-	2.20				SFD
Production 1 Casing									Productio
SFc =	7020	1	2434	=	2.88				SFb :
0, 0 =	7020	,	2404		1.00				010
Production 2 Casing									Productio
SFc =	8830	1	2862	= -	3.09				SFb
Pipe Strength Desig	n (Safety) Fa	ctors - I	BLM Criteri	а					Joir
				_					Joint
Pipe Strength Design (Safe	IV FACIOL SEID								
Pipe Strength Design (Safe SFtp = Fp / Wt;	ny) racior. Srip								SFij =

Fp is the rated pipe Body Strength in pounds (lbs)

Wt is the weight of the casing string in pounds (lbs)

The Minimum Acceptable Pipe Strength Design (Safety) Factor SFTp = 1.6 dry or 1.8 buoyant

Surface Casing

SFi Dry = SFi Bouyant =	853000 853000	32.5 = 32.5 x	17.7 0.870) =	20.3
Intermediate 1 Casing SFi Dry = SFi Bouyant =	630000 630000	000 = 000 x	7.00 0.847) =	8.26
Production 1 Casing SFi Dry = SFi Bouyant =	676000 676000)800 =)800 x	4.48 0.863) =	5.20
Production 2 Casing SFi Dry = SFi Bouyant =	466000 466000	2660 = 2660 x	2.86 0.863) =	3.32

Burst Design (Safety) Factors – BLM Criteria

Burst Design (Safety) Factor: SFb SFb = Pi / BHP

Vhere

• Pi is the rated pipe Burst (Minimum Internal Yield) Pressure in pounds per square inch (ps

BHP is bottom hole pressure in pounds per square inch (psi)

The Minimum Acceptable Burst Design (Safety) Factor SFb = 1.0

Surface Ca	sing				
SFb =	2730	1	391	=	6.98
Intermedia	te 1 Casing				
SFb =	3950	1	1170	=	3.38
Production	1 Casing				
SFb =	8160	1	2434	=	3.35
Production	2 Casing				
SFb =	9190	1	2862	=	3.21

Joint Strength Design (Safety) Factors – BLM Criteria

Joint Strength Design (Safety) Factor: SFtj

= Fj / Wt;

Fj is the rated pipe Joint Strength in pounds (lbs)

Wt is the weight of the casing string in pounds (lbs)

The Minimum Acceptable Joint Strength Design (Safety) Factor SFTj = 1.6 dry or 1.8 buoyant

Surface Cas	ing						
SFi Dry =	514000	1	48232.5	=	10.7		
SFi Bouyant =	514000	/ (48232.5	x	0.870) =	12.2
Intermediate	e 1 Casing						
SFi Dry =	520000	1	90000	=	5.78		
SFi Bouyant =	520000	/ (90000	x	0.847) =	6.82
Production	1 Casing						
SFi Dry =	587000	1	150800	=	3.89		
SFi Bouyant =	587000	/ (150800	x	0.863) =	4.51
Production	2 Casing						

SFi Dry =	524000	/	162660	=	3.22		
SFi Bouyant =	524000	/ (162660	x	0.863) =	3.73

1. Geologic Formations

KB TVD of target	6115'	Pilot hole depth	NA
KB MD at TD:	13333'	Deepest expected fresh water:	825'

Basin				
Formation	KB TVD (ft)	Elevation KB (ft)	Water/Mineral Bearing/Target Zone	Hazards*
Rustler	825	3232	Fresh Water	
Salado	965	3092	Brackish Water	
Tansill	2040	2017	Salt	
Yates	2180	1877	Salt Water	
Seven Rivers	2490	1567	Oil/Gas	
Queen -	3110	947	Oil/Gas	
Grayburg	3530	527	Oil/Gas	
San Andres	3850	207	Oil/Gas	
Glorieta	5360	-1303	Oil/Gas	
Paddock	5460	-1403	Oil/Gas	
Blinebry	5770	-1713	Target	
Land Pt / TD	6115	-2058	Target	

2. Casing Program

	3 strings casing design									
Hole	Casing	Interval	Csg.	Weight	Grade	Conn.	SF	SF	SF Pipe	SF Joint
Size	From	То	Size	(lbs)			Collapse	Burst	Tensile	Tensile
17.5"	0	885	13.375"	54.5	J55	STC/BTC	2.89	6.98	17.7	10.7
12.25"	0	2250	9.625"	40	J55	LTC/BTC	2.20	3.38	7.00	5.78
8.75"	0	5200	7"	29	L80	LTC/BTC	2.88	3.35	4.48	3.89
8.75"	5200	13333	5.5"	20	L80	LTC/BTC	3.09	3.21	2.86	3.22
		•	•	BLM N	Ainimum	Safety Factor	1.125	1	1.6 Dry	1.6 Dry
						-]		1.8 Wet	1.8 Wet

- Bring cement from 5-1-2" casing shoe to lap inside 9-5/8" casing shoe.
- XO from 7" to 5-1/2" in 8-3/4" OH for minimum of 0.422in clearance per Onshore Oil and Gas Order #2 III.B.
- Notify BLM if an Annulus Casing Packer and Stage Tool with 2-Stage Cement or Remediate with Bradenhead Squeeze will be necessary.

All casing strings will be tested in accordance with Onshore Oil and Gas Order #2 III.B.1.h

Must have table for contingency casing

	Y or N
Is casing new? If used, attach certification as required in Onshore Order #1	YES
Does casing meet API specifications? If no, attach casing specification sheet.	YES
Is premium or uncommon casing planned? If yes attach casing specification sheet.	YES
Does the above casing design meet or exceed BLM's minimum standards? If not provide justification (loading assumptions, casing design criteria).	YES
Will the intermediate pipe be kept at a minimum 1/3 fluid filled to avoid approaching the collapse pressure rating of the casing?	N/A
Is well located within Capitan Reef?	NO
If yes, does production casing cement tie back a minimum of 50' above the Reef?	
Is well within the designated 4 string boundary.	
Is well located in SOPA but not in R-111-P?	NO
If yes, are the first 2 strings cemented to surface and 3 rd string cement tied back 500' into previous casing?	
Is well located in R-111-P and SOPA?	NO
If yes, are the first three strings cemented to surface?	
Is 2 nd string set 100' to 600' below the base of salt?	
Is well located in high Cave/Karst?	NO
If yes, are there two strings cemented to surface?	
(For 2 string wells) If yes, is there a contingency casing if lost circulation occurs?	
Is well located in critical Cave/Karst?	NO
If yes, are there three strings cemented to surface?	

3. Cementing Program

Casing	# Sks	Wt. lb/ gal	Yld ft3/	H20 gal/sk	Vol ft3	500# Comp.	Slurry Description
			sack			Strength (hours)	
Surf.	500	13.5	1.68	8.94	840	7	Lead: Class C + 4.0% Bentonite + 0.2% Anti-Foam + 2.0% CaCl2 +0.125lb/sk LCM + 0.1% Dispersant
	400	14.8	1.35	6.38	540	7	Tail: Class C + 0.2% Anti-Foam + 0.1% Lost Circ Control + 2 lbs/bbl CemNET (losses Control)
Inter.	450	11.5	2.29	10.72	1031	17	Lead: Class C + 10.0% Bentonite + 0.2% Anti-Foam + 2.0% Expanding + 0.15% Viscosifier + 1.3% Retarder.
	300	13.5	1.29	4.81	387	7	Tail: Class C + 1% Extender + 3 lb/sk Extender + 0.2% Anti-Foam + 0.1% Dispersant + 13 lb/sk LCM + 0.5% Fluid Loss + 0.7% Retarder
Prod.	650	11.0	3.2	19.25	2080	17	Lead: Class C + 6% Extender + 10% Gas Migration Control + 2% Sodium Metasilicate (dry) + 1% Cement Bonding Agent + 3% Aluminum Silicate + 0.125 lb/sx Cello Flake + 3 lb/sx LCM-1
	2000	14.0	1.37	6.48	2740	7	Tail: Class C + 3lb/sk LCM + 1.5% Fluid Loss + 0.1% + 1% Sodium Metasilicate (dry) + 1.5% Fluid Loss Control

DV tool depth(s) will be adjusted based on hole conditions and cement volumes will be adjusted proportionally. DV tool will be set a minimum of 50 feet below previous casing and a minimum of 200 feet above current shoe. If it cannot be set below the shoe, a CBL shall be run to verify cement coverage.

Lab reports with recipe and the 500 psi compressive strength time for the cement will be onsite for review.

3 strings casing cement design								
Casing String	TOC Lead	TOC Tail	% Excess					
Surface	0'	585'	>100%					
Intermediate	0'	1750'	>100%					
Production	<1700'	5200'	>30%					

Cement excess will be adjusted based on actual hole condition like losses or fluid caliper data if have.

4. Pressure Control Equipment

BOP installed and tested before drilling which hole?	Size?	Min. Required WP	Ту	pe	•	Tested to:
			Annu	ular	x	50% of working pressure
		Blind Ram				
8-3/4"	13-5/8"	3M/5M	Pipe Ram			2.000 mai
			Double	Ram	x	3,000 psi
			Other*			

*Specify if additional ram is utilized.

{

Note: A 13-5/8" BOPE will be utilize in the 8-3/4" hole section depending on availability and Rig Substructure Clearance.

BOP/BOPE will be tested by an independent service company to 250 psi low and the high pressure indicated above per Onshore Order 2 requirements. The System may be upgraded to a higher pressure but still tested to the working pressure listed in the table above. If the system is upgraded all the components installed will be functional and tested.

Pipe rams will be operationally checked each 24 hour period. Blind rams will be operationally checked on each trip out of the hole. These checks will be noted on the daily tour sheets. Other accessories to the BOP equipment will include a Kelly cock and floor safety valve (inside BOP) and choke lines and choke manifold. See attached schematics.

X	On Exploratory greater, a pressu	rity test will be performed per Onshore Order #2. wells or on that portion of any well approved for a 5M BOPE system or re integrity test of each casing shoe shall be performed. Will be tested in Onshore Oil and Gas Order #2 III.B.1.i.
X	Manifold. If yes man's trailer and	quested for the use of a flexible choke line from the BOP to Choke s, specs and hydrostatic test certification will be available in the company l on the rig floor.
	N Are and	hors required by manufacturer?
X	installation on th	Ilhead is being used. The BOP will be tested per Onshore Order #2 after he surface casing which will cover testing requirements for a maximum of eal subject to test pressure is broken the system must be tested.
	See attached sch	ematic.

5. Mud Program

		3 strings	casing mud pro	ogram		
Depth		Туре	Weight (ppg)	Viscosity	Water	PH
From	То				Loss	
0	Surf. shoe	FW Gel	8.5-9.0	28-40	N/C	N.C.
Surf. Shoe	Inter. shoe	Saturated Brine	10.0	28-32	N/C	9-10.5
Inter. shoe	TD	Cut-Brine	8.6-10.0	28-40	N/C	9-10.5

Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept on location at all times.

What will be used to monitor the loss or gain	PVT/Pason/Visual Monitoring
of fluid?	

6. Logging and Testing Procedures

Log	ging, Coring and Testing.
X	Will run GR/CNL from TD to surface (horizontal well – vertical portion of hole).
	Stated logs run will be in the Completion Report and submitted to the BLM.
	No Logs are planned based on well control or offset log information.
	Drill stem test? If yes, explain
	Coring? If yes, explain

Addi	tional logs planned	Interval
	Resistivity	
	Density, GR, BHC	
	CBL	
Χ	Mud log	
	PEX	

4 Drilling Plan

7. Drilling Conditions

Condition	Specify what type and where?
BH Pressure at deepest TVD	2815 psi
Abnormal Temperature	No - 110°

 Mitigation measure for abnormal conditions - Loss of circulation is a possibility in the horizons below the Top of Grayburg. We expect that normal Loss of Circulation Material will be successful in healing any such loss of circulation events.

Gas detection equipment and pit level flow monitoring equipment will be on location. A flow paddle will be installed in the flow line to monitor relative amount of mud flowing in the non-pressurized return line. Mud probes will be installed in the individual tanks to monitor pit volumes of the drilling fluid with a pit volume totalizer. Gas detecting equipment and H2S monitor alarm will be installed in the mud return system and will be monitored. A mud gas separator will be installed and operable before drilling out from the Surface Casing. The gases shall be piped into the flare system. Drilling mud containing H2S shall be degassed in accordance with API RP-49, item 5.14. If Hydrogen Sulfide is encountered, measured values and formations will be provided to the BLM.

X H2S is present

X H2S Plan attached

8. Other facets of operation

Is this a walking operation? If yes, describe. NO. Will be pre-setting casing? If yes, describe. NO.

Attachments:

Attachment#1:Directional PlanAttachment#2:Wellbore Casing & Cementing SchematicAttachment#3:Wellhead SchematicAttachment #4:BOP SchematicsAttachment #5:Choke SchematicAttachment #6:Rig LayoutAttachment #7:H2S Contingency Plan

ConocoPhillips, Peridot 8 Federal 13H

				3 sti	rings casii	ng design						
Hole	Casing Interval		Casing Interval		Csg.	Weight	Grade	Conn.	SF	SF	SF Pipe	SF Joint
Size	From	To	Size	(lbs)			Collapse	Burst	Tensile	Tensile		
17.5"	0	885	13.375"	54.5	J55	STC/BTC	2.89	6.98	17.7	10.7		
12.25"	0	2250	9.625"	40	J55	LTC/BTC	2.20	3.38	7.00	5.78		
8.75"	0	5200	7"	29	L80	LTC/BTC	2.88	3.35	4.48	3.89		
8.75"-8.5"	5200	13333	5.5"	20	L80	LTC/BTC	3.09	3.21	2.86	3.22		
		•	•	BLM N	Minimum	Safety Factor	1.125	1	1.6 Dry	1.6 Dry		
	•					•			1.8 Wet	1.8 Wet		

2. Casing Program – Openhole Sliding Sleeves Completion Option

- Cement 7" production string thru a stage tool below the XO joint and leave 5-1/2" casing string below the Glorieta formation uncemented with packers & sleeves from landing point to TD.
- Notify BLM if additional unplanned stages of Cement or Remediate with Bradenhead Squeeze will be necessary.

All casing strings will be tested in accordance with Onshore Oil and Gas Order #2 III.B.1.h

	Y or N
Is casing new? If used, attach certification as required in Onshore Order #1	YES
Does casing meet API specifications? If no, attach casing specification sheet.	YES
Is premium or uncommon casing planned? If yes attach casing specification sheet.	NO
Does the above casing design meet or exceed BLM's minimum standards? If not provide justification (loading assumptions, casing design criteria).	YES
Will the intermediate pipe be kept at a minimum 1/3 fluid filled to avoid approaching the collapse pressure rating of the casing?	N/A
Is well located within Capitan Reef?	NO
If yes, does production casing cement tie back a minimum of 50' above the Reef?	
Is well within the designated 4 string boundary.	
Is well located in SOPA but not in R-111-P?	NO
If yes, are the first 2 strings cemented to surface and 3 rd string cement tied back 500' into previous casing?	
Is well located in R-111-P and SOPA?	NO
If yes, are the first three strings cemented to surface?	
Is 2 nd string set 100' to 600' below the base of salt?	
Is well located in high Cave/Karst?	NO
If yes, are there two strings cemented to surface?	
(For 2 string wells) If yes, is there a contingency casing if lost circulation occurs?	
Is well located in critical Cave/Karst?	NO
If yes, are there three strings cemented to surface?	

ConocoPhillips, Peridot 8 Federal 13H

Casing	# Sks	Wt. lb/ gal	Yld ft3/ sack	H20 gal/sk	Vol ft3	500# Comp. Strength (hours)	Slurry Description
Surf.	500	13.5	1.68	8.94	840	7	Lead: Class C + 4.0% Bentonite + 0.2% Anti-Foam + 2.0% CaCl2 +0.125lb/sk LCM + 0.1% Dispersant
	400	14.8	1.35	6.38	540	7	Tail: Class C + 0.2% Anti-Foam + 0.1% Lost Circ Control + 2 lbs/bbl CemNET (losses Control)
Inter.	450	11.5	2.29	10.72	1031	17	Lead: Class C + 10.0% Bentonite + 0.2% Anti-Foam + 2.0% Expanding + 0.15% Viscosifier + 1.3% Retarder.
	300	13.5	1.29	4.81	387	7	Tail: Class C + 1% Extender + 3 lb/sk Extender + 0.2% Anti-Foam + 0.1% Dispersant + 13 lb/sk LCM + 0.5% Fluid Loss + 0.7% Retarder
Prod.	650	11.0	3.2	19.25	2080	17	Lead: Class C + 6% Extender + 10% Gas Migration Control + 2% Sodium Metasilicate (dry) + 1% Cement Bonding Agent + 3% Aluminum Silicate + 0.125 lb/sx Cello Flake + 3 lb/sx LCM-1
							Cello Flake + 3 lb/sx LCM-1

3. Cementing Program – Openhole Sliding Sleeves Completion Option

If additional unplanned stages of cementing are necessary, the contingency stage tool will be adjusted based on hole conditions and cement volumes will be adjusted proportionally. Stage tool will be set a minimum of 50 feet below previous casing and a minimum of 200 feet above current shoe. If it cannot be set below the shoe, a CBL shall be run to verify cement coverage.

Lab reports with recipe and the 500 psi compressive strength time for the cement will be onsite for review.

	3 strings casir	ng cement design	
Casing String	TOC Lead	TOC Tail	% Excess
Surface	0'	585'	>100%
Intermediate	0,	1750'	>100%
Production	<1700'	N/A	>30%

Cement excess will be adjusted based on actual hole condition like losses or fluid caliper data if have.

Attachments:

Attachment#1: Wellbore Casing & Cementing Schematic

Peridot 8 Fed 13H

String Section		Depth MD	Depth TVD	Csg	Wt	MIY	Col	Pipe Str	Jt Str	Drill Fluid
Surface Casing		885	885	length ft 885	54,5	2730	1130	853000	514000	8.
	⊢									<u>0.</u> 1
Intermediate 1 Casir		2250	2250	2250	40				520000	· · ·
Production 1 Casing		5200	5200	5200	29				587000	
Production 2 Casing		13333	6115	8133	20	9190	8830	466000	524000	
Collapse Design (S Collapse Design (S			- BLM (<u>Criteria</u>						<u>Bur</u> Burs
SFc = Pc / (MW x .										SFb
Where	,									Whe
	Pc is the rate	ed nipe Collar	se Pressi	re in pounds p	her soluar	e inch (osi)				
		weight in pour			Jor Squar	e men (pai)				
		gth of the strir								The
The Minimum Acce		-			25					ine
Surface Casing										Surface
···· ·	SFc =	1130	1	391	=	2.89				SFb
Intermediate 1 Cas	ing									Intermed
	SFc =	2570	1	1170	=	2.20				SFb
Production 1 Casin	ng									Product
	SFc =	7020	1	2434	=	2.88				SFb
										Product
Production 2 Casin	ng SFc =	8830	1	2862	=	3.09				
Production 2 Casin		8830	1	2862	=	3.09				
	SFc =					3.09				SFb
Pipe Strength	SFc = Design (S	Safety) Fac				3.09				SFb <u>Joi</u> r
<u>Pipe Strength</u> Pipe Strength Desi	SFc = Design (S	Safety) Fac				3.09				SFb <u>Join</u> Joint
<u>Pipe Strength</u> Pipe Strength Desi SFtp = Fp / Wt;	SFc = Design (S	Safety) Fac				3.09				SFb <u>Join</u> Joint SFtj
Pipe Strength Pipe Strength Desi SFtp = Fp / Wt; Where	SFc = Design (Safety) I	<mark>Safety) Fac</mark> Factor: SFtp	tors – E	BLM Criteri		3.09				SFb <u>Join</u> SFtj
Pipe Strength Pipe Strength Desi SFtp = Fp / Wt; Where	SFc = <u>Design (S</u> ign (Safety) I Fp is the rate	Safety) Fac Factor: SFtp ed pipe Body :	tors – E Strength ir	<u>BLM Criteri</u>	<u>a</u>	3.09				SFb <u>Join</u> SFtj
Pipe Strength Pipe Strength Desi SFtp = Fp / Wt; Where	SFc = Design (Safety) I Fp is the rate Wt is the we	Safety) Fac Factor: SFtp ed pipe Body : ight of the cas	<u>tors – E</u> Strength ir sing string	<u>BLM Criteri</u> pounds (Ibs) in pounds (Ibs)	<u>a</u>		nt			SFb Join Join SFtj Whe
Pipe Strength Pipe Strength Desi SFtp = Fp / Wt; Where The Minimum Acce	SFc = Design (Safety) I Fp is the rate Wt is the we	Safety) Fac Factor: SFtp ed pipe Body : ight of the cas	<u>tors – E</u> Strength ir sing string	<u>BLM Criteri</u> pounds (Ibs) in pounds (Ibs)	<u>a</u>		nt			SFb Join SFtij Whe
Pipe Strength Pipe Strength Desi SFtp = Fp / Wt; Where The Minimum Acco Surface Casing	SFc = <u>Design (S</u> ggn (Safety) I Fp is the rate Wt is the we aptable Pipe	Safety) Fac Factor: SFtp ed pipe Body : ight of the cas Strength Des	tors – E Strength ir ing string ign (Safet	BLM Criteri n pounds (lbs) in pounds (lbs y) Factor SFTp	a ;) > = 1,6 dr	y or 1.8 buoya	nt		·	SFb Join Join SFtj Whe The Surface
Pipe Strength Pipe Strength Desi SFtp = Fp / Wt; Where The Minimum Acco Surface Casing	SFc = <u>Design (S</u> ign (Safety) I Fp is the rate Wt is the we aptable Pipe i Dry =	Safety) Fac Factor: SFtp ed pipe Body : ight of the cas	<u>tors – E</u> Strength ir sing string	<u>BLM Criteri</u> pounds (Ibs) in pounds (Ibs)	<u>a</u>		nt) =	20.3	SFi	SFb Join Join SFtj Whe The Surface SFi Dry
Pipe Strength Pipe Strength Desi SFtp = Fp / Wt; Where The Minimum Acco Surface Casing SFi Bou Intermediate 1 Cas	SFc = <u>Design (S</u> gn (Safety) I Fp is the rate Wt is the we splable Pipe i Dry = ryant = ing	Safety) Fac Factor: SFtp ad pipe Body : ight of the cas Strength Des 853000	<u>tors – E</u> Strength ir ing string gn (Safety /	BLM Criteri: n pounds (lbs) in pounds (lbs y) Factor SFTp 48232.5	<u>a</u> ;;) p = 1,6 dr =	y or 1.8 buoya 17.7		20.3	SFi	SFb Join SFtj Whe The SFi Dry i Bouyant
Pipe Strength Pipe Strength Desi SFtp = Fp / Wt; Where The Minimum Acco Surface Casing SFi Bou Intermediate 1 Cas	SFc = <u>Design (S</u> gg (Safety) I Fp is the rate Wt is the we aptable Pipe i Dry = nyant =	Safety) Fac Factor: SFtp ad pipe Body : ight of the cas Strength Des 853000	<u>tors – E</u> Strength ir ing string gn (Safety /	BLM Criteri: n pounds (lbs) in pounds (lbs y) Factor SFTp 48232.5	<u>a</u> ;;) p = 1,6 dr =	y or 1.8 buoya 17.7		20.3	SFi	SFt Join Join SFti Who The SFi Dry i Bouyani Interme
Pipe Strength Pipe Strength Desi SFtp = Fp / Wt; Where The Minimum Acco Surface Casing SFi Bou Intermediate 1 Cas	SFc = <u>Design (S</u> ggn (Safety) I Fp is the rate Wt is the we eptable Pipe i Dry = iyant = ing i Dry =	Safety) Fac Factor: SFtp ed pipe Body 5 ight of the cas Strength Des 853000 853000	tors – E Strength ir ing string ign (Safety / / (BLM Criteri n pounds (lbs) in pounds (lbs y) Factor SFTp 48232.5 48232.5	<u>a</u> b = 1.6 dr = x	y or 1.8 buoya 17.7 0.870		20.3 8,26		SFb Join Join SFij Whe SFi Dry Bouyant Interme SFi Dry
Pipe Strength Pipe Strength Desi SFtp = Fp / Wt; Where The Minimum Acce Surface Casing SFi Bou Intermediate 1 Cas SFi Bou	SFc = Design (S ign (Safety) I Fp is the rate Wt is the we eptable Pipe i Dry = iyant = ing iyant =	Safety) Fac Factor: SFtp ad pipe Body i ight of the cas Strength Des 853000 853000 630000	tors – E Strength ir ing string ign (Safety / / (BLM Criteri n pounds (lbs) in pounds (lbs y) Factor SFTp 48232.5 48232.5 90000	<u>a</u> b) b = 1.6 dr = x =	y or 1.8 buoya 17.7 0.870 7.00) =			SFb Join Join SFij Who SFi Dry i Bouyant Intermet SFi Dry i Bouyant
Pipe Strength Pipe Strength Desi SFtp = Fp / Wt; Where The Minimum Acce Surface Casing SFi Bou Intermediate 1 Cas SFi Bou Production 1 Casin	SFc = Design (S ign (Safety) I Fp is the rate Wt is the we eptable Pipe i Dry = iyant = ing iyant =	Safety) Fac Factor: SFtp ad pipe Body i ight of the cas Strength Des 853000 853000 630000	tors – E Strength ir ing string ign (Safety / / (BLM Criteri: n pounds (lbs) in pounds (lbs y) Factor SFTp 48232.5 48232.5 90000 90000	<u>a</u> b) b = 1.6 dr = x =	y or 1.8 buoya 17.7 0.870 7.00) =			SFb Join Join SFij Whe SFi Dry i Bouyant Intermee SFi Dry i Bouyant Product
Pipe Strength Pipe Strength Desi SFtp = Fp / Wt; Where The Minimum Acce Surface Casing SFi Bou Intermediate 1 Cas SFi Bou Production 1 Casin	SFc = Design (Safety) I ign (Safety) I Fp is the rate with is the wee explable Pipe i Dry = iyyant = ing i Dry = iyyant = ing i Dry = iyyant = i Dry = i Dry = i Dry =	Safety) Fac Factor: SFtp ed pipe Body 1 ight of the cas Strength Des 853000 853000 630000 630000	tors – E Strength ir ing string ign (Safet / / / / / / /	BLM Criteri n pounds (lbs) in pounds (lbs y) Factor SFTp 48232.5 48232.5 90000	a b = 1,6 dr = x = x	y or 1.8 buoya 17.7 0.870 7.00 0.847) =		SFi	SFb <u>Join</u> Join
Pipe Strength Pipe Strength Desi SFtp = Fp / Wt; Where The Minimum Acco Surface Casing SFi Bou Intermediate 1 Cas SFi Bou Production 1 Casin SFi Bou SFi Bou	SFc = Design (S ign (Safety) I Fp is the rate Wit is the we aptable Pipe i Dry = iyant = ing i Dry = iyant = ing i Dry = iyant = ing i Dry = iyant =	Safety) Fac Factor: SFtp ed pipe Body : ight of the cas Strength Des 853000 853000 630000 630000 676000	tors – E Strength ir ing string ign (Safety / / (/ / (BLM Criteri: n pounds (lbs) in pounds (lbs y) Factor SFTp 48232.5 48232.5 90000 90000 150800		y or 1.8 buoya 17.7 0.870 7.00 0.847 4.48) =) =	8.26	SFi	SFt Join SFti Wha The SFt Dry i Bouyant Interme SFt Dry i Bouyant Product SFt Dry
Pipe Strength Pipe Strength Desi SFtp = Fp / Wt; Where The Minimum Acco Surface Casing SFi Bou Intermediate 1 Cas SFi Bou Production 1 Casin SFi Bou Production 2 Casir	SFc = Design (S ign (Safety) I Fp is the rate Wit is the we aptable Pipe i Dry = iyant = ing i Dry = iyant = ing i Dry = iyant = ing i Dry = iyant =	Safety) Fac Factor: SFtp ed pipe Body : ight of the cas Strength Des 853000 853000 630000 630000 676000	tors – E Strength ir ing string ign (Safety / / (/ / (BLM Criteri: n pounds (lbs) in pounds (lbs y) Factor SFTp 48232.5 48232.5 90000 90000 150800		y or 1.8 buoya 17.7 0.870 7.00 0.847 4.48) =) =	8.26	SFi	SFt Join Join SFti Who SFt Dry i Bouyani Interme SFi Dry i Bouyani SFi Dry i Bouyani

rst Design (Safety) Factors – BLM Criteria It Design (Safety) Factor: SFb

= Pi / BHP

re

• Pi is the rated pipe Burst (Minimum Internal Yield) Pressure in pounds per square inch (ps

BHP is bottom hole pressure in pounds per square inch (psi)

Minimum Acceptable Burst Design (Safety) Factor SFb = 1.0

Surface Casin SFb =	19 2730	1	391	=	6.98
Intermediate SFb =	1 Casing 3950	1	1170	=	3.38
Production 1 SFb =	Casing 8160	1	2434	=	3.35
Production 2 SFb =	Casing 9190	1	2862	=	3.21

nt Strength Design (Safety) Factors – BLM Criteria

Strength Design (Safety) Factor: SFtj

- = Fj / Wt;

Fj is the rated pipe Joint Strength in pounds (lbs)

• Wt is the weight of the casing string in pounds (lbs)

Minimum Acceptable Joint Strength Design (Safety) Factor SFTj = 1.6 dry or 1.8 buoyant

Surface Cas	ing						
SFi Dry =	514000	1	48232.5	=	10.7		
SFi Bouyant =	514000	/ (48232.5	x	0.870) =	12.2
Intermediate	e 1 Casing						
SFi Dry =	520000	1	90000	=	5.78		
SFi Bouyant =	520000	/ (90000	×	0.847) =	6.82
Production	1 Casing						
SFi Dry =	587000	1	150800	=	3.89		
SFi Bouyant =	587000	/ (150800	x	0.863) =	4.51
Production	2 Casing						
SFi Dry =	524000	1	162660	=	3.22		
SFi Bouyant =	524000	/ (162660	x	0.863) =	3.73

String Section		pth	Depth	Csg	Wt	MIY	Col	Pipe Str	Jt Str	Drill Flui
Curfore Casing	n	AD 885	TVD 885	length ft 885	54,5	2730	1130	853000	514000	8
Surface Casing Intermediate 1 Casing		2250	2250		40	3950	2570			
Production 1 Casing		5200			29	8160				
Production 2 Casing		13333								
Collapse Design			– BLM	<u>Criteria</u>						Bur
Collapse Design (Saf		Fc								Burs
SFc = Pc / (MW x .05	2 x Ls)									SFb :
Where										Whe
				ure in pounds	per squar	e inch (psi)				
	V is mud weię									
	is the length		•	• •						The l
The Minimum Accept	able Collapse	Design (Safety) Fa	ictor SFc = 1.1	25					
Surface Casing										Surface
S	Fc =	1130	1	391	=	2.89				SFb
Intermediate 1 Casin	g									Intermed
S	Fc =	2570	1	1170	=	2.20				SFb
Production 1 Casing										Producti
S	Fc =	7020	1	2434	=	2.88				SFb
Production 2 Casing					-					Producti
S	Fc =	8830	1	2862	=	3,09				SFb
<u>Pipe Strength D</u> Pipe Strength Design			ctors – I	BLM Criteri	<u>a</u>					Joi Join
SFtp = Fp / Wt;										SFtj

Fp is the rated pipe Body Strength in pounds (lbs)

Wt is the weight of the casing string in pounds (lbs)

The Minimum Acceptable Pipe Strength Design (Safety) Factor SFTp = 1.6 dry or 1.8 buoyant

Surface Casing

Surface Casing					
SFi Dry =	853000	/ 48232.5	= 17.7		
SFi Bouyant =	853000	/ (48232.5	x 0.870) = 20.3	
Intermediate 1 Casing SFi Dry = SFi Bouyant =	630000 630000	/ 90000 / (90000	= 7.00 × 0.847) = 8.26	
Production 1 Casing					
SFi Dry =	676000	/ 150800	= 4.48		
SFi Bouyant =	676000	/ (150800	x 0.863) = 5.20	
Production 2 Casing SFi Dry =	466000	/ 162660	= 2.86		
SFi Bouyant =	466000	/ (162660	x 0.863) = 3.32	

Burst Design (Safety) Factors - BLM Criteria

Burst Design (Safety) Factor: SFb

SFb = Pi / BHP

- Pi is the rated pipe Burst (Minimum Internal Yield) Pressure in pounds per square inch (ps
- BHP is bottom hole pressure in pounds per square inch (psi)
- The Minimum Acceptable Burst Design (Safety) Factor SFb = 1.0

Surface Casin SFb =	9 2730	1	391	=	6.98
Intermediate 1 SFb =	I Casing 3950	1	1170	=	3.38
Production 1 SFb =	Casing 8160	1	2434	=	3.35
Production 2 SFb =	Casing 9190	1	2862	=	3.21

Joint Strength Design (Safety) Factors – BLM Criteria Joint Strength Design (Safety) Factor: SFtj

SFtj = Fj / Wt;

rj/ www.

Fj is the rated pipe Joint Strength in pounds (lbs)

• Wt is the weight of the casing string in pounds (lbs)

The Minimum Acceptable Joint Strength Design (Safety) Factor SFTj = 1.6 dry or 1.8 buoyant

Surface Cas	ing						
SFi Dry =	514000	1	48232.5	=	10.7		
SFi Bouyant =	514000	/ (48232.5	x	0.870) =	12.2
Intermediate	e 1 Casing						
SFi Dry =	520000	1	90000	=	5.78		
SFi Bouyant =	520000	/ (90000	x	0.847) =	6.82
Production		,	150000	_	2 00		

SFi Dry = SFi Bouyant =	587000 587000	<i>′</i> / (150800 150800	= x	3.89 0.863) =	4.51
Production SFi Dry =	2 Casing 524000	1	162660	=	3.22		
SFi Bouyant =	524000	1 (162660	x	0.863) =	3.73

Peridot 8 Fed 13H





FMSS

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: PERIDOT 8 FEDERAL

Submission Date: 01/23/2017

Well Number: 13H Well Work Type: Drill Highlighted data reflects the most recent changes

Show Final Text

Well Type: OIL WELL

APD ID: 10400009237

Section 1 - Existing Roads

Operator Name: CONOCOPHILLIPS COMPANY

Will existing roads be used? YES

Existing Road Map:

Peridot_8_Fed_13H_AccessRoadTopoB_08-23-2017.pdf

Existing Road Purpose: ACCESS

ROW ID(s)

ID:

Do the existing roads need to be improved? NO

Existing Road Improvement Description:

Existing Road Improvement Attachment:

Section 2 - New or Reconstructed Access Roads

Will new roads be needed? YES

New Road Map:

Peridot_8_Fed_13H_AccessRoadv2_20180207095309.pdf

New road type: RESOURCE

Length: 5236 Feet Width (ft.): 30

Max slope (%): 2

Max grade (%): 4

Army Corp of Engineers (ACOE) permit required? NO

ACOE Permit Number(s):

New road travel width: 17

New road access erosion control: The inside slope of the side ditches shall be 3:1. Any topsoil removed from the access road will be conserved as appropriate and with low profile. This access road is on fairly level ground. No additional erosion control is planned.

New road access plan or profile prepared? NO

New road access plan attachment:

Row(s) Exist? NO

I star

SUPO Data Report

02/27/2018

Well Name: PERIDOT 8 FEDERAL

Well Number: 13H

Access road engineering design? NO

Access road engineering design attachment:

Access surfacing type: OTHER

Access topsoil source: OFFSITE

Access surfacing type description: Caliche

Access onsite topsoil source depth:

Offsite topsoil source description: Caliche will be from a BLM approved source or third-party commercial location. Material meets BLM requirements and standards. 1) Maljamar, New Mexico; Section 9, T17S, R32E; off Maljamar Road; 2) Hwy 529, New Mexico; Section 25, T17S, R31E; 3) Olane Caswell Ranch; Section 3, T17S, R32E **Onsite topsoil removal process:**

Access other construction information: Wider travel surface is needed to accommodate larger rig necessary to drill horizontal.

Access miscellaneous information: Majority of access road to be installed for Peridot development will be shared. Road length includes 15' road for facility access and 382' road for freshwater frac pond access. Cattle guard to be installed between facility access road and NM Highway 82. Turnouts will be installed using dimensions recommended by BLM, standard for this area. Right of ways will be obtained for highway access and lease road access to include future Peridot wells.

Number of access turnouts: 1

Access turnout map:

Drainage Control

New road drainage crossing: OTHER

Drainage Control comments: The proposed road to the location is surveyed and staked with stations set along the centerline at specific intervals. The road will be centerline crowned with a 2% crown for appropriate drainage. The inside slope of the side ditches shall be 3:1. Any topsoil removed from the access road will be conserved as appropriate. This access road is on fairly level ground.

Road Drainage Control Structures (DCS) description: No additional road drainage is needed other than standard BLM requirements for this area and those discussed in the BLM "Gold Book". This access road is on level ground. **Road Drainage Control Structures (DCS) attachment:**

Access Additional Attachments

Additional Attachment(s):

Section 3 - Location of Existing Wells

Existing Wells Map? YES

Attach Well map:

Peridot_8_Fed_13H_One_Mile_Radius_Map_05-16-2017.pdf

Existing Wells description:

Well Name: PERIDOT 8 FEDERAL

Well Number: 13H

Section 4 - Location of Existing and/or Proposed Production Facilities

Submit or defer a Proposed Production Facilities plan? SUBMIT

Production Facilities description: Peridot 8 Federal CF1 Tank Battery location NWNE, Section 8, T17S, R32E was sited during 6/26/16 onsite. Location is south of NM Highway 82. Dimensions are planned 400'x 250' to allow for expansion as wells are drilled. The facility is 3,532' north of the well pad but the flow lines from the facility to the well pad equals about 4390'. 15' road is included on plat.

Production Facilities map:

Peridot 8 Fed CF1 Tank Battery_01-12-2017.pdf Peridot 8 Fed 3H Preliminary Plot Plan_01-12-2017.pdf

Section 5 - Location and Types of Water Supply

Water Source Table

Water source use type: STIMULATION

Describe type:

Source latitude:

Source datum:

Water source permit type: WATER WELL

Source land ownership: FEDERAL

Water source transport method: PIPELINE

Source transportation land ownership: FEDERAL

Water source volume (barrels): 150000

Source volume (gal): 6300000

Water source and transportation map:

Peridot_8_Fed_13H_AccessRoadTopoA_08-23-2017.pdf Peridot_8_Fed_13H_WaterSourceMap_20180207101458.pdf

Water source comments: Current water sources include: 1) Morewest Corporation, New Mexico; Section 16 & 26, T16S, R32E; 2) Rockhouse Ranch; Section 13, T17S, R33E. Water sources specified within this application are options for purchase. However, additional source(s) in the vicinity may be used depending on availability at the time water is needed. We intend to use different source(s) if necessary. New water well? NO

New Water Well Info

Well latitude:

Well Longitude:

Well datum:

Well target aquifer:

Est. depth to top of aquifer(ft):

Est thickness of aquifer:

Page 3 of 11

Water source type: GW WELL

Source longitude:

Source volume (acre-feet): 19.333965
Operator Name: CONOCOPHILLIPS COMPANY Well Name: PERIDOT 8 FEDERAL

Well Number: 13H

Aquifer comments:

Aquifer documentation:

Well depth (ft):	Well casing type:
Well casing outside diameter (in.):	Well casing inside diameter (in.):
New water well casing?	Used casing source:
Drilling method:	Drill material:
Grout material:	Grout depth:
Casing length (ft.):	Casing top depth (ft.):
Well Production type:	Completion Method:
Water well additional information:	

State appropriation permit:

Additional information attachment:

Section 6 - Construction Materials

Construction Materials description: Clean caliche will be used to construct well pad, road, and facility pad. Caliche will be from Olane Caswell's ranch (Section 3, T17S, R32E, Lea, NM). The second source will be from a BLM approved source or third-party commercial location, such as Hwy 529, New Mexico; Section 25, T17S, R31E. However, COP plans to use additional caliche source(s) depending on caliche availability at the time of location construction. Material to meets BLM requirements and standards. Trucking for source material will utilize authorized roads as per Access Road Topo A attached. Currently identified caliche sources have been specified.

Construction Materials source location attachment:

Section 7 - Methods for Handling Waste

Waste type: DRILLING

Waste content description: Drilling fluid and cuttings

Amount of waste: 130 barrels

Waste disposal frequency : Daily

Safe containment description: Cuttings will be held in a closed-loop system and trucked to an approved disposal facility.

Safe containmant attachment:

Waste disposal type: HAUL TO COMMERCIAL Disposal location ownership: COMMERCIAL FACILITY

Disposal type description:

Disposal location description: Cuttings will be held in a closed-loop system and trucked to an approved disposal facility.

Reserve Pit

Reserve Pit being used? NO

Temporary disposal of produced water into reserve pit?

Well Name: PERIDOT 8 FEDERAL

Well Number: 13H

Reserve pit volume (cu. yd.)

Reserve pit length (ft.) Reserve pit width (ft.)

Reserve pit depth (ft.)

Is at least 50% of the reserve pit in cut?

Reserve pit liner

Reserve pit liner specifications and installation description

Cuttings Area

Cuttings Area being used? NO

Are you storing cuttings on location? NO

Description of cuttings location

Cuttings area length (ft.)

Cuttings area width (ft.)

Cuttings area volume (cu. yd.)

Cuttings area depth (ft.)

Is at least 50% of the cuttings area in cut?

WCuttings area liner

Cuttings area liner specifications and installation description

Section 8 - Ancillary Facilities

Are you requesting any Ancillary Facilities?: YES

Ancillary Facilities attachment:

Peridot_8_Fed_FracPondPlat_08-23-2017.pdf

Comments: ConocoPhillips anticipates needing a 600'x600' freshwater frac pond to aid in completion operations. The disturbance is included in overall disturbance calculations. We plan on reclaiming the frac pond surface upon completion of the full Peridot Unit development. Reclamation activities will be conducted in accordance to BLM standards at the time of reclamation.

Section 9 - Well Site Layout

Well Site Layout Diagram:

Peridot_8_Fed_13H_LocationLayout_20180207100849.pdf Peridot_8_Fed_13H_SitePlanArchBound_20180207101111.pdf **Comments:**

Well Name: PERIDOT 8 FEDERAL

Well Number: 13H

Section 10 - Plans for Surface Reclamation

Type of disturbance: New Surface Disturbance

Multiple Well Pad Name:

Multiple Well Pad Number:

Recontouring attachment:

Drainage/Erosion control construction: Topsoil will be stripped and set along designated side of the wellsite. The next layer of dirt (stockpile) is done with the cut and fill method whereby the highest portion of the wellsite is pushed to lower portion(s) to balance the pad. The access road is done in a similar manner. To the greatest extent practicable, the location is placed so that the least amount of dirt is to be cut and disturbed, and so a good balance can be maintained during project. Topsoil stockpile will have lowest practicable profile to reduce wind erosion. For more detail please see attached Surface Use Plan of Operations.

Drainage/Erosion control reclamation: Upon project completion, if this well is a producer, excess caliche is removed from the interim reclamation portion of pad. Topsoil stockpile is balanced back onto the unused portion of the well pad and recontoured as appropriate. Any drainage ditches will not be blocked with topsoil and/or organic material. Lowering the profile of the topsoil stockpile will reduce wind erosion. Erosion controls will be maintained per BLM guidelines and conditions. For more detail please see attached Surface Use Plan of Operations. Reclamation activities are planned to be accomplished within six months of project completion, contingent upon weather. A site specific "Reclamation Diagram" interim plan is attached. At such time as well is permanently abandoned, ConocoPhillips Company will contact the BLM for development of final rehabilitation plan. Upon abandonment, a dry hole marker will be installed as directed by Authorized BLM Officer at the time, in accordance with 43 CFR 3162.6. An above ground dry hole marker sealing the casing will have a weep hole which will allow pressure to dissipate and make detection of any fluid seepage easier. If below ground "well marker" is directed, ConocoPhillips Company will follow BLM requirements and standards for that method of abandonment. During final reclamation erosion is to be minimized through lower profile of any soil piles. Please see attached Surface Use Plan of Operations for more information.

Wellpad long term disturbance (acres): 0.95	Wellpad short term disturbance (acres): 1.08						
Access road long term disturbance (acres): 3.61	Access road short term disturbance (acres): 0						
Pipeline long term disturbance (acres): 1.0078053	Pipeline short term disturbance (acres): 0						
Other long term disturbance (acres): 35.97	Other short term disturbance (acres): 1.72						
Total long term disturbance: 41.537804	Total short term disturbance: 2.8						

Reconstruction method: If this well is a producer site rehabilitation will be completed within six months, weather permitting. Excess caliche will be removed, as appropriate and either disposed of in a permitted facility or, if clean, stored for future use. Topsoil from the stockpile will be spread along areas to be interim reclaimed. Any drainage ditches will not be blocked with topsoil. Under normal weather conditions, the timetable for rehabilitation will allow two to three months to complete any recontouring and top-soiling necessary. At such time as well is permanently abandoned, ConocoPhillips Company will contact BLM for development of final rehabilitation plan. Upon abandonment, a dry hole marker will be installed as directed by Authorized BLM Officer at the time, in accordance with 43 CFR 3162.6. An above ground dry hole marker sealing the casing will have a weep hole which will allow pressure to dissipate and make detection of any fluid seepage easier. If below ground "well marker" is directed, ConocoPhillips Company will follow BLM requirements and standards for that method of abandonment. Excess caliche will be removed, as appropriate and either disposed of in a permitted facility. Location soil may be "flipped" with BLM concurrence, clean topsoil spread and re-contoured to blend with surrounding area. This method will be accomplished in accordance to BLM standards set forth by the Authorized Officer.

Topsoil redistribution: Areas planned for interim reclamation will be re-contoured to the extent feasible. Topsoil will be evenly re-spread and re-vegetated over the disturbed area not needed for continuing production operations. At such time as well is abandoned, disturbed areas will be re-contoured to a contour that blends with surrounding landscape. Topsoil will be redistributed evenly over the entire disturbed site to depth of 4-6 inches.

Soil treatment: The topsoil will be stripped and set along the designated perimeter of the wellsite. The next layer of dirt is moved with the cut and fill method whereby the highest point of the wellsite is cut into and then pushed to a lower side in

Well Name: PERIDOT 8 FEDERAL

Well Number: 13H

order to balance the well pad. Upon well completion, the soil will be balanced back onto portions of the pad not needed for long-term operations. Erosion will be minimized by maintaining a lower stockpile profile. For additional information, please see attached Surface Use Plan of Operation.

Existing Vegetation at the well pad: The project area is located in a region of southeast New Mexico know as the Mescalero Plain. No named tributaries, streams or wetlands are in the near vicinity. Elevation is around 4045'. It is a broad, low relief area characterized by Mescalero sand (eolian) soil. Maljamar and Palomas fine sands occur throughout the area. Soil is well drained and has low water storage potential. This determines vegetation present on location. Vegetation in the project area can be classified as transitional between the Plains-Mesa Sand Scrub and Chihuahuan Desert Scrub plant communities. The area surrounding the location is grazing grassland, which supports grasses and forbs. Frequently observed species include: honey mesquite, shinnery oak, perennial three-awn, sand bluestem, sand dropseed, giant dropseed, prince's plume, threadleaf groundsel, spectacle pod, sunflower, and plains flax. **Existing Vegetation at the well pad attachment:**

Peridot 8 Fed 13H_Location photos_01-12-2017.pdf

Existing Vegetation Community at the road:

Existing Vegetation Community at the road attachment:

Existing Vegetation Community at the pipeline:

Existing Vegetation Community at the pipeline attachment:

Existing Vegetation Community at other disturbances:

Existing Vegetation Community at other disturbances attachment:

Non native seed used? NO

Non native seed description:

Seedling transplant description:

Will seedlings be transplanted for this project? NO

Seedling transplant description attachment:

Will seed be harvested for use in site reclamation? NO

Seed harvest description:

Seed harvest description attachment:

Seed Management

Seed Table

Seed type:

Seed name:

Source name:

Source phone:

Seed source:

Source address:

Operator Name: CONOCOPHILLIPS COMPANY Well Name: PERIDOT 8 FEDERAL

Well Number: 13H

Seed cultivar:

Seed use location:

PLS pounds per acre:

Proposed seeding season:

Seed Summary
Seed Type Pounds/Acre

Seed reclamation attachment:

Operator Contact/Responsible	e Official Contact Info
First Name: Susan	Last Name: Maunder

Phone: (281)206-5281

Email: Susan.B.Maunder

Total pounds/Acre:

Seedbed prep:

Seed BMP:

Seed method:

Existing invasive species? NO

Existing invasive species treatment description:

Existing invasive species treatment attachment:

Weed treatment plan description: Two Class B noxious weed species, African rue and Malta starthistle are of concern. ConocoPhillips Company will consult with BLM for acceptable weed control methods, if the need arises. Any weed control would follow USEPA and BLM requirements and standards. Weed treatment plan attachment:

Monitoring plan description: Weeds will be controlled on disturbed areas within the exterior limits of the well pad. Monitoring will be in accordance with Best Management Practices and guidelines established by BLM. **Monitoring plan attachment:**

Success standards: Reclamation success standards will utilize BLM approved methods.

Pit closure description: No pits will be used, a closed-loop system will be in place

Pit closure attachment:

Section 11 - Surface Ownership

Disturbance type: WELL PAD

Describe:

Surface Owner: BUREAU OF LAND MANAGEMENT

Other surface owner description:

BIA Local Office:

BOR Local Office:

Operator Name: CONOCOPHILLIPS COMPANY Well Name: PERIDOT 8 FEDERAL

Well Number: 13H

COE Local Office:	
DOD Local Office:	
NPS Local Office:	
State Local Office:	
Military Local Office:	
USFWS Local Office:	
Other Local Office:	
USFS Region:	
USFS Forest/Grassland:	USFS Ranger District:

Disturbance type: PIPELINE

Describe:

Surface Owner: BUREAU OF LAND MANAGEMENT

Other surface owner description:

BIA Local Office:

BOR Local Office:

COE Local Office:

DOD Local Office:

NPS Local Office:

State Local Office:

Military Local Office:

USFWS Local Office:

Other Local Office:

USFS Region:

USFS Forest/Grassland:

USFS Ranger District:

Page 9 of 11

Well Name: PERIDOT 8 FEDERAL

Well Number: 13	Н
-----------------	---

Disturbance type: NEW ACCESS ROAD Describe: Surface Owner: BUREAU OF LAND MANAGEMENT Other surface owner description: BIA Local Office: BOR Local Office: COE Local Office: DOD Local Office: NPS Local Office: State Local Office: Military Local Office: USFWS Local Office: USFWS Local Office: USFS Region: USFS Forest/Grassland:

USFS Ranger District:

Disturbance type: OTHER Describe: flow lines and power lines Surface Owner: BUREAU OF LAND MANAGEMENT Other surface owner description: BIA Local Office: BOR Local Office: COE Local Office: DOD Local Office: NPS Local Office: State Local Office: USFWS Local Office: USFWS Local Office: USFS Region: USFS Forest/Grassland:

USFS Ranger District:

Well Number: 13H

Section 12 - Other Information

Right of Way needed? NO ROW Type(s):

Use APD as ROW?

ROW Applications

SUPO Additional Information: Onsite conducted 6/24/16 and 6/20/17.

Use a previously conducted onsite? NO

Previous Onsite information:

Other SUPO Attachment

Peridot_8_Fed_13H_OilFlowLineROW_20170929140830.pdf Peridot_8_Fed_13H_ReclamationDiagram_20170929140850.pdf Peridot_8_Fed_Gas_Sales_Line_20170929140932.pdf Peridot_8_Fed_13H_DevelopmentImage_20170929141016.pdf PERIDOT_8_SWD_BURIED_PIPELINEv2_20170929141043.pdf Peridot_8_Fed_13H_PowerLinePlat_20180207103007.pdf Peridot_8_Fed_13H_SWD_FlowLineToElvis_20180207103040.pdf Peridot_8_Fed_13H_BuriedGasLinetoDCP_20180207103115.pdf Peridot_8_Fed_13H_SurfSummaryComments_20180207103404.pdf Peridot_8_Fed_13H_SUPOviaAccessV2_20180207104533.pdf

SPECIFICATIONS

FLOOR: 3/16" PL one piece CROSS MEMBER: 3 x 4.1 channel 16" on center

۰. ,

WALLS: 3/16" PL solid welded with tubing top, insi de liner hooks

DOOR: 3/16" PL with tubing frame FRONT: 3/16" PL slant formed PICK U P: Standard cable with 2" x 6" x 1/4"

rails, gu sset at each crossmember WHEELS: 10 DIA x 9 long with rease fittings DOOR LATCH: 3 Independent ratchet binders with chains, vertical second latch GASKE TS: Extruded rubber seal with metal

retainer s WELDS: All welds continuous except substructur e crossmembers

FINISH: Coated inside and out with direct to metal, rust inhibiting acrylic enamel color coat HYDROTESTING: Full capacity static test DIMEN SIONS: 22-11 'long (21'-8" inside), 99" wid e (88" inside), see drawing for height OPTIONS: Steel grit blast and special paint, Ampliroll, Heil and Dino pickup

ROOF: 3/16" PL roof panels with tubing and channel support frame

LIDS: (2) 68" x 90" metal rolling lids spring loaded. self raising

ROLLERS: 4" V groove rollers with delrin bearings and grease fittings

OPENING: (2) 60" x 82" openings with 8" divider centered on

contain er

LATCH :(2) independent ratchet binders with chains per lid

GASKETS: Extruded rubber seal with metal retainers

Heavy Duty Split Metal Rolling Lid



CONT.	A	В
20 YD	41	53
25 YD	53	65
30 YD	65	77



31

Section 3 - Unlined Pits

Would you like to utilize Unlined Pit PWD options? NO

Produced Water Disposal (PWD) Location:

PWD surface owner:

Unlined pit PWD on or off channel:

Unlined pit PWD discharge volume (bbl/day):

Unlined pit specifications:

Precipitated solids disposal:

Decribe precipitated solids disposal:

Precipitated solids disposal permit:

Unlined pit precipitated solids disposal schedule:

Unlined pit precipitated solids disposal schedule attachment:

Unlined pit reclamation description:

Unlined pit reclamation attachment:

Unlined pit Monitor description:

Unlined pit Monitor attachment:

Do you propose to put the produced water to beneficial use?

Beneficial use user confirmation:

Estimated depth of the shallowest aquifer (feet):

Does the produced water have an annual average Total Dissolved Solids (TDS) concentration equal to or less than that of the existing water to be protected?

TDS lab results:

Geologic and hydrologic evidence:

State authorization:

Unlined Produced Water Pit Estimated percolation:

Unlined pit: do you have a reclamation bond for the pit?

Is the reclamation bond a rider under the BLM bond?

Unlined pit bond number:

Unlined pit bond amount:

Additional bond information attachment:

Section 4 - Injection

Would you like to utilize Injection PWD options? NO

Produced Water Disposal (PWD) Location: OFFLEASE

PWD surface owner: BLM

Injection PWD discharge volume (bbl/day):

Injection well mineral owner:

PWD disturbance (acres):

PWD disturbance (acres):

Injection well type: EXISTING Injection well number: Assigned injection well API number? Injection well new surface disturbance (acres): Minerals protection information: Mineral protection attachment: Underground Injection Control (UIC) Permit? YES UIC Permit attachment:

Section 5 - Surface Discharge

Would you like to utilize Surface Discharge PWD options? NO

Produced Water Disposal (PWD) Location: PWD surface owner: Surface discharge PWD discharge volume (bbl/day): Surface Discharge NPDES Permit? Surface Discharge NPDES Permit attachment: Surface Discharge site facilities information: Surface discharge site facilities map:

Section 6 - Other

Would you like to utilize Other PWD options? NO

Produced Water Disposal (PWD) Location: PWD surface owner: Other PWD discharge volume (bbl/day): Other PWD type description: Other PWD type attachment: Have other regulatory requirements been met? Other regulatory requirements attachment: Injection well name:

Injection well API number:

PWD disturbance (acres):

PWD disturbance (acres):

FMSS

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Bond Information

Federal/Indian APD: FED

BLM Bond number: ES0085

BIA Bond number:

Do you have a reclamation bond? NO

Is the reclamation bond a rider under the BLM bond?

Bond Info Data Report

Street and the

02/27/2018

Is the reclamation bond BLM or Forest Service?

BLM reclamation bond number:

Forest Service reclamation bond number:

Forest Service reclamation bond attachment:

Reclamation bond number:

Reclamation bond amount:

Reclamation bond rider amount:

Additional reclamation bond information attachment:

Well Name: PERIDOT 8 FEDERAL

Well Number: 13H

	NS-Foot	NS Indicator	EW-Foot	EW Indicator	Twsp	Range	Section	Aliquot/Lot/Tract	Latitude	Longitude	County	State	Meridian	Lease Type	Lease Number	Elevation	MD	TVD
PPP Leg #1	144 0	FSL	261 5	FWL	17S	32E	8	Aliquot NESW	32.84587 6	- 103.7887 03	LEA	NEW MEXI CO	NEW MEXI CO	F	NMLC0 29406B	- 142 0		546 0
EXIT Leg #1	165 0	FSL	330	FWL	17S	32E	7	Lot 3	32.84648 1	- 103.8134 36	LEA	NEW MEXI CO		F	NMLC0 29406B		133 33	611 5
BHL Leg #1	165 0	FSL	330	FWL	17S	32Ē	7	Lot 3	32.84648 1	- 103.8134 36	LEA	NEW MEXI CO		F	NMLC0 29406B	- 207 5	133 33	611 5



U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Operator Certification

I hereby certify that I, or someone under my direct supervision, have inspected the drill site and access route proposed herein; that I am familiar with the conditions which currently exist; that I have full knowledge of state and Federal laws applicable to this operation; that the statements made in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed in conformity with this APD package and the terms and conditions under which it is approved. I also certify that I, or the company I represent, am responsible for the operations conducted under this application. These statements are subject to the provisions of 18 U.S.C. 1001 for the filing of false statements.

NAME: Susan Maunder

Signed on: 01/23/2017

Operator Certification Data Report

02/27/2018

Title: Senior Coordinator, Regulatory MCBU

Street Address: 600 N. Dairy Ashford Rd

City: Houston

Zip: 77079

Zip:

Phone: (281)206-5281

Email address: Susan.B.Maunder@conocophillips.com

State: TX

State:

Field Representative

Representative Name:

Street Address:

City:

Phone:

Email address:



U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Section 1 - General

Would you like to address long-term produced water disposal? NO

Section 2 - Lined Pits

Would you like to utilize Lined Pit PWD options? NO Produced Water Disposal (PWD) Location:

PWD surface owner:

Lined pit PWD on or off channel:

Lined pit PWD discharge volume (bbl/day):

Lined pit specifications:

Pit liner description:

Pit liner manufacturers information:

Precipitated solids disposal:

Decribe precipitated solids disposal:

Precipitated solids disposal permit:

Lined pit precipitated solids disposal schedule:

Lined pit precipitated solids disposal schedule attachment:

Lined pit reclamation description:

Lined pit reclamation attachment:

Leak detection system description:

Leak detection system attachment:

Lined pit Monitor description:

Lined pit Monitor attachment:

Lined pit: do you have a reclamation bond for the pit?

Is the reclamation bond a rider under the BLM bond?

Lined pit bond number:

Lined pit bond amount:

Additional bond information attachment:

PWD disturbance (acres):

a star

PWD Data Report