

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease
State ☒ Fee ☐
5. State Oil & Gas Lease No. <i>L-128</i>

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐	7. Unit Agreement Name
2. Name of Operator <i>Tenneco Oil Company</i>	8. Farm or Lease Name <i>Coastal "A" State</i>
3. Address of Operator <i>P.O. Box 1031, Midland, Texas</i>	9. Well No. <i>1</i>
4. Location of Well UNIT LETTER <i>D</i> <i>660</i> FEET FROM THE <i>North</i> LINE AND <i>660</i> FEET FROM THE <i>West</i> LINE, SECTION <i>9</i> TOWNSHIP <i>T9S</i> RANGE <i>33E</i> NMPM.	10. Field and Pool, or Wildcat <i>Undersignified Flying "M" (San Andres)</i>
15. Elevation (Show whether DF, RT, GR, etc.) <i>4384.5 GR</i>	12. County <i>Lea</i>

16.

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐
PULL OR ALTER CASING ☐
OTHER ☐

PLUG AND ABANDON ☐
CHANGE PLANS ☐
OTHER ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐
COMMENCE DRILLING OPNS. ☐
CASING TEST AND CEMENT JOBS ☒
OTHER ☐

ALTERING CASING ☐
PLUG AND ABANDONMENT ☐
OTHER ☐

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

6-19-71 Spudded 17 1/2" surface hole and drilled to 370' KDB. Cemented 12 3/4" OD 39# casing @ 366' KDB w/ 375 sacks of class 'H' cement w/ 2% cal. chloride added. Plug down at 2:30 P.M. 6-19-71. W.O.C. cement circulated to surface.

6-20-71 Waited on cement 18 hours. Tested casing with 600psi for 30 minutes w/ no pressure loss. Drilled out cement plug at 8:30 A.M. 6-20-71.

Mixing temperature 85° F., Formation temperature 64° F. Compressive strength 1740 psi. Cement slurry volume 442.50 cu ft.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED

TITLE

DATE

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

SUPERVISOR DISTRICT 1

JUN 28 1971