

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

JUN 30 8 22 AM '69

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. K-1852
7. Unit Agreement Name
8. Farm or Lease Name New Mexico "Q" State
9. Well No. 2
10. Field and Pool, or Wildcat Undesignated
12. County Lea

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>
2. Name of Operator Sun Oil Company
3. Address of Operator Box 2792, Odessa, Texas 79760
4. Location of Well UNIT LETTER C , 660 FEET FROM THE North LINE AND 1980 FEET FROM THE West LINE, SECTION 9 TOWNSHIP 11 S RANGE 34 E NMPM.
15. Elevation (Show whether DF, RT, GR, etc.) 4218 Gr.

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1703.

Well spudded @ 2 p.m., 6-24-69. On 6-25-69 ran 13 jts. 13 3/8" OD 48# H-40, 8R ST&C casing seated at 400'. Cemented with 250 sks Lone Star Class C w/2% CaCL(3753). Circulated approx. 5 sks to surface. Rule 107, Option 2: Mixing temperature est. 80°F; est. min. formation temperature 64°; est. strength at time of test 800-900 psi. In place 10 hours prior to test. Tested casing 800#/30 min. o.k.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED John M. Sweeney TITLE Ass't District Superintendent DATE 6-27-69
APPROVED BY [Signature] TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY: