

COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. K-5775		
7. Unit Agreement Name J		
8. Farm or Lease Name State 11		
9. Well No. 1		
10. Field and Pool, or Wildcat North West Vada		
11. Elevation (Show whether DF, RT, GR, etc.) 4346.4 Gr		
12. County Lea		

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>
OTHER <input type="checkbox"/>	OTHER <input type="checkbox"/>
PLUG AND ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
CHANGE PLANS <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Ran 13-3/8" 48# ST&C casing to 401'. Cemented w/400 sacks Class "C" + 2% CaCl₂. Plug down at 4:40 A.M., 10-11-75. Circulated 84 sacks cement to surface. Casing tested to 1500# for 15 minutes.
2. Ran 8-5/8" 32# K-55, ST&C casing to 3890'. Cemented with 125 sacks Howco Lite Water and 200 sacks Class "C" with 2% CaCl₂. Plug down at 2:00 A.M., 10-17-75. Casing tested to 1500# for 15 minutes.
3. Ran 2559' 5-1/2" 17# N-80 casing and 2489' 5-1/2" 17# J-55 casing and 4589' 5-1/2" 15.5# K-55 casing set at 9665'. Cemented with 470 sacks Lite Water 10% salt + .75% CFR followed with 200 sacks Class "H" 18% salt + .75% CFR. Plug down at 1:00 A.M., 11-16-75. Casing tested 3000# for 15 minutes. Ran Temperature survey top of cement 6410'.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Wayne Carlton TITLE Production Engineer DATE December 16, 1975

Wayne Carlton

Noted by

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY