North Central Oil Corp. BLS.049
Page 2

WELL DATA

Surface Casing:

Depth
Casing Size
Hole Size
Calculated Cement Fill
Excess Calculated

400 ft. 13-3/8 in. 17-1/2 in. To Surface 100%

CEMENT RECOMMENDATION

Cement:

425

sacks Premium Plus Cement + 2% CaCl₂ + \hat{h}#/sk.

Flocele

Water ratio - 6.3 gals. per sk.
Slurry weight - 14.8 lbs. per gal.
Slurry Volume - 1.32 cu. ft. per sk.