

J. McClellan #1

Set Surface Casing on 4-25-81 as follows:

10 Jts. of 13-3/8", 48#, K-55 STC Casing set at 392'. Cemented casing with 400 sx Class "C" w/2%  $\text{CaCl}_2$ . WOC - 12 hrs. Tested casing and Hydril to 1,000 psi for 30 min. with no bleed off.

Set Intermediate Casing on 4-28-81 as follows:

48 Jts. of 8-5/8", 24#, K-55 STC Casing set at 2,134'. Cemented with 750 sx Howco Lite w/15# sx Salt, 1/4# sx. Flocele; tailed in w/350 sx Class "C" w/2%  $\text{CaCl}_2$ . WOC - 12 hrs. Tested BOP's to 3,000 psi for 3 hrs. - OK. Tested casing to 1,500 psi for 30 min. - OK.

Set Production Casing on 6-3-81 as follows:

29 Jts. of 5-1/2", 17#, K-55, LTC

48 Jts. of 5-1/2", 15.5#, K-55, STC

79 Jts. of 5-1/2", 14#, K-55, STC

38 Jts. of 5-1/2", 15.5#, K-55, LTC

Set Casing at 8,118'. Cemented w/445 sx Class "H" w/.6% Halad 22-A, 5# sx. Salt. Tested casing to 1,000 psi for 30 min. - OK.