


CORE NO. 1



Start: 4:20 A.M. June 9, 1965
 Finished: 10:10 P.M. June 9, 1965

Total Time: 17 Hours 50 Minutes Aug 2 3 42 PM '65

Cut 60' Recovered 60' 4657 - 4717'

4657-59.4 (2' - 5")	Light Tan Dense Dolomite - Stylolitic - No Show.
59.4 - 62.0 (2' - 7")	Tan Anhydritic Dolomite - with Pinpoint Porosity to Slightly Vuggy Porosity Bleeding Dark Oil.
62 - 63 (1' - 0")	Tan Anhydritic Dolomite - Stylolitic - No show.
63.0 - 71.3 (8' - 4")	Tan Anhydritic Dolomite - Slightly Fractured to Fractured with Pinpoint to Slightly Vuggy Porosity - Slightly Bleeding Oil.
71.3 - 78.0 (6' - 8")	Tan Anhydritic Dolomite - Stylolitic - Slightly Fractured with Scattered Porosity - Very Slightly Bleeding Oil.
78.0 - 89 (11' - 0")	Tan Dolomite - Stylolitic - Dense - No Show.
89 - 92.5 (3' - 6")	Same as Above: Tan Dolomite - Stylolitic - Dense - With Shale Laminations No Show.
92.5 - 93.5 (1' - 0")	Tan Dolomite - Slightly Fractured - Slight Porosity- Slightly Bleeding Dark Oil.
93.5 - 99 (5' - 6")	Tan Dolomite - Stylolitic - Dense - With Slight Show at 97.2 - 97.7.
99 - 4704 (5' - 0")	Tan Dense Dolomite - Slightly Anhydritic with Thin Shale Laminations - No Show.
04 - 05 (1' - 0")	Tan Dolomite - Slight Porosity - Slight Show
05 - 09.5 (4' - 6")	Tan Dense Dolomite - Stylolitic - No Show.
09.5 - 17 (7' - 6")	Tan Dolomite - Slightly Fractured - Stylolitic with Pinpoint Porosity- Bleeding Oil.
<u>60'</u>	TOTAL

CORE NO. 2

LOVINGTON SAN ANDRES UNIT NO. 59 AUG 2 3 42 PM '65

Started: 12:25 P.M. June 11, 1965
Finished: 5:14 A.M. June 12, 1965

Total Time: 16 Hours 49 Minutes

Cut 35' Recovered 35' 4837 - 4872'

4837 - 39.5 (2' - 6")	Dense Gray Dolomite - Fractured with Few Scattered Shale Laminations - No Show.
39.5 - 42.5 (3' - 0")	Dense Gray Dolomite - Slight Show Bleeding Oil.
42.5 - 51 (8' - 6")	Dense Gray Dolomite - Fractured with Few Shale Laminations - No Show.
51 - 52 (1' - 0")	Dense Gray Dolomite - Slight Show Bleeding from Fractures.
52 - 53 (1' - 0")	Dense Gray Dolomite - No Show.
53 - 58 (5' - 0")	Dense Gray Dolomite with Shale Laminations - No Show.
58 - 61 (3' - 0")	Dense Gray Dolomite with few Shale Laminations - Slightly Fractured - No Show.
61 - 63 (2' - 0")	Dense Gray Dolomite with Pinpoint Porosity - Show of Bleeding Oil.
63 - 64.5 (1' - 6")	Dense Gray Dolomite Slightly Fractured - No Show.
64.5 - 66 (1' - 6")	Dense Gray Dolomite - Fractured with Show of Oil.
66 - 67 (1' - 0")	Dense Gray Dolomite - Fractured with Slight Show of Oil.
67 - 68 (1' - 0")	Dense Gray Dolomite - With Scattered Pinpoint Porosity - Show of Oil.
68 - 70.5 (2' - 6")	Dense Gray Dolomite - Slightly Fractured with Pinpoint Porosity - Good Show of Oil.
70.5 - 72 (1' - 6")	Dense Gray Dolomite - Very Fractured with Pinpoint Porosity - Good Show of Oil.
35'	TOTAL