

02-27-83 Went in the hole with a casing cutter and cut the 5 1/2" casing off at 3150' and pulled 79 joints of 5 1/2" casing. Ran in the hole with 2 3/8" tubing to 3200' and spotted 35 sacks of Class "C" cement. Pulled the tubing up the hole. Shut down for the night.

02-28-83 Shut down for Sunday.

02-29-83 Went back in the hole with the tubing and tagged the top of the cement at 3090'. Pulled up the hole with the tubing to 1500' and spotted 35 sacks of Class "C" cement. Pulled out of the hole with the tubing. Removed the BOP's, dug out the cellar and cut off the wellhead. Mixed 3 sacks of Class "C" cement and spotted a 10' plug at the surface in the 9 5/8" hole on top of empty mud sacks. Welded on 7/16" metal plate over 13 3/8" surface pipe and installed dry hole marker. Rigged down Baker casing pulling rig.

Class "C" cement was used for plugging operation. 371' of 13 3/8", 48# casing set at 374' and 4296' of 9 5/8", 36# casing set at 4299' and 5235' of 5 1/2", 15.5# and 17# casing set at 8385' were left in the hole.

Waiting on pits to dry out before leveling and inspection.

RECEIVED

MAR 2 1983

O.C.D.  
HOBBS OFFICE