

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

RECEIVED
HOBBBS

1. Pulled 3" tubing and packer.
2. Ran 4163' of 5" casing set at 4172' and cemented with 22 sacks.
3. Ran temperature survey, top of cement 4020'.
4. Perforated casing at 3980' with three 1/2" holes.
5. Ran Baker cement retainer, cemented through perforations at 3980' with 50 sacks.
6. Perforated at 3850' with three 1/2" holes and squeezed with 25 sacks.
7. Cement set 48 hours.
8. Drilled out cement. Drilled ahead in 4 1/4" hole from 4175' to 4218'.
4218' Total Depth.

4175'	4190'	Brown lime, good stain.
4190'	4214'	Saturated.
4214'	4218'	Brown and gray lime.
9. Ran drill stem test with packer set at 4150', testing interval 4150'-4218'. Produced 22 barrels oil per hour.
10. Ran Gamma Ray and Neutron log.
11. Perforated 4150' to 4160' with ten 1/2" holes.
12. Ran 4110' of 2" EUE tubing with packer set at 4087'.
13. Placed well on production.