

NEW MEXICO "R" STATE NCT-3 WELL NO. 24-TN
LEA COUNTY, NEW MEXICO

Continuation to Form C-101

3RD INTERMEDIATE CASING: 1500 sacks Class "H" Light Weight (12.7 ppg, 1.84 cu. ft./sx.) followed by 250 sacks "H", 1/4# Flocele. (15.6 ppg, 1.18 cu. ft./sx.).

4TH INTERMEDIATE CASING: 1ST STAGE: 400 sacks Light Weight, 10# Gilsonite, 1/4# Flocele, 0.6% Halad-9, 0.4% HR-4 (12.4 ppg, 2.00 cu. ft./sx.) followed by 250 sacks "H", 1/4# Flocele, .8% Halad-9 (15.6 ppg, 1.18 cu. ft./sx.). 2ND STAGE: 1200 sacks Class "H" Light Weight, 1/4# Flocele (12.4 ppg, 2.00 cu. ft./sx.).

PRODUCTION LINER: 250 sacks 50/50 Poz "H", 0.8% Halad-9 (14.2 ppg, 1.26 cu. ft./sx.).

*10. Field and Pool or Wildcat

Vacuum - Upper Pennsylvanian
Vacuum - Devonian
Wildcat

*19. Formation

Penn.
Devonian
McKee SS ***

The BOP in Exhibit C will be used until first string of Intermediate casing is set. The BOP in Exhibit F will be used thereafter.

***Location for McKee is an unorthodox location and is not subject to administrative approval. We request approval of this permit to drill and test the McKee with provision that no allowable will be assigned until after the hearing is decided. (Hearing is scheduled for June 17, 1987).