

CASING PROGRAM

We propose to use the following strings of casing and to cement them as indicated:

SIZE OF HOLES	SIZE CASING	WEIGHT PER FT.	TYPE OF CEMENT USED	DEPTH	REMARKS
10"	11-3/4"	42	New	1500'	1000*
7-7/8"	2-7/8"	6.4	New	6500'	1400**
7-7/8"	2-7/8"	6.4	New	6500'	

*800 Class "C" with 4% gel followed by 200 Class "C" Heat.

**Class "C" with 4% gel and friction reducing additive in first 500sx.

FORMATION TOPS

Anhydrite	1465'
Salt	1580'
Yates	2025'
San Andres	4280'
Glorieta	5335'
Blaine	6540'
Total Depth	6800'