

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPPLICATE\*  
(Other instructions on re-  
verse side)

Form approved.  
Budget Bureau No. 1004-0135  
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO

LC - 065447

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Sharp Nose Federal

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Undes. Quail Ridge Morrow

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

Sec. 13, T-20-S, R-33-E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, CR, etc.)

3610' GL

12. COUNTY OR PARISH

Lea

13. STATE

NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON\*

REPAIR WELL

CHANGE PLANE

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT\*

(Other)

second intermediate casing

(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

A twelve and one-quarter inch hole was drilled to a depth of 5240' K.B. Eight and five-eighths inch 32 and 24#/ft., HC-80 and J-55 ST&C casing was run and set at 5232' K.B. External casing packer at 3596' K.B., D.V. tool at 3546.20' K.B. Cemented first stage with 500 sacks Howco lite cement with 6% gel, 6# gilsonite, and 1/4# flocele/SK. (1.56 cu. ft./SK. yield, 12.7#/gallon). Tailed in with 200 sacks class "C" with 2% CACL2 (1.32 cu. ft./SK. yield, 14.5#/gallon). Plug down at 4:15 PM December 15, 1991. Circulated 150 sacks to surface. Waited on cement 6 hours. Second stage: Cemented with 1000 sacks Howco lite class "C" cement (1.84 cu. ft./SK. yield, 12.7#/gallon). Tailed in with 200 sacks class "C" with 2% CACL2 (1.32 cu. ft./SK. yield, 14.5#/gallon). Plug down at 11:53 AM December 15, 1991. Circulated 262 sacks to surface. BLM notified but did not witness. Waited on cement 24 1/2 hours. Tested blind rams and choke manifold to 2000 psig. BLM notified but did not witness. Tested pipe rams and casing to 2000 psig. Tested casing and hydrill to 1500 psig.

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

Agent for Collins & Ware, Inc.

DATE

1/14/92

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY: