

NUMBER OF COPIES RECEIVED

DISTRIBUTION

SANTA FE

FILE

U.S.G.S.

LAND OFFICE

TRANSPORTER

OIL

GAS

PRODUCTION OFFICE

OPERATOR

NEW MEXICO OIL CONSERVATION COMMISSION

FORM C-103
(Rev 3-55)

MISCELLANEOUS REPORTS ON WELLS

(Submit to appropriate District Office as per Commission Rule 1106)

HOBBS OFFICE OCC
1962 MAY 25 PM 1:15

Name of Company

TEXACO Inc.

Address

P. O. Box 728, Hobbs, New Mexico

Lease

C. H. Weir "A"

Well No.

8

Unit Letter

F

Section

12

Township

20-S

Range

37-E

Date Work Performed

5-24-62

Pool

*

County

Lea

THIS IS A REPORT OF: (Check appropriate block)

☐ Beginning Drilling Operations☒ Casing Test and Cement Job☐ Other (Explain):☐ Plugging☐ Remedial Work* Skaggs (Glorieta), Skaggs (Drinkard)
Undesignated (Blaine-Gas)

Detailed account of work done, nature and quantity of materials used, and results obtained.

TD - 6883'

9-5/8" O. D. Casing Cemented at 1439'.

See attached sheet.

HC 1186

Witnessed by

C. F. Jackson

Position

Prod. Foreman

Company

TEXACO Inc.

FILL IN BELOW FOR REMEDIAL WORK REPORTS ONLY

ORIGINAL WELL DATA

D F Elev.

TD

P BTD

Producing Interval

Completion Date

Tubing Diameter

Tubing Depth

Oil String Diameter

Oil String Depth

Perforated Interval(s)

Open Hole Interval

Producing Formation(s)

RESULTS OF WORKOVER

Test	Date of Test	Oil Production BPD	Gas Production MCFPD	Water Production BPD	GOR Cubic feet/Bbl	Gas Well Potential MCFPD
Before Workover						
After Workover						

OIL CONSERVATION COMMISSION

I hereby certify that the information given above is true and complete to the best of my knowledge.

Approved by

Name

Title

Position

Assistant District Superintendent

Date

Company

TEXACO Inc.

C. H. WEIR "A" WELL NO. 8

Ran String No. 1 (Skaggs-Drinkard) - 6872' of 2-7/8" O. D. Casing 6.40 Lb., J-55, and cemented at 6883'. Plug at 6873'.

Ran String No. 2 (Blinebry-Gas) - 6871' of 2-7/8" O. D. Casing 6.40 Lb., J-55, and cemented at 6882'. Plug at 6871'.

Ran String No. 3 (Skaggs-Glorieta) - 5405' of 2-7/8" O. D. Casing 6.40 Lb., J-55, and cemented at 5416'.

Cement down all strings with 1600 sx with 50-50 Diamix "A" with 3% CACL and 200 sx regular Incor. Used 120 Bbls. Brine water and 10 Bbls. fresh water ahead of cement. Job complete 3:30 P.M., May 20, 1962.

Tested X, Y, Z strings with 3000 Lbs. for 30 minutes. Tested OK. Tested Blinebry string - Open sleeves and tested as follows: 6719' with 1500 Lbs. Tested OK. 5900' with 1450 Lbs. Tested OK. 5712' with 1450 Lbs. Tested OK. 5363' with 2500 Lbs. Tested OK. 5236' with 1500 Lbs. Tested OK.