

CORE NO. 6

(5720-70) (Blinbry) Cut and recovered 50'
5720-21 - Dolomite - bleeding oil
5721-24 - Sandstone - tight bleeding oil
5724-25 - Dolomite - PPP Flour. bleeding oil
5725-30 - Sandstone - tight flour. bleeding oil
5730-62 - Dolomite PPP Flour. bleeding oil
5762-70 - Dolomite - Dense

CORE NO. 7

(6640-80) (Drinkard) Cut and recovered 40'
6640-80 - Limestone - spotted to solid bleeding of oil over entire core.

CORE NO. 8

(6740-6780) (Drinkard) - cut and recovered 40'.
6740-80 - Dolomite Limestone - bleeding oil throughout entire core. PP to fair porosity

CORE NO. 9

(6840-6885) (Drinkard) Cut 45' - recovered 44'
6840-47 - Dolomite - bleeding oil
6847-50 - Limestone - dense - no show
6850-56 - Limestone - bleeding oil.
6856-57 - Limestone - dense - no show
6857-64 - Limestone w/anhydrite inclusions - bleeding oil.
5864-68 - Limestone - dense - no show
6868-81 - Dolomite-Limestone - bleeding oil
6881-84 - Dolomite - dense, no show