

WELL NAME: Warren McKee Brine #4

C E M E N T I N G P R O G R A M

SURFACE CASING STRING

LEAD 100 sxs Class C Mixed at 13.7 ppg
Additives 4 % Gel + 2 % CaCl₂
TAIL 100 sxs Class C Mixed at 14.8 ppg
Additives 2 % CaCl

PRODUCTION CASING STRING

LEAD 200 sxs Class C Mixed at 13.7 ppg
Additives 4 % Gel + 2 % CaCl₂ + .2 % SMS
TAIL 150 sxs Class C Mixed at 14.8 ppg
Additives 2 % CaCl₂