

Proposed Well Plan

State "A" A/C 2, Well # 76

1980' FNL & 660' FWL, Sec. 8, T 22S, R 36E, Unit Ltr 'E', Lea Co.

1. Drill 12 ¼" hole from surface to 600'.
2. Run 8 5/8" 24# casing to 600' cement W/ 240 sx cement with additives to Surface.
3. Drill 7 7/8" hole to 3900'.
4. Run 5 ½" 15.5# casing to 3900' cement W/ 490 sx cement with additives to surface.
5. Perforate the Yates formation from 2900' to 3050'
6. Perforate the 7 Rvrs formation from 3075' to 3500'.
7. Acid and Frac treatment will be determined after looking at the Logs.
8. Complete and put on production.