

Proposed Well Plan

State "A" A/C 2, Well # 79

660' FNL & 660' FWL, Sec. 11, T 22S, R 36E, Unit Ltr 'D', Lea Co.

1. Drill 12 1/4" hole from surface to 600'.
2. Run 8 5/8" 24# casing to 600' cement W/ 240 sx cement with additives to Surface.
3. Drill 7 7/8" hole to 4200'.
4. Run 5 1/2" 15.5# casing to 4200' cement W/ 490 sx cement with additives to surface.
5. Perforate the Yates from 3150' to 3359' & 7 Rvrs from 3360' to 3640'.
6. Acid and Frac treatment will be determined after looking at the Logs.
7. Complete and put on production.