

Attachment, C-103  
M. Campbell No. 2  
Gulf Oil Corporation

On June 12, 1951, ran and set 5 1/2" Baker type K cement retainer set at 3700'. Tested 5 1/2" casing with 1000# pressure for 30 minutes. There was no drop in pressure. Pumped 64 sacks regular bulk cement mixed with 1 sack Aquagel and 2 1/2" C.F. Wellite below retainer and 2 sacks above. Squeezed with 600# pressure. Raised tubing to 3680' and back washed.

On June 13, 1951, ran SL, found top of cement at 3677'. Tested 5 1/2" casing with 1000# pressure for 30 minutes. There was no drop in pressure.

On June 14, 1951, perforated 5 1/2" casing with 2 holes per foot from 3405' to 3365', 3195' to 3125', 3100' to 3050'. Total 320 shots by Schlumberger-Super gun with 10 MM bullets. Job complete at 4:30 p.m. June 14, 1951.

On June 18, 1951, took flowing tests. Shut in TP 1112#, CP 1112#. Flowed through 2 3/8" tubing and produced as follows:

TEST #1	TP 1030	CP 1100	Gas Volume	1,254,000 cf
#2	800	950		2,848,000 cf
#3	605	800		3,763,000 cf
#4	400	700		4,130,000 cf

Extended daily rate 5,300 MCF

[illegible][illegible][illegible]

DATE	DESCRIPTION	AMOUNT	BALANCE
10-01-1970	100.00	100.00	100.00
10-02-1970	50.00	50.00	50.00
10-03-1970	25.00	25.00	25.00
10-04-1970	12.50	12.50	12.50

70-100,000 sq ft. (100,000 sq ft.)