Dually completed as slinebry-fubb Gas as follows:

- Pulled 2-3/8" tubing. Ran 5-1,2" Baker bridge plug at 6250' on wire line. Dumped 10' cement on top of plug. Tested casing and plug with 3000# for 30 minutes. No drop in pressure.
- Perforated 5- /2" casing from 6170-6185', 6080-6150' with 2, 1/2" jet holes per foot. Ran 197 joints 2-3/8" tubing with bridge plug at 6199' and parent packer at 6160'. Swabbed dry.
- 3. Treated formation thru perforations in 5-1/2" casing from 6170-6185' with 2000 gallons 15% NE acid. Injection rate 4 bbls per minute. Swabbed. Treated formation thru perforations in 5-1/2" casing from 6080-6150' with 6000 gallons 15% NE acid. Injection rate 6.8 bbls per minute. Swabbed and well kicked ofr.
- 4. Fulled tubing, bridge plug and packet. Ran Baket Hodel D Froduction packer on wire line at 6030'. Ran 198 joints 2-3/8" tubing with GOT circulting valve in closed position at 6161'. Unlatched from packer, tested 5-1/2" casing with 2500# for 30 minutes. No drop in pressure. Fulled tubing.
- 5. Perforated 5-1/2" casing from 5575-5625' and 5490-5540' with 2, 1/2" jet holes per foot. Ran 2-3/8" tubing with bridge plug at 5640' and parant packer at 5551'. Swabbed.
- 6. Pulled tubing, bridge plug and parent packer. Ran 192 joints 2-3/8" tubing with GOT circulating valve in closed position at 5996". Swabbed and well kicked off. Flowed at a rate of 3120ECF with 680# back pressure (Blinebry Gas)
- 7. Closed circulating valve at 5909' and opened circulating valve at 6161'. Flowed at a rate of 1910 CCF with 600# back pressure (Tubb Gas). Blinebry Gas flowed thru 5-1/2" casing and Tubb Gas flowed thru 2-3/8" tubing.

а. на **н**

.

- - .
- - .

 - المان المعالية المحمد المحمد المحمد المعالية من المعالية المحمد المحمد المحمد المحمد المحمد المحمد المحمد المح المحمد المحمد