Form 9-831a		Budget Bureau No. 42-R358.4 Approval expires 12-31-60.
(Feb. 1951)	(SUBMIT IN TRIPLICATE)	Land Office Las Cruces
x	UNITED STATES	Losso No. LC-032104
	DEPARTMENT OF THE INTERIOR	Unit
	GEOLOGICAL SURVEY	v

SUNDRY NOTICES AND REPORTS ON WELLS

	1 1		1
NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	<u> </u>
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	L	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALIER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			
(INDICATE ABOVE BY CH	ECK MARK NATU	RE OF REPORT, NOTICE, OR OTHER DATA)	
Lease No. 41655	TE	XACO Inc. P. O. Box 728	
A. H. Blinebry NCT-1		bbs, New Mexico, February 21	. 19 62
-			,
Well No. 15 is located 330	ft. from	line and 330 ft. from $\begin{bmatrix} E \\ W \end{bmatrix}$ line of sec.	33
NW ¹ / ₄ , NW ¹ / ₄ , Sec. 33. T-22- (% Sec. and Sec. No.) (Twp.)	S R-38	-E. NMPM e) (Meridian)	
Undesignated	Lea	New Mexico	
(Field)	(County or Sub	livision) (State or Territory)	
(Paddock) and (Drinkard)	, , , ,	22811 6	
The elevation of the derrick floor above	; sea level 1	s <u></u> ft.	
	DETAILS	OF WORK	
(State names of and expected depths to objective sands ing points	; show sizes, we , and all other i	ights, and lengths of proposed casings; indicate mudding job mportant proposed work)	s, cement

TD - 7242' 8 5/8" O.D. casing cemented at 1350'

See attached sheet.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations ma

Company TEXACO Inc.

Address P. O. Box 728

H. N. Wade

Hobbs, New Mexico

By _____

Title Assistant District Superintendent

GPO 862040

A. H. BLINEBRY NCT-1 WELL NO. 15

Ran 7229' of 2 3/8" O.D. casing, 4.60 lb, J-55, 8-R, and cemented at 7240'. (String Z)

Ran 6853' of 2 7/8" O.D. casing, 6.40 lb, J-55, 8-R, and cemented at 6864'. (String Y)

Cement above casing with 1200 sx Incor 8% Gel. Plug at 6863'. Top of cement by temperature survey, 2475'.

Ran 1 5/8" DP. Tested string to 3500 lb. 30 minutes O.K. Open sleeve at 5866'. Pump in at 0.25 BPM at 3200 lb. Squeeze thru sleeve with 25 sx neat cement with 0.5% LWL. Maximum pressure 3500 lb. Closed sleeve. Reversed out 5 sx cement. Tested sleeve at 3600 lb. Bled to 1600 lb. in 10 minutes. Shut in 3 hrs. Open sleeve. Pumped in at 0.25 BPM at 3200 lb. Spot 15 sx neat cement with 0.5% LWL at 5856'. Squeeze sleeve with 4000 lb. Closed sleeve. Reversed out 5 sx cement. Pulled DP to 5594'. WOC 8 hrs. Tested string at 3500 lb. 30 minutes O.K. Open sleeve at 5555'. Pump in at 0.25 BPM at 3000 lb. Squeeze sleeve with 40 sx neat cement with 0.5% LWL. Maximum pressure 3500 lb. Closed sleeve. Reversed out 16 sx cement. Tested string with 3500 lb. 30 minutes 0.K. Open sleeve at 5275'. Pump in at 0.25 BPM at 3200 lb. Prepare to squeeze. Squeeze sleeve at 5275' with 25 sx reg. cement with 0.5% LWL. Maximum pressure 3500 lb. Closed sleeve. Reversed out 3 sx cement. Tested string to 3500 lb. 30 minutes 0.K. Open sleeve at 5179'. Pump in 1/8 BPM at 3500 lb. Squeeze sleeve with 25 sx reg with 0.5% LWL. Maximum pressure 3500 lb. Closed sleeve. Reversed out 17 sx cement. Tested string 3500 lb. 30 minutes O.K. Pulled 200' DP. WOC 12 hrs. Prepare to open and test top 3 sleeves. Open sleeve at 5555'. Tested to 3500 lb. 30 minutes O.K. Closed sleeve. Open sleeve at 5275'. Tested to 3500 lb. 30 minutes O.K. Closed sleeve at 5179'. Tested to 3500 lb. 30 minutes O.K. Closed sleeve. Pulled 1 5/8" DP. Went in with bit. DOC 5857-66'. Circulate to 7160'. Job complete 8:30 a.m. February 21, 1962.