

2-7/8" Production casing
 cemented with 500 sacks
 Trinity Lite Water followed by 500
 sacks Incor 4% gel. Cement volume
 equals 149% of the calculated annular
 volume from TD to base of salt at 2650'

→ Tubb
 → Drinkard

8-5/8" Casing set at 1395'
 Cemented with 430 sacks Trinity
 Lite Water followed by 100 sacks
 Class "C" neat. Cement circulated.

Name: Tubb
 Perforated: 6350, 56, 62, 68,
 75, 83, 90, 99, 6409, 20.

2-7/8" Casing set at 7345'

2-7/8" Casing set at 7350'

Total Depth at 7350'

Name: Drinkard
 Perforated: 7044, 59, 68, 77, 98,
 7143, 78, 84, 88, 98, 7208, 15,
 42, 58, 93, 7311

TEXACO Inc.
 Sketch - Dual Tubingless Completion

Name: A. H. Blinebry (NCT-1) No. 33
 Field: Tubb & Drinkard
 Date: January 3, 1966