

Bill Hill and Joe Kandle
October 30, 1974

Material Consumption

Material	0-400'	400'-5300'	5300'-12500'	12500'-14500'	14500'-18500'	Total	Approx. Cost
Fresh Gel	150					150	\$ 600.00
Salt Gel		200				200	1200.00
Lime	20		150			170	350.00
Asbestos		50	250	300	100	700	9100.00
S.W. CMC			100	100	100	300	32000.00
Starch			200	200	200	600	9600.00
Dipel			50	50	60	160	2000.00
Preservative			50	50	60	160	6700.00
KCl				450	200	650	6500.00
Salt			1500	1500		3000	6500.00
Barite				8000		8000	32000.00
Paper		50	50			100	1000.00
Fiber		50				50	500.00
Desco				100		100	3000.00
TOTAL							\$121050.00

Mud Properties

Depth	Weight	Viscosity	Fluid Loss	Yield
0-400'	8.5-8.8#/gal	45-50sec/1000cc	NC	NC
400-5300	10.0-10.2	32-33	NC	NC
5300-12500	9.0-9.5	32-34	6-8cc/30min	5-8
12500-14500	13.0-14.0	38-42	4-6	10-14
14500-18500	8.8-9.0	34-36	4-6	4-6