

Emery King, NW #6

C-105

Question #32

Acid, Shot, Fracture, Cement Squeeze, etc.

3739'-3746'	Acidized w/ 700 gls 15% NEFE HCL
3661'-3695'	Acidized w/ 3500 gls 15% NEFE HCL
3707'-3735'	Acidized w/ 2600 gls 15% NEFE HCL
3661'-3746'	Frac'd w/ 41,900 gls-75 quality foam, 10,475 gls gel wtr, 625,507 SCF Nitrogen, 75,000# 20-40 sd.
3582'-3620'	Acidized w/ 2,200 gls 15% NEFE HCL
3582'-3620'	Frac'd w/ 19,900 gls 75 quality foam, 4975 gls gelled wtr, 296,960 SCF Nitrogen, 30,000# 20-40 sd