

Proposed Well Plan
State "A" A/C 1, Well # 132
660' FSL & 660' FWL, Sec. 21, T 23S, R 36E, Unit Ltr 'M', Lea Co.

1. Drill 12 ¼" hole from surface to 600'.
2. Run 8 5/8" 24# casing to 600' cement W/ 240 sx cement with additives to Surface.
3. Drill 7 7/8" hole to 4500'.
4. Run 5 ½" 15.5# casing to 4500', cement W/ 490 sx cement with additives to surface.
5. Perforate the Yates from 3400 to 3699' & 7 Rvrs from 3700' to 4000'.
6. Acid and Frac treatment will be determined after looking at the Logs.
7. Complete and put on production.