



*NMOC*

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

1962 JUN 23 PM 3:29

Budget Bureau No. 42-R358.4.  
Form Approved.

Land Office Las Cruces

Lease No. LC-032592

Unit \_\_\_\_\_

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	<u>X</u>
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	<u>X</u>	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

C.C. Fristoe (b) NCT-2

Lease No. 41682

TEXACO Inc.

P.O. Box 728

Hobbs, New Mexico June 26, 1962

Well No. 6 is located 2310 ft. from N line and 660 ft. from E line of sec. 35

SE-1/2, NE-1/4, Sec. 35 24-S 37-E NMPM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

\* (Field) Lea New Mexico  
(County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3178 ft.  
\*Undesignated (McKee)  
Undesignated (Ellenburger)  
Undesignated (Fusselman)

### DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

TD - 7245'

9-5/8" OD casing cemented at 3499'

SEE ATTACHED SHEET

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company TEXACO Inc.

Address P.O. Box 728

Hobbs, New Mexico

By [Signature]

Title Assistant District Superintendent

C. C. FRISTOE (b) NCT-2 WELL NO. 6

String No. 1 - Ran 7232' of 2-7/8" OD (6.4 lb, J-55, 8-R) casing and cemented at 7244'.

String No. 2 - Ran 7233' of 2-7/8" OD (6.4 lb, J-55, 8-R) casing and cemented at 7244'.

String No. 3 - Ran 7235' of 2-7/8" OD (6.4 lb, J-55, 8-R) casing and cemented at 7245'.

Pumped 180 bbls 8.9# brine water and 40 bbls fresh water down all three strings preceding 1600 sx El Toro 35 and Pozzalanic mixed 1.1, containing 1.5% LWL & 3% CACL. Reciprocated string No. 3 thruout job. Job complete 5:30 P.M. June 23, 1962. Top of cement by Temperature Survey 3180'.

String No. 1 - Ran 1-5/8" DP with opening and closing tools. Tested sleeves as follows: 7120' with 1700#. Tested O.K. 6902' with 1750#, bled to 1350# in 5 minutes. 6094' with 1850#, bled to 1550# in 5 minutes. 5960' with 1900#, bled to 1600# in 5 minutes. 5557' with 2000#, bled to 1500# in 5 minutes. 5400' with 2000#, bled to 1500# in 5 minutes. 4840' with 2200#, bled to 1400# in 5 minutes. 4775' with 2200#, pumped in 0.5 BPM. Squeeze at 4775' with 20 sx Incor with 1.5% LWL. Max pressure 4600#. Rev out 14 sx. Tested string to 2500#. Tested O.K. Job complete 2:00 A.M. June 27, 1962.