

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease
State ☒ Fee ☐
5. State Oil & Gas Lease No.
E-0989-1

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐	7. Unit Agreement Name
2. Name of Operator Tenneco Oil Company	8. Farm or Lease Name Monsanto State
3. Address of Operator Box 1031, Midland, Texas	9. Well No. 8.
4. Location of Well UNIT LETTER <u>L</u> <u>990</u> FEET FROM THE <u>West</u> LINE AND <u>1660</u> FEET FROM THE <u>South</u> LINE, SECTION <u>16</u> TOWNSHIP <u>25S</u> RANGE <u>32E</u> NMPM.	10. Field and Pool, or Wildcat Paducah Delaware
15. Elevation (Show whether DF, RT, GR, etc.) 3414 GR	12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	PLUG AND ABANDONMENT ☐
PULL OR ALTER CASING ☐	OTHER ☐	CASING TEST AND CEMENT JOB ☒	OTHER ☐

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1703.

10/14-21/70 Drilled 7 7/8" hole from 357' KDB to 4750' KDB TD.

10/22/70 Ran Gamma Ray Sonic and Induction Log. Circulated hole preparatory to running casing. Ran 4 1/2" 10.5 # K-55 casing & set at 4746.19' KDB. Cemented with 200 sacks Incon Pozmix and 90 sacks class "C" latex. Plug down at 5:15 P.M. MST, 10/22/70. W.O.C. Released rig.

10/23/70 Ran temperature survey & found top of cement @ 3090' outside 4 1/2" casing.

10/23-27/70 move off rig & move in completion unit. Tested casing with 1775-# for 30 mins. Held OK.

Cement slurry volume for 4 1/2" casing - 418 cu. ft.
mixing temperature 78°F. Formation temperature 168°F.
Compressive Strength of cement 1700 psi

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>Carley Watkins</u>	TITLE <u>Sr. Prod. Clerk</u>	DATE <u>10/29/70</u>
APPROVED BY <u>[Signature]</u>	TITLE <u>Sr. Prod. Clerk</u>	DATE <u>10/29/70</u>
CONDITIONS OF APPROVAL, IF ANY:		

RECEIVED

OCT 5 1970

OIL CONSERVATION DIST.
LOS ANGELES