

Cementing Program

8-5/8" Surface Casing

Depth:	1350'
Casing Size:	8-5/8"
Hole Size:	12.25"
Calculated Cement Fill:	1350'
Excess Calculated:	100%
Cementing Company:	Halliburton

Cement Recommendation:

Spacer: 20 Bbls Fresh Water

Slurry: 860 sacks Premium Plus + 2% CaCl₂

Slurry Weight:	14.8 ppg
Slurry Yield:	1.34 cu.ft./sack

Procedure:

1. Utilize the two-plug system.
2. Wait on cement a minimum of 8 hours.

NOTE: VOLUME ADJUSTMENTS BASED ON THE CALIPER WILL BE UNATTAINABLE. THE STANDARD PRACTICE FOR SURFACE CASING CEMENT VOLUME DETERMINATION HAS BEEN CALCULATED (GAUGE HOLE PLUS 100% EXCESS). NO FURTHER CALCULATIONS WILL BE MADE FOR CEMENT VOLUME.

RECEIVED

JUL 05 1994

OFFICE