

From: Patterson, Heather, EMNRD
To: ["Michael Burton"](#)
Cc: [Michael Patterson](#); [Lance Crenshaw](#); [Michael Alves](#); [Christine Alderman](#); [Max Pfaff](#); [Bratcher, Mike, EMNRD](#); [Robertson, Jeffery](#)
Subject: RE: Cimarex Bonnie 35 Fed Com work plan
Date: Thursday, July 02, 2015 11:49:00 AM

RE: Cimarex * Bonnie 35 Fed Com * 30-015-42956 * 2RP-3063

Mike,

Your work plan for the above listed release is approved as written. Like approval by BLM is required for this site. Please advise if proposed excavation depths are not met.

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

If you have any questions or concerns, and for notification, please contact me.

Heather Patterson
Environmental Specialist
NMOCD District II
Office (575)748-1283 ext.101
Cell (575)703-0228

From: Michael Burton [<mailto:mburton@diversifiedfsi.com>]
Sent: Monday, June 29, 2015 1:15 PM
To: Bratcher, Mike, EMNRD; Patterson, Heather, EMNRD; Robertson, Jeffery
Cc: Michael Patterson; Lance Crenshaw; Michael Alves; Christine Alderman; Max Pfaff
Subject: Cimarex Bonnie 35 Fed Com work plan

All,

Attached is the work plan for the Cimarex Bonnie 35 Fed com release. Please let me know if there are issues or conditions of approval. Thanks again.

Mike Burton

DFSI

Environmental Operations Director

Customer Relations

575-390-5454 cell

The information contained in this e-mail message is intended only for the personal and confidential use of the recipient(s) named above. If the reader of this message is not the intended recipient or an agent responsible for delivering it to the intended recipient, you are hereby notified that you have received this document in error and that any review, dissemination, distribution, or copying of this message is strictly prohibited. If you have received this communication in error, please notify us immediately by e-mail, and delete the original message.

