From: Patterson, Heather, EMNRD

To: "Michael Burton"; jamos@blm.gov; stucker@blm.gov; Bratcher, Mike, EMNRD

Cc: Michael Patterson; Lance Crenshaw; Aaron Garcia; Robinson, John

Subject: RE: XTO Remuda Basin 19 Fed #2 SWD work plan

Date: Tuesday, July 28, 2015 1:21:00 PM

RE: XTO * Remuda Basin 19 Fed. #2 SWD * 30-015-28901 * 2RP-3152

Mr. Burton,

The OCD is in receipt of your remediation proposal for the above referenced site. XTO has OCD's permission to begin work on this site, but certain stipulations must be met for closure:

- A confirmation lab sample including BTEX, TPH, and chlorides will be required at each sample point;
- A liner will be required in the area encompassing SB1, SP1, SP2, and SP4;
- Any other areas showing elevated chlorides should be cleared with OCD prior to backfill and may also require a liner;
- Confirmation samples must meet RRAL's for a site ranking of 10 before the site is backfilled.

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

If you have any questions or concerns, and for notification, please contact me.

Heather Patterson Environmental Specialist NMOCD District II Office (575)748-1283 ext.101 Cell (575)703-0228

From: Michael Burton [mailto:mburton@diversifiedfsi.com]

Sent: Monday, July 20, 2015 2:59 PM

To: jamos@blm.gov; stucker@blm.gov; Bratcher, Mike, EMNRD; Patterson, Heather, EMNRD

Cc: Michael Patterson; Lance Crenshaw; Aaron Garcia; Robinson, John

Subject: XTO Remuda Basin 19 Fed #2 SWD work plan

All,

Attached is the work plan for the referenced spill event. If you have any questions or concerns feel free to contact me. Thanks. We await your approval.

Mike Burton

DFSI

Environmental Operations Director Customer Relations

575-390-5454 cell

The information contained in this e-mail message is intended only for the personal and confidential use of the recipient(s) named above. If the reader of this message is not the intended recipient or an agent responsible for delivering it to the intended recipient, you are hereby notified that you have received this document in error and that any review, dissemination, distribution, or copying of this message is strictly prohibited. If you have received this communication in error, please notify us immediately by e-mail, and delete the original message.