RE: BopCo * PLU #213 * 30-015-33859 * 2RP-2042

Tony,

This closure request is approved.

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

If you have any questions or concerns please contact me.

Heather Patterson Environmental Specialist NMOCD District II Office (575)748-1283 ext.101 Cell (575)703-0228

From: Savoie, Tony A. [mailto:TASavoie@BassPet.Com]
Sent: Tuesday, September 29, 2015 12:18 PM
To: Bratcher, Mike, EMNRD; Patterson, Heather, EMNRD
Subject: Closure Request PLU-213 SWD 10" Mainline (2RP-2042)

Mike, Heather

Please find the attached Final C-141 and Site Closure Request for the 10" mainline spill at the PLU-213 SWD.

This is one we discussed in March 2015, this was referenced to the "Green Area" on the Google Aerial with all the other spill sites.

Still having some problems trying to merge all the documentation.

They did do some photo documentation on the soil sampling events conducted in January and February but must have missed this one.

They did provide an aerial of the sample locations, however it was all the sampling events and got rather cluttered.

This one is narrowed down to the one spill event.

Thanks again for the quick response on the other closures.

Tony