



6701 Aberdeen Avenue, Suite 9 Lubbock, Texas 79424 800-375-1296 806-794-1296 FAX 806-794-1296
200 East Sunset Road, Suite E El Paso, Texas 79922 915-585-3443 FAX 915-585-4944
5002 Basin Street, Suite A1 Midland, Texas 79703 432-669-6301 FAX 432-669-6313
(BioAquatic) 2501 Mayes Rd., Suite 100 Carrollton, Texas 75006 972-242-7750
E-Mail: lab@traceanalysis.com WEB: www.traceanalysis.com

Certifications

WBE HUB NCTRCA DBE NELAP DoD LELAP Kansas Oklahoma ISO 17025

Analytical and Quality Control Report

Bill Dougherty
Nadel & Gussman Permian LLC
601 N. Marienfeld
Suite 508
Midland, TX, 79701

Report Date: October 28, 2015

Work Order: 15102201



Project Location: Sec 13-18S-31E Eddy Co. NM
Project Name: South Taylor 13 Fed #15 **158P**
Project Number: Heater Treater Overspray


Enclosed are the Analytical Report and Quality Control Report for the following sample(s) submitted to TraceAnalysis, Inc.

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
406809	HT Westside	soil	2015-10-20	09:00	2015-10-22

These results represent only the samples received in the laboratory. The Quality Control Report is generated on a batch basis. All information contained in this report is for the analytical batch(es) in which your sample(s) were analyzed.

TraceAnalysis, Inc. uses the attached chain of custody (COC) as the laboratory check-in documentation which includes sample receipt, temperature, sample preservation method and condition, collection date and time, testing requested, company, sampler, contacts and any special remarks.

This report consists of a total of 19 pages and shall not be reproduced except in its entirety, without written approval of TraceAnalysis, Inc.

A handwritten signature in black ink, reading "Blair Leftwich". The signature is written in a cursive style with a prominent horizontal stroke at the end.

Dr. Blair Leftwich, Director
James Taylor, Assistant Director
Brian Pellam, Operations Manager

Report Contents

Case Narrative	4
Analytical Report	5
Sample 406809 (HT Westside)	5
Method Blanks	7
QC Batch 125801 - Method Blank (1)	7
QC Batch 125855 - Method Blank (1)	7
QC Batch 125856 - Method Blank (1)	7
QC Batch 125894 - Method Blank (1)	8
Laboratory Control Spikes	9
QC Batch 125801 - LCS (1)	9
QC Batch 125855 - LCS (1)	9
QC Batch 125856 - LCS (1)	10
QC Batch 125894 - LCS (1)	10
Matrix Spikes	12
QC Batch 125801 - MS (1)	12
QC Batch 125855 - MS (1)	12
QC Batch 125856 - MS (1)	13
QC Batch 125894 - xMS (1)	13
Calibration Standards	15
QC Batch 125801 - ICV (1)	15
QC Batch 125801 - CCV (1)	15
QC Batch 125855 - CCV (1)	15
QC Batch 125855 - CCV (2)	15
QC Batch 125856 - CCV (1)	16
QC Batch 125856 - CCV (2)	16
QC Batch 125894 - CCV (1)	16
QC Batch 125894 - CCV (2)	16
Appendix	18
Report Definitions	18
Laboratory Certifications	18
Standard Flags	18
Result Comments	19
Attachments	19

Case Narrative

Samples for project South Taylor 13 Fed #15 were received by TraceAnalysis, Inc. on 2015-10-22 and assigned to work order 15102201. Samples for work order 15102201 were received intact at a temperature of 20.3 C.

Samples were analyzed for the following tests using their respective methods.

Test	Method	Prep Batch	Prep Date	QC Batch	Analysis Date
BTEX	S 8021B	106475	2015-10-26 at 14:10	125855	2015-10-26 at 14:10
Chloride (Titration)	SM 4500-Cl B	106427	2015-10-22 at 13:00	125801	2015-10-23 at 11:23
TPH DRO	S 8015 D	106424	2015-10-22 at 17:00	125894	2015-10-28 at 08:20
TPH GRO	S 8015 D	106475	2015-10-26 at 14:10	125856	2015-10-26 at 14:10

Results for these samples are reported on a wet weight basis unless data package indicates otherwise.

A matrix spike (MS) and matrix spike duplicate (MSD) sample is chosen at random from each preparation batch. The MS and MSD will indicate if a site specific matrix problem is occurring, however, it may not pertain to the samples for work order 15102201 since the sample was chosen at random. Therefore, the validity of the analytical data reported has been determined by the laboratory control sample (LCS) and the method blank (MB). These quality control measures are performed with each preparation batch to ensure data integrity.

All other exceptions associated with this report have been footnoted on the appropriate analytical page to assist in general data comprehension. Please contact the laboratory directly if there are any questions regarding this project.

Report Date: October 28, 2015
Heater Treater Overspray

Work Order: 15102201
South Taylor 13 Fed #15

Page Number: 5 of 19
Sec 13-18S-31E Eddy Co. NM

Analytical Report

Sample: 406809 - HT Westside

Laboratory: Lubbock
Analysis: BTEX
QC Batch: 125855
Prep Batch: 106475

Analytical Method: S 8021B
Date Analyzed: 2015-10-26
Sample Preparation: 2015-10-26

Prep Method: S 5035
Analyzed By: JS
Prepared By: JS

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Benzene	U	1,2,3,4,5	<0.0200	mg/Kg	1	0.0200
Toluene	U	1,2,3,4,5	<0.0200	mg/Kg	1	0.0200
Ethylbenzene	U	1,2,3,4,5	<0.0200	mg/Kg	1	0.0200
Xylene	U	1,2,3,4,5	<0.0200	mg/Kg	1	0.0200

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		5	2.00	mg/Kg	1	2.00	100	77.1 - 120
4-Bromofluorobenzene (4-BFB)		5	1.89	mg/Kg	1	2.00	94	71.2 - 123

Sample: 406809 - HT Westside

Laboratory: Lubbock
Analysis: Chloride (Titration)
QC Batch: 125801
Prep Batch: 106427

Analytical Method: SM 4500-Cl B
Date Analyzed: 2015-10-23
Sample Preparation:

Prep Method: N/A
Analyzed By: LQ
Prepared By: LQ

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
Chloride	U	1	<250	mg/Kg	5	50.0

Sample: 406809 - HT Westside

Laboratory: Lubbock
Analysis: TPH DRO
QC Batch: 125894
Prep Batch: 106424

Analytical Method: S 8015 D
Date Analyzed: 2015-10-28
Sample Preparation: 2015-10-22

Prep Method: N/A
Analyzed By: HJ
Prepared By: HJ

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
DRO	Qr	1,2,3,4	<50.0	mg/Kg	1	50.0

Report Date: October 28, 2015
Heater Treater Overspray

Work Order: 15102201
South Taylor 13 Fed #15

Page Number: 6 of 19
Sec 13-18S-31E Eddy Co. NM

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane		3	23.8	mg/Kg	1	25.0	95	48.9 - 172

Sample: 406809 - HT Westside

Laboratory: Lubbock
Analysis: TPH GRO
QC Batch: 125856
Prep Batch: 106475

Analytical Method: S 8015 D
Date Analyzed: 2015-10-26
Sample Preparation: 2015-10-26

Prep Method: S 5035
Analyzed By: JS
Prepared By: JS

Parameter	Flag	Cert	RL Result	Units	Dilution	RL
GRO	B,U	1,2,3,4	<4.00	mg/Kg	1	4.00

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		3	1.84	mg/Kg	1	2.00	92	76.5 - 130
4-Bromofluorobenzene (4-BFB)		3	1.87	mg/Kg	1	2.00	94	68.4 - 120

Report Date: October 28, 2015
Heater Treater Overspray

Work Order: 15102201
South Taylor 13 Fed #15

Page Number: 7 of 19
Sec 13-18S-31E Eddy Co. NM

Method Blanks

Method Blank (1) QC Batch: 125801

QC Batch: 125801 Date Analyzed: 2015-10-23 Analyzed By: LQ
Prep Batch: 106427 QC Preparation: 2015-10-22 Prepared By: LQ

Parameter	Flag	Cert	MDL Result	Units	RL
Chloride		1	<31.4	mg/Kg	50

Method Blank (1) QC Batch: 125855

QC Batch: 125855 Date Analyzed: 2015-10-26 Analyzed By: JS
Prep Batch: 106475 QC Preparation: 2015-10-26 Prepared By: JS

Parameter	Flag	Cert	MDL Result	Units	RL
Benzene		1,2,3,4,5	<0.00444	mg/Kg	0.02
Toluene		1,2,3,4,5	<0.00457	mg/Kg	0.02
Ethylbenzene		1,2,3,4,5	<0.00762	mg/Kg	0.02
Xylene		1,2,3,4,5	<0.00367	mg/Kg	0.02

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		5	1.85	mg/Kg	1	2.00	92	77.1 - 120
4-Bromofluorobenzene (4-BFB)		5	1.79	mg/Kg	1	2.00	90	71.2 - 123

Method Blank (1) QC Batch: 125856

QC Batch: 125856 Date Analyzed: 2015-10-26 Analyzed By: JS
Prep Batch: 106475 QC Preparation: 2015-10-26 Prepared By: JS

Parameter	Flag	Cert	MDL Result	Units	RL
GRO	B	B	0.644	mg/Kg	4

Report Date: October 28, 2015
Heater Treater Overspray

Work Order: 15102201
South Taylor 13 Fed #15

Page Number: 8 of 19
Sec 13-18S-31E Eddy Co. NM

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
Trifluorotoluene (TFT)		3	1.93	mg/Kg	1	2.00	96	76.5 - 130
4-Bromofluorobenzene (4-BFB)		3	1.80	mg/Kg	1	2.00	90	68.4 - 120

Method Blank (1) QC Batch: 125894

QC Batch: 125894
Prep Batch: 106424

Date Analyzed: 2015-10-28
QC Preparation: 2015-10-22

Analyzed By: HJ
Prepared By: HJ

Parameter	Flag	Cert	MDL Result	Units	RL
DRO		1,2,3,4	<5.22	mg/Kg	50

Surrogate	Flag	Cert	Result	Units	Dilution	Spike Amount	Percent Recovery	Recovery Limits
n-Tricosane		3	27.8	mg/Kg	1	25.0	111	48.9 - 172

Laboratory Control Spikes

Laboratory Control Spike (LCS-1)

QC Batch: 125801
Prep Batch: 106427

Date Analyzed: 2015-10-23
QC Preparation: 2015-10-22

Analyzed By: LQ
Prepared By: LQ

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride		1	2420	mg/Kg	5	2500	<157	97	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride		1	2420	mg/Kg	5	2500	<157	97	85 - 115	0	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Laboratory Control Spike (LCS-1)

QC Batch: 125855
Prep Batch: 106475

Date Analyzed: 2015-10-26
QC Preparation: 2015-10-26

Analyzed By: JS
Prepared By: JS

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene		1,2,3,4,5	1.79	mg/Kg	1	2.00	<0.00444	90	68.7 - 120
Toluene		1,2,3,4,5	1.78	mg/Kg	1	2.00	<0.00457	89	76.1 - 120
Ethylbenzene		1,2,3,4,5	1.90	mg/Kg	1	2.00	<0.00762	95	74.8 - 120
Xylene		1,2,3,4,5	5.24	mg/Kg	1	6.00	<0.00367	87	75.3 - 120

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene		1,2,3,4,5	1.78	mg/Kg	1	2.00	<0.00444	89	68.7 - 120	1	20
Toluene		1,2,3,4,5	1.81	mg/Kg	1	2.00	<0.00457	90	76.1 - 120	2	20
Ethylbenzene		1,2,3,4,5	1.72	mg/Kg	1	2.00	<0.00762	86	74.8 - 120	10	20
Xylene		1,2,3,4,5	5.33	mg/Kg	1	6.00	<0.00367	89	75.3 - 120	2	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

continued ...

Report Date: October 28, 2015
Heater Treater Overspray

Work Order: 15102201
South Taylor 13 Fed #15

Page Number: 10 of 19
Sec 13-18S-31E Eddy Co. NM

control spikes continued ...

Surrogate		LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
Surrogate		LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	5	1.77	1.80	mg/Kg	1	2.00	88	90	77.1 - 120
4-Bromofluorobenzene (4-BFB)	5	1.84	1.81	mg/Kg	1	2.00	92	90	71.2 - 123

Laboratory Control Spike (LCS-1)

QC Batch: 125856
Prep Batch: 106475

Date Analyzed: 2015-10-26
QC Preparation: 2015-10-26

Analyzed By: JS
Prepared By: JS

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO		1,2,3,4	20.4	mg/Kg	1	20.0	<0.641	102	60.3 - 120

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO		1,2,3,4	19.8	mg/Kg	1	20.0	<0.641	99	60.3 - 120	3	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate		LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	3	1.89	1.88	mg/Kg	1	2.00	94	94	76.5 - 130
4-Bromofluorobenzene (4-BFB)	3	1.88	1.90	mg/Kg	1	2.00	94	95	68.4 - 120

Laboratory Control Spike (LCS-1)

QC Batch: 125894
Prep Batch: 106424

Date Analyzed: 2015-10-28
QC Preparation: 2015-10-22

Analyzed By: HJ
Prepared By: HJ

Param	F	C	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
DRO		1,2,3,4	407	mg/Kg	1	500	<5.22	81	60.9 - 130

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

continued ...

control spikes continued ...

Param	F	C	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Param	F	C	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
DRO	¹ Qr	Qr 1,2,3,4	540	mg/Kg	1	500	<5.22	108	60.9 - 130	28	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate		LCS Result	LCSD Result	Units	Dil.	Spike Amount	LCS Rec.	LCSD Rec.	Rec. Limit
n-Tricosane	3	28.0	34.7	mg/Kg	1	25.0	112	139	48.9 - 172

Report Date: October 28, 2015
Heater Treater Overspray

Work Order: 15102201
South Taylor 13 Fed #15

Page Number: 12 of 19
Sec 13-18S-31E Eddy Co. NM

Matrix Spikes

Matrix Spike (MS-1) Spiked Sample: 406809

QC Batch: 125801
Prep Batch: 106427

Date Analyzed: 2015-10-23
QC Preparation: 2015-10-22

Analyzed By: LQ
Prepared By: LQ

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride		1	2470	mg/Kg	5	2500	<157	99	80 - 120

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride		1	2470	mg/Kg	5	2500	<157	99	80 - 120	0	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Matrix Spike (MS-1) Spiked Sample: 406809

QC Batch: 125855
Prep Batch: 106475

Date Analyzed: 2015-10-26
QC Preparation: 2015-10-26

Analyzed By: JS
Prepared By: JS

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Benzene		1,2,3,4,5	1.72	mg/Kg	1	2.00	<0.00444	86	61.8 - 120
Toluene		1,2,3,4,5	1.83	mg/Kg	1	2.00	<0.00457	92	64.6 - 122
Ethylbenzene		1,2,3,4,5	1.88	mg/Kg	1	2.00	<0.00762	94	62.2 - 130
Xylene		1,2,3,4,5	5.53	mg/Kg	1	6.00	<0.00367	92	62.2 - 126

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Benzene		1,2,3,4,5	2.04	mg/Kg	1	2.00	<0.00444	102	61.8 - 120	17	20
Toluene		1,2,3,4,5	1.91	mg/Kg	1	2.00	<0.00457	96	64.6 - 122	4	20
Ethylbenzene		1,2,3,4,5	1.98	mg/Kg	1	2.00	<0.00762	99	62.2 - 130	5	20
Xylene		1,2,3,4,5	5.90	mg/Kg	1	6.00	<0.00367	98	62.2 - 126	6	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

continued ...

Report Date: October 28, 2015
Heater Treater Overspray

Work Order: 15102201
South Taylor 13 Fed #15

Page Number: 13 of 19
Sec 13-18S-31E Eddy Co. NM

matrix spikes continued ...

Surrogate		MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Surrogate		MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	5	1.92	2.00	mg/Kg	1	2	96	100	77.1 - 120
4-Bromofluorobenzene (4-BFB)	5	1.96	1.94	mg/Kg	1	2	98	97	71.2 - 123

Matrix Spike (MS-1) Spiked Sample: 406809

QC Batch: 125856
Prep Batch: 106475

Date Analyzed: 2015-10-26
QC Preparation: 2015-10-26

Analyzed By: JS
Prepared By: JS

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
GRO		1,2,3,4	15.4	mg/Kg	1	20.0	<0.641	77	25 - 139

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
GRO		1,2,3,4	17.5	mg/Kg	1	20.0	<0.641	88	25 - 139	13	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate				MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
Trifluorotoluene (TFT)	Q _{sr}	Q _{sr}	3	1.36	1.54	mg/Kg	1	2	68	77	76.5 - 130
4-Bromofluorobenzene (4-BFB)			3	1.82	1.96	mg/Kg	1	2	91	98	68.4 - 120

Matrix Spike (xMS-1) Spiked Sample: 406777

QC Batch: 125894
Prep Batch: 106424

Date Analyzed: 2015-10-28
QC Preparation: 2015-10-22

Analyzed By: HJ
Prepared By: HJ

Param	F	C	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
DRO		1,2,3,4	356	mg/Kg	1	500	7.15	70	47.9 - 130

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

continued ...

matrix spikes continued ...

Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Param	F	C	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
DRO		1,2,3,4	338	mg/Kg	1	500	7.15	66	47.9 - 130	5	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Surrogate		MS Result	MSD Result	Units	Dil.	Spike Amount	MS Rec.	MSD Rec.	Rec. Limit
n-Tricosane	3	26.8	26.1	mg/Kg	1	25	107	104	48.9 - 172

Calibration Standards

Standard (ICV-1)

QC Batch: 125801

Date Analyzed: 2015-10-23

Analyzed By: LQ

Param	Flag	Cert	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		1	mg/Kg	100	100	100	85 - 115	2015-10-23

Standard (CCV-1)

QC Batch: 125801

Date Analyzed: 2015-10-23

Analyzed By: LQ

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		1	mg/Kg	100	100	100	85 - 115	2015-10-23

Standard (CCV-1)

QC Batch: 125855

Date Analyzed: 2015-10-26

Analyzed By: JS

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		1,2,3,4,5	mg/kg	0.100	0.0876	88	80 - 120	2015-10-26
Toluene		1,2,3,4,5	mg/kg	0.100	0.0887	89	80 - 120	2015-10-26
Ethylbenzene		1,2,3,4,5	mg/kg	0.100	0.0843	84	80 - 120	2015-10-26
Xylene		1,2,3,4,5	mg/kg	0.300	0.261	87	80 - 120	2015-10-26

Standard (CCV-2)

QC Batch: 125855

Date Analyzed: 2015-10-26

Analyzed By: JS

Report Date: October 28, 2015
Heater Treater Overspray

Work Order: 15102201
South Taylor 13 Fed #15

Page Number: 16 of 19
Sec 13-18S-31E Eddy Co. NM

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Benzene		1,2,3,4,5	mg/kg	0.100	0.0954	95	80 - 120	2015-10-26
Toluene		1,2,3,4,5	mg/kg	0.100	0.0878	88	80 - 120	2015-10-26
Ethylbenzene		1,2,3,4,5	mg/kg	0.100	0.0834	83	80 - 120	2015-10-26
Xylene		1,2,3,4,5	mg/kg	0.300	0.258	86	80 - 120	2015-10-26

Standard (CCV-1)

QC Batch: 125856

Date Analyzed: 2015-10-26

Analyzed By: JS

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		1,2,3,4	mg/Kg	1.00	0.939	94	80 - 120	2015-10-26

Standard (CCV-2)

QC Batch: 125856

Date Analyzed: 2015-10-26

Analyzed By: JS

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
GRO		1,2,3,4	mg/Kg	1.00	1.06	106	80 - 120	2015-10-26

Standard (CCV-1)

QC Batch: 125894

Date Analyzed: 2015-10-28

Analyzed By: HJ

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		1,2,3,4	mg/Kg	500	407	81	80 - 120	2015-10-28

Standard (CCV-2)

QC Batch: 125894

Date Analyzed: 2015-10-28

Analyzed By: HJ

Param	Flag	Cert	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
DRO		1,2,3,4	mg/Kg	500	423	85	80 - 120	2015-10-28

Appendix

Report Definitions

Name	Definition
MDL	Method Detection Limit
MQL	Minimum Quantitation Limit
SDL	Sample Detection Limit

Laboratory Certifications

C	Certifying Authority	Certification Number	Laboratory Location
-	NCTRCA	WFWB384444Y0909	TraceAnalysis
-	DBE	VN 20657	TraceAnalysis
-	HUB	1752439743100-86536	TraceAnalysis
-	WBE	237019	TraceAnalysis
1	L-A-B	L2418	Lubbock
2	Kansas	Kansas E-10317	Lubbock
3	LELAP	LELAP-02003	Lubbock
4	NELAP	T104704219-15-11	Lubbock
5		2014-018	Lubbock

Standard Flags

F	Description
B	Analyte detected in the corresponding method blank above the method detection limit
H	Analyzed out of hold time
J	Estimated concentration
Jb	The analyte is positively identified and the value is approximated between the SDL and MQL. Sample contains less then ten times the concentration found in the method blank. The result should be considered non-detect to the SDL.
Je	Estimated concentration exceeding calibration range.
MI1	Split peak or shoulder peak
MI2	Instrument software did not integrate
MI3	Instrument software misidentified the peak
MI4	Instrument software integrated improperly
MI5	Baseline correction
Qc	Calibration check outside of laboratory limits.
Qr	RPD outside of laboratory limits
Qs	Spike recovery outside of laboratory limits.
Qsr	Surrogate recovery outside of laboratory limits.

Report Date: October 28, 2015
Heater Treater Overspray

Work Order: 15102201
South Taylor 13 Fed #15

Page Number: 19 of 19
Sec 13-18S-31E Eddy Co. NM

F	Description
U	The analyte is not detected above the SDL

Result Comments

- 1 Use MS/MSD to show analysis in control.

Attachments

The scanned attachments will follow this page.

Please note, each attachment may consist of more than one page.

