

Bratcher, Mike, EMNRD

From: Bratcher, Mike, EMNRD
Sent: Wednesday, December 16, 2015 7:11 AM
To: 'Michael Burton'; Tucker, Shelly; Patterson, Heather, EMNRD
Cc: Christine Alderman; Lance Crenshaw
Subject: RE: Cimarex Hornsby 35 Fed 3H work plan

RE: Cimarex * Hornsby 35 Fed 3H * 30-015-42208 * E-35-27s-27e
2RP-3359 * Date of release: 7/26/2015

Mr. Burton,

Your proposal for remediation of the above referenced release is approved with the following conditions of approval:

Available data indicates that ground water may be encountered at less than 100' bgs in this area, giving a site ranking of 10. Remedial goal for TPH will be 1000 mg/kg. In the area identified as SP-6, OCD will require a deeper excavation than proposed, with confirmation samples to insure the RRAL for this site is met.

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

If you have any questions or concerns, and for notification, please contact me.

Mike Bratcher
NMOCD District 2
811 S. First Street
Artesia, NM 88210
O: 575-748-1283 X108
C: 575-626-0857
F: 575-748-9720

From: Michael Burton [mailto:mburton@diversifiedfsi.com]
Sent: Tuesday, December 15, 2015 11:27 AM
To: Tucker, Shelly; Bratcher, Mike, EMNRD; Patterson, Heather, EMNRD
Cc: Christine Alderman; Lance Crenshaw
Subject: Cimarex Hornsby 35 Fed 3H work plan

All,
Please see attached work plan for the Cimarex Hornsby 35 Fed 3H. Thank you we will wait for your approval and or COA's.

Mike Burton
DFSI

Environmental Operations Director

Customer Relations

575-390-5454 cell

The information contained in this e-mail message is intended only for the personal and confidential use of the recipient(s) named above. If the reader of this message is not the intended recipient or an agent responsible for delivering it to the intended recipient, you are hereby notified that you have received this document in error and that any review, dissemination, distribution, or copying of this message is strictly prohibited. If you have received this communication in error, please notify us immediately by e-mail, and delete the original message.